

---

---

First published in the *Government Gazette*, Electronic Edition, on 29 May 2020 at 5 pm.

**No. S 409**

INFRASTRUCTURE PROTECTION ACT 2017  
(ACT 41 OF 2017)

INFRASTRUCTURE PROTECTION  
(PROTECTED PLACES) (NO. 12)  
ORDER 2020

ARRANGEMENT OF PARAGRAPHS

Paragraph

1. Citation and commencement
2. Premises declared to be protected places
3. Amendment of Protected Places (Consolidation) Order  
The Schedule

---

In exercise of the powers conferred by sections 14(1) and 19(1) of the Infrastructure Protection Act 2017, the Minister for Home Affairs makes the following Order:

**Citation and commencement**

1. This Order is the Infrastructure Protection (Protected Places) (No. 12) Order 2020 and comes into operation on 30 May 2020.

**Premises declared to be protected places**

2. The premises described in the second column of the Schedule are declared to be protected places for the purposes of the Act, and the person specified in the first column of that Schedule is designated as the authority of the corresponding protected place.

**Amendment of Protected Places (Consolidation) Order**

3. Item (48), paragraphs 3, 4 and 7 of item (54), paragraph 2 of item (81) and item (94) of the Schedule to the Protected Places (Consolidation) Order (O 2) are deleted.

---



---

THE SCHEDULE

Paragraph 2

*First column**Second column*

The Authority

Protected Place

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

## (1) ANG MO KIO CENTRAL OFFICE

All that area comprised in part of Land Lot 05679N in Mukim No. 18 occupied by “ANG MO KIO CENTRAL OFFICE” containing an area of about 2768 square metres and bounded approximately as follows:

Commencing at the northernmost corner at a point 8936.5 metres North and 2389.2 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
108° 41'	5.6
96° 35'	52.4
186° 03'	35.3
274° 42'	1.1
3° 44'	0.1
274° 34'	6.7 (along a gate)
186° 55'	0.1
276° 56'	67.5
3° 38'	0.1
277° 08'	7.1 (along a gate)
178° 45'	0.1

to the point where it meets a wall, thence along successive lines of wall of bearings and distances approximately as follows:

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>	
The Authority	Protected Place	
	<i>Bearing</i>	<i>Distance in metres</i>
	275° 36'	0.5
	7° 31'	2.3 (partly along a gate)
	277° 46'	2.3
	6° 19'	0.4
	277° 04'	3.5

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
236° 08'	4.1
275° 46'	6.6
54° 44'	54.2

to the point of commencement.

The boundaries of “ANG MO KIO CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 1671-79 filed in the office of the Chief Surveyor, Singapore.

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

(2) AYER RAJAH CENTRAL OFFICE

All that area comprised in part of Land Lot 01232K in Mukim No. 03 occupied by “AYER RAJAH CENTRAL OFFICE” containing an area of approximately 5582 square metres and bounded approximately as follows:

Commencing at the northernmost corner at a point 2336.8 metres North and 8279.1 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>																												
The Authority	Protected Place																												
	fence of bearings and distances approximately as follows:																												
	<table border="0" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="text-align: left;"><i>Bearing</i></th> <th style="text-align: left;"><i>Distance in metres</i></th> </tr> </thead> <tbody> <tr><td>114° 21'</td><td>60.6</td></tr> <tr><td>172° 37'</td><td>0.4</td></tr> <tr><td>183° 19'</td><td>64.8</td></tr> <tr><td>193° 24'</td><td>5.1</td></tr> <tr><td>204° 45'</td><td>2.0 (along a wall)</td></tr> <tr><td>294° 29'</td><td>3.7 (along a wall)</td></tr> <tr><td>294° 58'</td><td>6.0 (along a gate)</td></tr> <tr><td>290° 53'</td><td>0.2 (along a wall)</td></tr> <tr><td>204° 38'</td><td>8.1</td></tr> <tr><td>294° 25'</td><td>68.8</td></tr> <tr><td>306° 03'</td><td>6.3</td></tr> <tr><td>17° 40'</td><td>0.8</td></tr> <tr><td>24° 21'</td><td>73.6</td></tr> </tbody> </table>	<i>Bearing</i>	<i>Distance in metres</i>	114° 21'	60.6	172° 37'	0.4	183° 19'	64.8	193° 24'	5.1	204° 45'	2.0 (along a wall)	294° 29'	3.7 (along a wall)	294° 58'	6.0 (along a gate)	290° 53'	0.2 (along a wall)	204° 38'	8.1	294° 25'	68.8	306° 03'	6.3	17° 40'	0.8	24° 21'	73.6
<i>Bearing</i>	<i>Distance in metres</i>																												
114° 21'	60.6																												
172° 37'	0.4																												
183° 19'	64.8																												
193° 24'	5.1																												
204° 45'	2.0 (along a wall)																												
294° 29'	3.7 (along a wall)																												
294° 58'	6.0 (along a gate)																												
290° 53'	0.2 (along a wall)																												
204° 38'	8.1																												
294° 25'	68.8																												
306° 03'	6.3																												
17° 40'	0.8																												
24° 21'	73.6																												

to the point of commencement.

The boundaries of “AYER RAJAH CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 1512-79 filed in the office of the Chief Surveyor, Singapore.

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

(3) BEDOK CENTRAL OFFICE

All that area comprised in parts of Land Lots 03389N and 04955K in Mukim No. 27 occupied by “BEDOK CENTRAL OFFICE” containing an area of about 4063 square metres and bounded approximately as follows:

THE SCHEDULE — *continued**First column**Second column*

The Authority

Protected Place

Commencing at the northernmost corner at a point 3020.6 metres North and 9119.6 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
173° 50'	47.4 (across 2 gates)
208° 55'	22.4
176° 15'	11.5
264° 33'	49.2 (across a gate and 2 pillars)
354° 30'	21.5
9° 33'	58.8
90° 44'	36.5
67° 16'	10.6

to the point of commencement.

The boundaries of “BEDOK CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 1609-81 filed in the office of the Chief Surveyor, Singapore.

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

## (4) BUKIT PANJANG CENTRAL OFFICE

All that area comprised in part of State Land Lot 01688K in Mukim No. 14 occupied by “BUKIT PANJANG CENTRAL OFFICE” containing an area of about 4,023 square metres and bounded approximately as follows:

Commencing at the northernmost corner at a point 10,509.8 metres North and 10,096.2 metres West of the Survey

THE SCHEDULE — *continued**First column**Second column*

The Authority

Protected Place

Department origin of coordinates, the boundaries run along successive lines of fences of bearings and distances as follows:

<i>Bearing</i>	<i>Distance in metres</i>
330° 29'	0.5
59° 36'	0.6
331° 22'	0.9
331° 01'	6.1 (along a gate)
331° 08'	1.1

to a point where it meets a fence, thence along a line of the fence on a bearing of 241° 08' and for a distance of about 1.2 metre to a point where it meets the corner of a wall, thence along successive lines following the wall of bearings and distances as follows:

<i>Bearing</i>	<i>Distance in metres</i>
331° 08'	3.6
61° 13'	0.3
148° 07'	0.2

to a point where it meets a fence, thence along a line of the fence on a bearing of 61° 30' and for a distance of about 49.9 metres to the point of commencement.

The boundaries of “BUKIT PANJANG CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 1609-81 filed in the office of the Chief Surveyor, Singapore.

THE SCHEDULE — *continued**First column**Second column*

## The Authority

## Protected Place

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

## (5) EAST CENTRAL OFFICE

All that area comprised in parts of State Land Lots 00645X and 00644N in TS 17 occupied by “EAST CENTRAL OFFICE” containing an area of about 2553 square metres and bounded approximately as follows:

Commencing at the southernmost corner at a point 2081.2 metres North and 990.3 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
314° 06'	31.0
352° 34'	3.7
43° 26'	47.7

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
312° 46'	0.1
41° 44'	2.2
131° 19'	5.9
221° 19'	0.2
131° 32'	4.0 (along a gate)
41° 11'	0.2
131° 11'	24.5
133° 00'	3.4
223° 00'	0.2

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>	
The Authority	Protected Place	
	131° 56'	4.0 (along a gate)
	41° 08'	0.2
	131° 08'	11.7
	221° 42'	0.1
	to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as follows:	
	<i>Bearing</i>	<i>Distance in metres</i>
	181° 24'	5.1
	210° 35'	6.1
	251° 52'	50.9

to the point of commencement.

The boundaries of “EAST CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 1672-79 filed in the office of the Chief Surveyor, Singapore.

Chief Executive Officer,  
NetLink Management Pte.  
Ltd. (as Trustee of NetLink  
Trust)

(6) TAMPINES CENTRAL OFFICE

All that area comprised in part of Land Lot 02018V in Mukim No. 28 occupied by “TAMPINES CENTRAL OFFICE” containing an area of about 7,607 square metres and bounded approximately as follows:

Commencing at the northernmost corner at a point 6,666.8 metres North and 10,204.4 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as follows:



---



---

 THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>	
The Authority	Protected Place	
	<i>Bearing</i>	<i>Distance in metres</i>
	152° 04'	102.8
	186° 04'	9.4
	230° 46'	4.9
	231° 37'	2.3
	234° 45'	3.1
	236° 05'	3.0
	239° 37'	3.0
	242° 50'	3.0
	246° 40'	3.0
	250° 41'	3.0
	253° 18'	2.9
	255° 00'	3.0
	260° 24'	2.9
	264° 45'	3.0
	266° 11'	3.0
	270° 13'	3.0
	273° 11'	3.1
	276° 23'	2.9
	278° 53'	3.0
	282° 16'	3.0
	284° 55'	2.9
	288° 28'	3.1
	292° 03'	2.9
	295° 35'	3.1
	298° 22'	3.0
	301° 42'	2.9

---



---

 THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
	308° 35' 9.6
	318° 14' 8.6
	323° 22' 11.6
	338° 00' 12.2
	330° 51' 34.3
	62° 53' 3.9
	78° 37' 1.6
	125° 00' 1.7
	151° 38' 13.2
	62° 22' 3.1
	332° 01' 15.7 (along outer face of walls)
	332° 43' 9.7 (along a gate and fence)
	62° 03' 65.4

to the point of commencement.

The boundaries of “TAMPINES CENTRAL OFFICE” are more particularly delineated and edged pink on Survey Print No. 30011 filed in the office of the Chief Surveyor, Singapore.

Made on 28 May 2020.

PANG KIN KEONG  
*Permanent Secretary,  
Ministry of Home Affairs,  
Singapore.*

[MHA (PS) 12/2/02; AG/LEGIS/SL/137B/2015/1 Vol. 2]