First published in the Government Gazette, Electronic Edition, on 19 December 2018 at 5 pm.

No. S 846

CURRENCY ACT (CHAPTER 69)

CURRENCY (DENOMINATIONS AND CHARACTERISTICS OF COINS) NOTIFICATION 2018

Pursuant to section 17(5) of the Currency Act, it is notified for general information that the denominations and characteristics of the coins to be issued on 1 January 2019 by the Monetary Authority of Singapore are as shown in the Schedule.

THE SCHEDULE

DESCRIPTION OF THE 2019 CHINESE ALMANAC COINS (YEAR OF THE BOAR) TO BE ISSUED ON 1 JANUARY 2019

| Denomination | \$2 | |
|--------------------|---|--|
| Metal | 999 Fine Silver | Nickel-plated 99% Zinc |
| Standard Weight | 7.776 g + 0.15 g | 20.000 g + 1.70 g |
| Standard Diameter | $27.00 \text{ mm} \pm 0.30 \text{ mm}$ | $40.70 \text{ mm} \pm 0.40 \text{ mm}$ |
| Standard Thickness | $1.90 \text{ mm} \pm 0.40 \text{ mm}$ | $2.90 \text{ mm} \pm 0.40 \text{ mm}$ |
| Shape | Round | |
| Edge | Milled | |
| Design of Obverse | The background of the \$2 silver proof-like colour coin and the \$2 nickel-plated zinc proof-like coin is shiny silver. The Singapore Coat of Arms is engraved in the centre of the coin with the year-date "2019" below it. | |
| | | |
| | | ORE" appears once in each ages and is engraved on the pore Coat of Arms. |

| Denomination | \$2 |
|-------------------|---|
| Design of Reverse | 1. The background of the \$2 silver proof-like colour coin and the \$2 nickel-plated zinc proof-like coin is shiny silver. |
| | 2. The \$2 silver proof-like colour coin and the \$2 nickel-plated zinc proof-like coin share a common design which features — |
| | (a) a boar engraved in the centre of the foreground; |
| | (b) plants engraved in the left and right of the middle ground; |
| | (c) stones engraved in the foreground and left and right of the middle ground, with stones on the left of the middle ground partially covered by the boar's right hind leg; |
| | (d) a kelong engraved in the right of the background, with the stilts of the kelong partially covered by the boar's head; |
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (a); and |
| | (f) the respective denomination in figures engraved and placed at 12 o'clock, above the boar. |
| | 3. The weight in troy oz and fineness of the coin are engraved above the denomination of the \$2 silver proof-like colour coin. |
| | 4. The boar featured in the \$2 silver proof-like colour coin is in colour. |

THE SCHEDULE — *continued*

<u>\$2 Silver Proof-like Colour Coin</u>



Reverse Design



Obverse Design

<u>\$2 Nickel-plated Zinc Proof-like Coin</u>



Reverse Design



Obverse Design

Ξ

THE SCHEDULE — continued

| Denomination | \$5 | | |
|---|--|-----------------------------------|---|
| Metal | 999 Fine Silver | | 999.9 Fine Gold |
| Standard Weight | 31.104 g + 0.40 g | | 1.000 g + 0.05 g |
| Standard Diameter/ | 45.00 mm ± 0.40 mm | | 1. Length: 15.00 mm ± 0.30 mm |
| Length and Width | | | 2. Width: 8.70 mm \pm 0.30 mm |
| Standard Thickness | 3.80 mm ± 0.70 mm | 3.30 mm ± 0.70 mm | $0.80\ mm \pm 0.30\ mm$ |
| Shape | Octagon | Floral | Rectangle |
| Edge | Plain | • | |
| Design of Obverse | - | ound of the \$5 of colour coin is | silver proof coin and the shiny silver. |
| | 2. The background of the \$5 gold brilliant uncirculated coin is shiny gold. | | |
| | 3. The Singapore Coat of Arms is engraved in the centre of the coin with the year-date "2019" below it. 4. The word "SINGAPORE" appears once in each of the 4 official languages and is engraved on the coin around the Singapore Coat of Arms. | | |
| | | | |
| 5. The mintmark is engraved on the coin around Singapore Coat of Arms at 5 o'clock for the \$5 s proof coin and the \$5 silver proof colour coin. | | | 5 o'clock for the \$5 silver |
| Design of Reverse | 1. The background of the \$5 silver proof coin and the \$5 silver proof colour coin is shiny silver. | | |
| | 2. The background of the \$5 gold brilliant uncirculated coin is shiny gold. | | |
| | 3. The \$5 silver proof coin and the \$5 silver proof colour coin share a common design which features — | | |
| | (<i>a</i>) a boar of | engraved in the co | entre of the foreground; |
| | (b) plants of ground; | - | eft and right of the middle |

| THE SCHEDULE — | continued |
|----------------|-----------|
|----------------|-----------|

Ξ

| Denomination | \$5 |
|--------------|--|
| | (c) stones engraved in the foreground and left and right of the middle ground, with stones on the left of the middle ground partially covered by the boar's right hind leg; |
| | (d) a kelong engraved in the right of the background, with the stilts of the kelong partially covered by the boar's head; |
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (<i>a</i>); |
| | (f) the respective denomination in figures engraved and placed at 12 o'clock, above the boar; and |
| | (g) the weight in troy oz and fineness of the coin, engraved above the denomination of the coin. |
| | 4. The boar featured in the \$5 silver proof colour coin is in colour. |
| | 5. The \$5 gold brilliant uncirculated coin features — |
| | (a) a boar engraved in the centre; |
| | (b) the denomination "\$5" engraved and placed at 6 o'clock, below the boar; and |
| | (c) the weight in grams and fineness of the coin, engraved and placed at 12 o'clock, above the boar. |

<u>\$5 Silver Proof Coin</u>



Reverse Design

Obverse Design

<u>\$5 Gold Brilliant Uncirculated Coin</u>



Reverse Design



Obverse Design

THE SCHEDULE — continued

| Denomination | \$20 | |
|--------------------|---|--|
| Metal | 999 Fine Silver | 999.9 Fine Gold |
| Standard Weight | 155.518 g + 1.00 g | 7.776 g + 0.05 g |
| Standard Diameter | $65.00 \text{ mm} \pm 0.80 \text{ mm}$ | 21.96 mm ± 0.30 mm |
| Standard Thickness | 9.50 mm ± 1.50 mm | $1.60 \text{ mm} \pm 0.40 \text{ mm}$ |
| Shape | Round | |
| Edge | Plain | Milled |
| Design of Obverse | 1. The background of the \$20 silver proof coin is shiny silver. | |
| | 2. The background of the \$20 gold proof coin is shiny gold. | |
| | | of Arms is engraved in the vith the year-date "2019" |
| | | PRE" appears once in each ages and is engraved on the pore Coat of Arms. |
| | 5. The mintmark is engra Singapore Coat of Arr | wed on the coin around the ms at 5 o'clock. |
| Design of Reverse | 1. The background of the \$20 silver proof coin is shiny silver. | |
| | 2. The background of the \$20 gold proof coin is shiny gold. | |
| | 3. The \$20 silver proof coin and the \$20 gold proof coin share a common design which features — | |
| | (a) a boar engrave foreground; | ed in the centre of the |
| | (b) plants engraved middle ground; | in the left and right of the |
| | and right of the r on the left of th | in the foreground and left niddle ground, with stones e middle ground partially oar's right hind leg; |

| Denomination | \$20 | |
|--------------|--|--|
| | (d) a kelong engraved in the right of the background, with the stilts of the kelong partially covered by the boar's head; | |
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (<i>a</i>); | |
| | (<i>f</i>) the respective denomination in figures engraved and placed at 12 o'clock, above the boar; and | |
| | (g) the weight in troy oz and fineness of the coin, engraved above the denomination of the coin. | |

THE SCHEDULE — *continued*

\$20 Silver Proof Coin





Reverse Design

Obverse Design

\$20 Gold Proof Coin



Reverse Design




Obverse Design

THE SCHEDULE — continued

| Denomination | \$80 | |
|--------------------|---|--|
| Metal | 999 Fine Silver | |
| Standard Weight | 1000.000 g + 5.00 g | |
| Length and Width | 1. Length: 114.50 mm \pm 2.00 mm | |
| | 2. Width: 60.50 mm \pm 2.00 mm | |
| Standard Thickness | 19.00 mm ± 4.00 mm | |
| Shape | Rectangle | |
| Edge | Plain | |
| Design of Obverse | 1. The background of the \$80 silver proof-like coin is matt silver. | |
| | 2. The Singapore Coat of Arms is engraved in the centre of the coin with the year-date "2019" below it. | |
| | 3. The word "SINGAPORE" appears once in each of the 4 official languages and is engraved on the coin around the Singapore Coat of Arms. | |
| Design of Reverse | 1. The background of the \$80 silver proof-like coin is shiny silver. | |
| | 2. The \$80 silver proof-like coin features — | |
| | (<i>a</i>) a boar engraved in the centre of the foreground; | |
| | (b) plants engraved in the left and right of the middle ground; | |
| | (c) stones engraved in the left and right of the foreground; | |
| | (d) a kelong, with a water feature leading to it, engraved in the right of the background; | |
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (a); | |

| Denomination | \$80 |
|--------------|---|
| | (f) the denomination "\$80" engraved and placed at 3 o'clock, to the right of the boar overlapping the plants and water feature in the right of the middle ground; and |
| | (g) the weight in kilograms and fineness of the coin, engraved and placed at 12 o'clock, above the boar. |

<u>\$80 Silver Proof-like Coin</u>



Reverse Design



Obverse Design

THE SCHEDULE — continued

Ξ

| Denomination | \$100 | |
|--------------------|---|--|
| Metal | 999.9 Fine Gold | |
| Standard Weight | 31.104 g + 0.10 g | |
| Standard Diameter | $40.00 \text{ mm} \pm 0.40 \text{ mm}$ | |
| Standard Thickness | $2.50 \text{ mm} \pm 0.50 \text{ mm}$ | |
| Shape | Octagon | |
| Edge | Plain | |
| Design of Obverse | 1. The background of the \$100 gold proof coin is shiny gold. | |
| | 2. The Singapore Coat of Arms is engraved in the centre of the coin with the year-date "2019" below it. | |
| | 3. The word "SINGAPORE" appears once in each of the 4 official languages and is engraved on the coin around the Singapore Coat of Arms. | |
| | 4. The mintmark is engraved on the coin around the Singapore Coat of Arms at 5 o'clock. | |
| Design of Reverse | 1. The background of the \$100 gold proof coin is shiny gold. | |
| | 2. The \$100 gold proof coin features — | |
| | (a) a boar engraved in the centre of the foreground; | |
| | (b) plants engraved in the left and right of the middle ground; | |
| | (c) stones engraved in the foreground and left and right of the middle ground, with stones on the left of the middle ground partially covered by the boar's right hind leg; | |
| | (<i>d</i>) a kelong engraved in the right of the background, with the stilts of the kelong partially covered by the boar's head; | |

| Denomination | \$100 | |
|--------------|---|--|
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (a); | |
| | (f) the denomination "\$100" engraved and placed at 12 o'clock, above the boar; and | |
| | (g) the weight in troy oz and fineness of the coin, engraved above the denomination of the coin. | |

\$100 Gold Proof Coin



Reverse Design



Obverse Design

THE SCHEDULE — continued

Ξ

| Denomination | \$200 | |
|--------------------|---|--|
| Metal | 999.9 Fine Gold | |
| Standard Weight | 155.518 g + 0.20 g | |
| Standard Diameter | $60.00 \text{ mm} \pm 0.80 \text{ mm}$ | |
| Standard Thickness | 5.50 mm ± 1.50 mm | |
| Shape | Round | |
| Edge | Plain | |
| Design of Obverse | 1. The background of the \$200 gold proof coin is shiny gold. | |
| | 2. The Singapore Coat of Arms is engraved in the centre of the coin with the year-date "2019" below it. | |
| | 3. The word "SINGAPORE" appears once in each of the 4 official languages and is engraved on the coin around the Singapore Coat of Arms. | |
| | 4. The mintmark is engraved on the coin around the Singapore Coat of Arms at 5 o'clock. | |
| Design of Reverse | 1. The background of the \$200 gold proof coin is shiny gold. | |
| | 2. The \$200 gold proof coin features — | |
| | (a) a boar engraved in the centre of the foreground; | |
| | (b) plants engraved in the left and right of the middle ground; | |
| | (c) stones engraved in the foreground and left and right of the middle ground, with stones on the left of the middle ground partially covered by the boar's right hind leg; | |
| | (<i>d</i>) a kelong engraved in the right of the background, with the stilts of the kelong partially covered by the boar's head; | |

| Denomination | \$200 |
|--------------|---|
| | (e) the entrance structure of Pulau Ubin and a bumboat on water engraved in the left of the background, with the railings of the entrance structure partially covered by feature (a); |
| | (f) the denomination "\$200" engraved and placed at 12 o'clock, above the boar; and |
| | (g) the weight in troy oz and fineness of the coin, engraved above the denomination of the coin. |

\$200 Gold Proof Coin



Reverse Design

Obverse Design

[MAS 03/05/035; AG/LEGIS/SL/69/2015/1 Vol. 2]