

PROTECTED AREAS AND PROTECTED PLACES ACT
(CHAPTER 256, SECTION 5(1))

PROTECTED PLACES (CONSOLIDATION) ORDER

ARRANGEMENT OF PARAGRAPHS

Paragraph

1. Citation
 2. Protected places, permits and authorised officers
The Schedule
-

Citation

1. This Order may be cited as the Protected Places (Consolidation) Order.

Protected places, permits and authorised officers

2. The premises described in the second column of the Schedule are declared to be protected places for the purposes of the Protected Areas and Protected Places Act and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of that Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

THE SCHEDULE

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
(1) [<i>Deleted by S 12/97 wef 01/03/97</i>]	
(2) [<i>Deleted by S 942/2020 wef 05/11/2020</i>]	
<hr/>	
<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
(3) S 286/93 [2.7.93] General Manager,	MOBIL OIL SINGAPORE PTE LTD (JURONG REFINERY).

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>																																		
The Authority	Protected Place																																		
Mobil Oil Singapore Pte Ltd, Jurong Refinery.	<p>All those areas comprised in government Survey Lots 187, 1293, 1401, 1901, 2519 and 2520 (known as Plot A) and Lot 282, 283, 289, 812 (known as Plot B) and Plot C, Mukim No. 6 containing areas of about 857,000 square metres and 188,000 square metres and 12,597 square metres, respectively, and bounded approximately as follows:</p> <p>PLOT A</p> <p>Commencing at a point which is 31,835.000 metres North and 11,466.398 metres East of Survey Department origin of co-ordinates (North 30,000 metres, East 30,000 metres) the boundaries run along successive lines of bearings and distances as under:</p> <table border="0" style="margin-left: 40px;"> <thead> <tr> <th style="text-align: left;"><i>Bearing</i></th> <th style="text-align: left;"><i>Distance in metres</i></th> </tr> </thead> <tbody> <tr><td>359° 38' 10"</td><td>537.091</td></tr> <tr><td>354° 00' 43"</td><td>4.783</td></tr> <tr><td>342° 45' 50"</td><td>4.783</td></tr> <tr><td>331° 30' 56"</td><td>4.783</td></tr> <tr><td>320° 16' 02"</td><td>4.783</td></tr> <tr><td>309° 01' 08"</td><td>4.783</td></tr> <tr><td>297° 46' 14"</td><td>4.783</td></tr> <tr><td>286° 31' 20"</td><td>4.783</td></tr> <tr><td>275° 16' 26"</td><td>4.783</td></tr> <tr><td>269° 39' 00"</td><td>206.352</td></tr> <tr><td>272° 10' 22"</td><td>5.711</td></tr> <tr><td>277° 13' 06"</td><td>5.711</td></tr> <tr><td>282° 15' 50"</td><td>5.711</td></tr> <tr><td>287° 18' 34"</td><td>5.711</td></tr> <tr><td>292° 21' 19"</td><td>5.711</td></tr> <tr><td>297° 24' 03"</td><td>5.711</td></tr> </tbody> </table>	<i>Bearing</i>	<i>Distance in metres</i>	359° 38' 10"	537.091	354° 00' 43"	4.783	342° 45' 50"	4.783	331° 30' 56"	4.783	320° 16' 02"	4.783	309° 01' 08"	4.783	297° 46' 14"	4.783	286° 31' 20"	4.783	275° 16' 26"	4.783	269° 39' 00"	206.352	272° 10' 22"	5.711	277° 13' 06"	5.711	282° 15' 50"	5.711	287° 18' 34"	5.711	292° 21' 19"	5.711	297° 24' 03"	5.711
<i>Bearing</i>	<i>Distance in metres</i>																																		
359° 38' 10"	537.091																																		
354° 00' 43"	4.783																																		
342° 45' 50"	4.783																																		
331° 30' 56"	4.783																																		
320° 16' 02"	4.783																																		
309° 01' 08"	4.783																																		
297° 46' 14"	4.783																																		
286° 31' 20"	4.783																																		
275° 16' 26"	4.783																																		
269° 39' 00"	206.352																																		
272° 10' 22"	5.711																																		
277° 13' 06"	5.711																																		
282° 15' 50"	5.711																																		
287° 18' 34"	5.711																																		
292° 21' 19"	5.711																																		
297° 24' 03"	5.711																																		

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
302° 26' 27"	5.711
307° 29' 32"	5.711
312° 32' 16"	5.711
317° 35' 00"	5.711
322° 37' 44"	5.711
327° 40' 29"	5.711
332° 43' 13"	5.711
337° 45' 57"	5.711
340° 17' 20"	108.057
25° 17' 20"	12.728
70° 17' 20"	161.506
69° 31' 17"	41.273
60° 18' 00"	514.450
60° 17' 43"	45.221
60° 54' 13"	25.144
64° 12' 40"	28.091
66° 56' 42"	28.330
69° 39' 40"	27.715
73° 55' 43"	27.876
76° 15' 18"	28.657
78° 34' 08"	20.085
125° 09' 22"	12.571
171° 43' 19"	94.351
152° 24' 13"	16.571
227° 56' 00"	216.614
134° 41' 30"	167.624
134° 41' 10"	263.620

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
213° 53' 00"	101.996
308° 21' 00"	3.048
218° 23' 00"	71.658
128° 20' 00"	247.124
214° 55' 30"	17.242
208° 07' 50"	28.122
205° 52' 00"	122.672
208° 11' 40"	30.458
212° 25' 33"	30.262
216° 55' 10"	30.172
221° 20' 40"	30.056
225° 43' 20"	30.224
230° 08' 50"	30.204
234° 35' 00"	30.240
238° 57' 30"	30.228
243° 21' 20"	30.226
247° 46' 20"	30.140
252° 13' 30"	30.278
256° 34' 00"	30.226
260° 56' 50"	30.208
265° 21' 50"	30.220
269° 47' 40"	30.234
274° 13' 20"	21.914
276° 24' 30"	459.048

to the point of commencement.

PLOT B

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>																																														
The Authority	Protected Place																																														
	Commencing at a point which is 31,741.111 metres North and 11,919.526 metres East of the Survey Department origin of co-ordinates (North 30,000 metres, East 30,000 metres) the boundaries run along successive lines of bearings and distances as under:																																														
	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"><i>Bearing</i></th> <th style="text-align: left;"><i>Distance in metres</i></th> </tr> </thead> <tbody> <tr><td>94° 13' 10"</td><td>23.528</td></tr> <tr><td>89° 47' 30"</td><td>33.536</td></tr> <tr><td>85° 21' 40"</td><td>33.516</td></tr> <tr><td>80° 56' 40"</td><td>33.486</td></tr> <tr><td>76° 34' 00"</td><td>20.780</td></tr> <tr><td>76° 33' 40"</td><td>12.696</td></tr> <tr><td>72° 13' 20"</td><td>19.808</td></tr> <tr><td>184° 08' 20"</td><td>176.784</td></tr> <tr><td>94° 02' 50"</td><td>18.294</td></tr> <tr><td>184° 08' 20"</td><td>302.162</td></tr> <tr><td>81° 00' 00"</td><td>219.584</td></tr> <tr><td>180° 00' 00"</td><td>124.054</td></tr> <tr><td>261° 00' 00"</td><td>811.638</td></tr> <tr><td>0° 00' 00"</td><td>124.054</td></tr> <tr><td>81° 00' 00"</td><td>538.854</td></tr> <tr><td>4° 08' 20"</td><td>61.000</td></tr> <tr><td>274° 08' 20"</td><td>15.000</td></tr> <tr><td>4° 08' 20"</td><td>40.000</td></tr> <tr><td>94° 08' 20"</td><td>15.000</td></tr> <tr><td>4° 08' 20"</td><td>79.810</td></tr> <tr><td>269° 15' 28"</td><td>79.310</td></tr> <tr><td>184° 44' 26"</td><td>34.729</td></tr> </tbody> </table>	<i>Bearing</i>	<i>Distance in metres</i>	94° 13' 10"	23.528	89° 47' 30"	33.536	85° 21' 40"	33.516	80° 56' 40"	33.486	76° 34' 00"	20.780	76° 33' 40"	12.696	72° 13' 20"	19.808	184° 08' 20"	176.784	94° 02' 50"	18.294	184° 08' 20"	302.162	81° 00' 00"	219.584	180° 00' 00"	124.054	261° 00' 00"	811.638	0° 00' 00"	124.054	81° 00' 00"	538.854	4° 08' 20"	61.000	274° 08' 20"	15.000	4° 08' 20"	40.000	94° 08' 20"	15.000	4° 08' 20"	79.810	269° 15' 28"	79.310	184° 44' 26"	34.729
<i>Bearing</i>	<i>Distance in metres</i>																																														
94° 13' 10"	23.528																																														
89° 47' 30"	33.536																																														
85° 21' 40"	33.516																																														
80° 56' 40"	33.486																																														
76° 34' 00"	20.780																																														
76° 33' 40"	12.696																																														
72° 13' 20"	19.808																																														
184° 08' 20"	176.784																																														
94° 02' 50"	18.294																																														
184° 08' 20"	302.162																																														
81° 00' 00"	219.584																																														
180° 00' 00"	124.054																																														
261° 00' 00"	811.638																																														
0° 00' 00"	124.054																																														
81° 00' 00"	538.854																																														
4° 08' 20"	61.000																																														
274° 08' 20"	15.000																																														
4° 08' 20"	40.000																																														
94° 08' 20"	15.000																																														
4° 08' 20"	79.810																																														
269° 15' 28"	79.310																																														
184° 44' 26"	34.729																																														

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
163° 44' 06"	1.540
94° 51' 44"	2.914
184° 55' 26"	17.347
158° 31' 33"	1.095
95° 25' 48"	8.001
185° 06' 02"	8.555
275° 04' 36"	30.504
4° 57' 12"	8.522
94° 48' 37"	7.570
11° 44' 22"	7.222
4° 45' 47"	9.836
25° 27' 00"	10.161
5° 02' 10"	28.343
292° 32' 00"	26.786
4° 19' 40"	97.842
282° 00' 02"	29.682
3° 57' 50"	34.174
4° 15' 30"	171.524
4° 35' 50"	54.334

to the point of commencement.

PLOT C

Commencing at a point which is 31,117.863 metres North and 12,389.953 metres East of the Survey Department origin of co-ordinates (North 30,000 metres, East 30,000 metres) the boundaries run along successive lines of bearings and distances as under:

<i>Bearing</i>	<i>Distance in metres</i>
260° 59' 11"	102.815


THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
180° 00' 00"	124.054
80° 59' 03"	102.815
180° 00' 00"	124.054

to the point of commencement.

The boundaries of “MOBIL OIL SINGAPORE PTE LTD AT PIONEER ROAD/SHIPYARD ROAD/REFINERY ROAD” are more particularly delineated in the plan set out hereunder

THE SCHEDULE — *continued*



First column

The Authority

- (4) S 359/93
[3.9.93]
Civil Aviation
Authority of
Singapore.

Second column

Protected Place

1. VOR STATION — PULAU SAKIJANG
PELEPAH (LAZARUS ISLAND)

All those areas comprised in part of State Land Lot 58, Mukim No. 34 (OTHER ISLANDS) occupied by “VOR STATION — PULAU SAKIJANG PELEPAH (LAZARUS ISLAND)” containing an

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>																																				
The Authority	Protected Place																																				
	area of approximately 17,200.6 square metres and bounded approximately as follows:																																				
	Commencing at the southernmost corner of the wooden perimeter fence of the aforesaid “VOR STATION — PULAU SAKIJANG PELEPAH (LAZARUS ISLAND)” which point is 7,299.1 metres South and 360.4 metres East of the Survey Department origin of co-ordinates, the boundary runs along a line of wooden fence on a bearing of approximately 276° 02' for a distance of 6.1 metres, thence along successive lines of wooden fence of bearings and distances approximately as under:																																				
	<table border="0"> <thead> <tr> <th style="text-align: left;"><i>Bearing</i></th> <th style="text-align: left;"><i>Distance in metres</i></th> </tr> </thead> <tbody> <tr><td>292° 41'</td><td>12.3</td></tr> <tr><td>304° 19'</td><td>5.4</td></tr> <tr><td>306° 35'</td><td>0.5</td></tr> <tr><td>312° 04'</td><td>41.6</td></tr> <tr><td>326° 55'</td><td>15.2</td></tr> <tr><td>324° 50'</td><td>9.0</td></tr> <tr><td>319° 28'</td><td>5.9</td></tr> <tr><td>312° 54'</td><td>29.9</td></tr> <tr><td>319° 08'</td><td>9.3</td></tr> <tr><td>326° 00'</td><td>11.9</td></tr> <tr><td>329° 02'</td><td>18.0</td></tr> <tr><td>341° 43'</td><td>6.1</td></tr> <tr><td>348° 50'</td><td>6.0</td></tr> <tr><td>356° 59'</td><td>11.8</td></tr> <tr><td>3° 23'</td><td>6.0</td></tr> <tr><td>19° 58'</td><td>15.1</td></tr> <tr><td>36° 00'</td><td>2.7</td></tr> </tbody> </table>	<i>Bearing</i>	<i>Distance in metres</i>	292° 41'	12.3	304° 19'	5.4	306° 35'	0.5	312° 04'	41.6	326° 55'	15.2	324° 50'	9.0	319° 28'	5.9	312° 54'	29.9	319° 08'	9.3	326° 00'	11.9	329° 02'	18.0	341° 43'	6.1	348° 50'	6.0	356° 59'	11.8	3° 23'	6.0	19° 58'	15.1	36° 00'	2.7
<i>Bearing</i>	<i>Distance in metres</i>																																				
292° 41'	12.3																																				
304° 19'	5.4																																				
306° 35'	0.5																																				
312° 04'	41.6																																				
326° 55'	15.2																																				
324° 50'	9.0																																				
319° 28'	5.9																																				
312° 54'	29.9																																				
319° 08'	9.3																																				
326° 00'	11.9																																				
329° 02'	18.0																																				
341° 43'	6.1																																				
348° 50'	6.0																																				
356° 59'	11.8																																				
3° 23'	6.0																																				
19° 58'	15.1																																				
36° 00'	2.7																																				

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
57° 26'	24.0
69° 55'	17.8
76° 54'	6.0
94° 41'	5.8
97° 54'	8.1
60° 11'	3.0
46° 09'	6.1 (partly across a gate)
122° 49'	10.5
123° 56'	4.3
127° 29'	14.9
132° 25'	17.6
138° 20'	6.0
153° 16'	9.0
157° 15'	14.7
134° 48'	4.3
166° 40'	4.7
158° 49'	34.4
163° 11'	9.0
167° 07'	21.2
163° 43'	15.1
171° 29'	11.1
179° 32'	6.7
193° 55'	9.0
205° 11'	5.1
228° 50'	13.2
242° 38'	8.4
260° 16'	11.9

THE SCHEDULE — *continued**First column**Second column*

The Authority

Protected Place

to the point of commencement.

The boundaries of “VOR STATION — PULAU SAKIJANG PELEPAH (LAZARUS ISLAND)” are more particularly delineated and edged pink on Survey Print No. 1691-76 filed in the office of the Chief Surveyor, Singapore.

2. LAZARUS ISLAND GENERATOR HUT

All that area comprised in part of State Land Lot 58 Mukim No. 34 (OTHER ISLANDS) at LAZARUS ISLAND occupied by “LAZARUS ISLAND GENERATOR HUT” containing an area of about 168 square metres and bounded approximately as follows:

Commencing at the Northernmost corner of the perimeter fence of the aforesaid “LAZARUS ISLAND GENERATOR HUT” which point is 22,948.7 metres North and 30,194.4 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of fence of bearings and distances as under:

<i>Bearing</i>	<i>Distance in metres</i>
170° 44'	12.4
261° 21'	5.8
351° 33'	2.5
262° 30'	9.9
350° 52'	9.7
81° 13'	15.6

to the point of commencement.

The boundaries of “LAZARUS ISLAND GENERATOR HUT” are more particularly delineated and edged pink on Survey Plan No. S.P.

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place 40007 filed in the office of the Chief Surveyor, Singapore.
(5) [<i>Deleted by</i> <i>S 944/2020 wef</i> <i>06/11/2020</i>]	
(6) [<i>Deleted by</i> <i>S 944/2020 wef</i> <i>06/11/2020</i>]	
<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
(7) S539/93 [31.12.93] General Manager, Singapore Aviation Services Co. Pte. Ltd.	CHANGI NORTH AVIATION INDUSTRIAL COMPLEX All that area of JTC PLOT (A12002) at CHANGI NORTH AVIATION INDUSTRIAL COMPLEX comprising parts of State Land Lots 378-3, 378-4, 378-20, 378-21, 378-22, 378-25, 378-26, 378-29, 378-30, 378-31, 378-32, 378-36, 378-37, 378-44, 378-45, 378-60, 378-62, 378-64, 968, 1104, 1105, 2153, 2156, and State Land Lots 378-27, 378-28, 378-38, 378-39, 378-40, 378-41, 378-42, 378-43, 378-46, 378-47, 378-48, 378-49, 378-50, 378-51, 378-52, 378-53, 378-56, 378-57, 378-58, 378-59 in mukim No. 31 (Changi North) containing an area of approximately 96,976 square metres and bounded approximately as follows: Commencing at a point on the northernmost corner of the aforesaid CHANGI NORTH AVIATION INDUSTRIAL COMPLEX which point is 37,102.1 metres North and 43,336.1 metres East of the Survey Department origin of co-ordinate (N 30,000 m, E 30,000 m) the boundaries running along successive lines of bearings and distances as under:
<i>Bearing</i>	<i>Distance in metres</i>
106° 16'	413.8


THE SCHEDULE — continued

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
202° 19'	247.6
286° 16'	326.8
328° 46'	82.7
16° 17'	190.3

to the point of commencement.

The boundaries of “CHANGI NORTH AVIATION INDUSTRIAL COMPLEX” are more particularly delineated in the Plan set out hereunder.

CHANGI NORTH AVIATION INDUSTRIAL COMPLEX



LEGISLATIVE HISTORY
PROTECTED PLACES (CONSOLIDATION) ORDER
(CHAPTER 256, O 5)

This Legislative History is provided for the convenience of users of the Protected Places (Consolidation) Order. It is not part of this Order.

1. G. N. No. S 21/1993 — Protected Places (Consolidation) Order 1993

Date of commencement : Date not available

2. 1993 Revised Edition — Protected Places (Consolidation) Order

Date of operation : 5 February 1993

3. G. N. No. S 12/1997 — Protected Places (Consolidation) (Amendment) Order 1997

Date of commencement : 1 March 1997

4. G. N. No. S 532/2002 — Protected Places (Consolidation) (Amendment) Order 2002

Date of commencement : 1 October 2002

5. G. N. No. S 343/2005 — Protected Places (Consolidation) (Amendment) Order 2005

Date of commencement : 3 June 2005

6. G.N. No. S 942/2020 — Infrastructure Protection (Protected Places) (No. 13) Order 2020

Date of commencement : 5 November 2020

7. G.N. No. S 944/2020 — Infrastructure Protection (Protected Places) (No. 15) Order 2020

Date of commencement : 6 November 2020