PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256, SECTION 4(1))

PROTECTED PLACES (CONSOLIDATION) ORDER

ARRANGEMENT OF PARAGRAPHS

Paragraph

- 1. Citation
- 2. Protected places, permits and authorised officers The Schedule

Citation

1. This Order may be cited as the Protected Places (Consolidation) Order.

Protected places, permits and authorised officers

2. The premises described in the second column of the Schedule are declared to be protected places for the purposes of the Protected Areas and Protected Places Act, and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of the Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

THE SCHEDULE

First column
The Authority

(1) S 183/57
[12.7.57]
Chief Executive,
Telecommunication
Authority of
Singapore.

Second column
Protected Place

1. TELEPHONE HOUSE AND CENTRAL EXCHANGE, HILL STREET.

The area known as the Telephone House and Central Exchange comprised in Lot 9K, TS10 containing an area of approximately 2,324.5 square metres and Lot 99, TS10 containing an area of approximately 1,367.3 square metres and bounded by Hill Street at the front, separated by a perimeter wall facing Stamford House to the right, another

Order

THE SCHEDULE — continued

First column

Second column

perimeter wall facing Burhani Mosque to the left and a back lane running parallel with the rear of the Capitol Theatre.

[S 756/2014 wef 18/11/2014]

Chief Executive, Telecommunication Authority of Singapore. 2. "CHANGI EXCHANGE" UPPER CHANGI ROAD, SINGAPORE.

All that area comprised in Lot 408, Mukim No. XXXI, Changi, occupied by "Changi Exchange" containing an area of 10,000 square feet and bounded as follows:

Commencing at a concrete boundary mark No. 94/345 on the south-western corner of Lot 408, Mukim No. XXXI, which is 39,342 links North and 65,660 links East of the Survey Department origin of co-ordinates, the boundary runs northwards along the boundary of the aforesaid Lot 408, Mukim No. XXXI on a bearing of 15° 06′ for a distance of 100 feet (approximately following the perimeter fence of the "Changi Exchange" and thence along successive lines following the boundaries of the aforesaid Lot 408, Mukim XXXI (approximately parallel and close to the aforesaid perimeter fence) of bearings and distances as under:

Bearing	Distance
105° 06′	100 feet
195° 06′	100 feet
285° 06′	100 feet

to the point of commencement.

- 3. [Deleted by S 418/96 wef 13/9/1996]
- 4. [Deleted by S 506/91 wef 22/11/1991]

Chief Executive,
Telecommunication

5. "NORTH EXCHANGE" THOMSON ROAD, SINGAPORE.

Authority of Singapore.

All that area comprised in Lots 503-36, 107-2, 107-4, parts of Lots 105-4 (C.L.) and 105-5 (C.L.) Mukim No. XVII, Toa Payoh, occupied by "North Exchange" containing an area of approximately 22,000 square feet and bounded approximately as follows:

Commencing at a concrete boundary mark No. R/416 on the eastern most corner of Lot 107-2. Mukim No. XVII, which is 21,473 links North and 5,408 links West of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the perimeter fence of the aforesaid "North Exchange" on a bearing of approximately 156° for a distance of 16 feet. thence generally westwards following the aforesaid perimeter fence on a bearing of approximately 260° for a distance of 142 feet to a boundary spike on the southern boundary of Lot 503-36, Mukim No. XVII, thence following in succession the boundaries of Lots 503-36, 107-4 and 107-2, Mukim No. XVII (approximately parallel and close to the aforesaid perimeter fence) along successive lines of bearings and distances as under:

Bearing	Distance
256° 13′ 00″	99.1 feet
346° 38′ 30″	36.0 feet
76° 12′ 30″	55.0 feet
346° 12′ 30″	106.2 feet
96° 38′ 00″	86.8 feet
96° 37′ 30″	62.2 feet

to a concrete boundary mark No. P/958 on the Northern boundary of Lot 107-2, Mukim No. XVII, thence following the arc boundaries of the aforesaid Lot 107-2, Mukim No. XVII for a distance of 50 feet to a concrete boundary mark No. P/964 on the eastern boundary of the aforesaid Lot 107-2, Mukim No. XVII and thence following the boundary of the aforesaid Lot 107-2, Mukim

Order

THE SCHEDULE — continued

No. XVII on a bearing of 153° 51′ for a distance of 48.6 feet (approximately following the aforesaid perimeter fence) to the point of commencement.

Chief Executive, Telecommunication Authority of Singapore. 6. "QUEENSTOWN EXCHANGE" NO. 2 STIRLING ROAD, SINGAPORE.

All that area comprised in part of Lot 243, Mukim No. 1, Telok Blangah and occupied by "Queenstown Exchange" containing an area of approximately 28,000 square feet and bounded approximately as follows:

Commencing at a point of the western most corner of the perimeter fence of the aforesaid "Queenstown Exchange" along Stirling Road frontage, which is 2,498 links North and 24,404 links West of the Survey Department origin of coordinates, the boundary runs along a fence on a bearing of approximately 40° for a distance of 178 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
85°	7 feet
131°	135 feet
142°	50 feet
163°	31 feet
167°	21 feet
174°	41 feet
282°	60 feet
319°	38 feet
282°	193 feet (partly across the main gate)

to the point of commencement.

Chief Executive, Telecommunication 7. "PAYA LEBAR EXCHANGE" NO. 832 PAYA LEBAR ROAD, SINGAPORE.

Authority of Singapore.

All that area comprised in part of Lot 485 Mukim No. XXII, Sarangong, occupied by "Paya Lebar Exchange" containing an area of approximately 25,300 square feet and bounded approximately as follows:

Commencing at a point of the northern most corner of the perimeter fence of the aforesaid "Paya Lebar Exchange" which is 35,825 links North and 14,555 links East of the Survey Department origin of co-ordinates, the boundary runs along a fence on a bearing of approximately 135° for a distance of 95 feet; thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
221°	9 feet
216°	9 feet
205°	127 feet

to a point approximately 21 feet north-east of the southern most corner of the main building of the aforesaid "Paya Lebar Exchange"; thence along a line on a bearing of approximately 205° for a distance of 44 feet to a point where it meets the south-western boundary of Lot 485, Mukim No. XXII; thence generally north-westwards following the boundary of the aforesaid Lot 485, Mukim No. XXII on a bearing of 289° 44′ for a distance of 92 feet; thence along a line on a bearing of approximately 20° for a distance of 3 feet to a point on the southern end of a wall, thence along successive lines following the aforesaid wall of bearings and distances approximately as under:

Bearing	Distance
20°	46 feet
304°	19 feet

to a point on the outer wall of a building; thence generally south-westwards; north-westwards and north-eastwards in succession following the

aforesaid outer walls of bearings and distances approximately as under:

Bearing	Distance
229°	5 feet
319°	35 feet
49°	9 feet

to a point where it meets a fence; and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
318°	8 feet
48°	172 feet

to the point of commencement.

Chief Executive, Telecommunication Authority of Singapore. 8. "TANJONG KATONG EXCHANGE" NO. 375 TANJONG KATONG ROAD, SINGAPORE.

All that area comprised in Lots 1078, 1414, 51-3, 615 (C.L.) and part of the Reserve for Tanjong Katong Road, Mukim No. XXV, Geylang, occupied by "Tanjong Katong Exchange" containing an area of approximately 21,900 square feet and bounded approximately as follows:

Commencing at a concrete boundary mark No. 88/462 along the eastern boundary of Lot 1078, Mukim No. XXV which is 8,436 links North and 25,684 links East of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the eastern boundary of Lot 1078, Mukim No. XXV on a bearing of 168° 39′ for a distance of 18.4 feet (approximately following the perimeter fence of the aforesaid "Tanjong Katong Exchange"); thence generally southwards, westwards in succession following the boundaries of Lots 1078 and 1414, Mukim No. XXV (approximately following the aforesaid perimeter

fence) of bearings and the distances approximately as under:

Bearing	Distance
166° 39′ 00″	11.2 feet
166° 21′ 00″	23.3 feet
262° 30′ 30″	261.5 feet

to a concrete boundary mark No. 123/309 at the southern most corner of Lot 1414, Mukim No. XXV thence following the western boundary of the aforesaid Lot 1414, Mukim No. XXV on a bearing of 251° 04′ for a distance of 9 feet (approximately following the aforesaid perimeter fence); thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
338°	9 feet
352°	72 feet
83°	1 foot

to a boundary mark at the western most corner of Lot 51-3, Mukim No. XXV and thence following the northern boundaries of Lots 51-3 and 1078, Mukim No. XXV (approximately following the aforesaid perimeter fence and the outer wall of the Post Office Quarters) along successive lines of bearings and distances as under:

Bearing	Distance
83° 27′ 00″	200 feet
113° 10′ 00″	16.6 feet

to the point of commencement.

- 9. [Deleted by S 756/2014 wef 18/11/2014]
- (2) [Deleted by S 428/98 wef 14/08/1998]
- (3) [Deleted by S 756/2014 wef 18/11/2014]
- (4) [Deleted by S 299/96 wef 05/07/1996]

(5) S (N.S.) 84/59 [4.9.59] (Omitted) CABLE AND WIRELESS CABLE DEPÔT, BUKIT CHERMIN.

(6) [Deleted by S 299/2006 wef 08/06/2006]

(7) S 310/62
[21.9.62]
The Director,
Telecommunication
Authority of
Singapore.

VHF RADIO STATION, BUKIT TIMAH.

All that area comprised in Lot 67-31 (Crown Land) Mukim No. XVI Bukit Timah, occupied by VHF Radio Station containing an area of 2.005 acres and bounded as follows:

Commencing at a concrete boundary mark No. 21/200 along the eastern boundary of Lot 67-31 Mukim No. XVI, which is 35597 links North and 40837 links West of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the boundary of the aforesaid Lot 67-31 Mukim No. XVI on a bearing of 170° 25′ 30″ for a distance of 183.2 feet, and thence following the boundaries of the aforesaid Lot 67-31 Mukim No. XVI along successive lines of bearings and distances as under:

Bearing	Distance
199° 11′ 00″	136.4 feet
285° 27′ 30″	136.5 feet
302° 51′ 00″	106 feet
303° 00′ 30″	79.1 feet
348° 10′ 00″	66.8 feet
41° 08′ 30″	68.4 feet
54° 30′ 00″	86.9 feet
49° 27′ 30″	110.7 feet
55° 56′ 30″	59.9 feet
146° 50′ 30″	119.9 feet

to the point of commencement.

(8) [Deleted by S 637/2015 wef 04/11/2015]

(9) L.N. 297/64 [1.10.64] Authorised officer.

1. PAYA LEBAR EXCHANGE.

All the buildings and installations contained within a chain link fence and situated on lot No. 485 along Paya Lebar Road commonly known as Paya Lebar Exchange.

2. JURONG EXCHANGE.

All the buildings and installations contained within a chain link fence situated on Lot No. 7 along Jalan Ahmad Ibrahim, Jurong Industrial Estate commonly known as Jurong Exchange.

(10) L.N. 206/65 [27.5.65] Authorised officer. UPPER AIR OBSERVATORY, SINGAPORE METEOROLOGICAL SERVICE, KIM CHUAN ROAD, SINGAPORE.

The premises bounded by a chain link fence situated in Lot No. 308, Mukim No. XXIII, Paya Lebar, Singapore.

(11) L.N. 318/65 [19.8.65] Authorised officer. 1. SEACOM TERMINAL BUILDING, TANJONG KATONG ROAD, SINGAPORE.

All the buildings and installations contained within fenced area on lot Nos. 1,410, 1,412 and 1,414, in Mukim No. XXV, City District 212-8-1.

2. CHIA KENG II, RADIO STATION, 7 M.S., YIO CHU KANG ROAD, SINGAPORE.

All the buildings and installations bounded by a chain link fence situated in part of lot No. 264, in Mukim XVIII, Singapore.

3. RADAR STATION, TANJONG BEDOK, SINGAPORE.

All the buildings and installations bounded by a chain link fence situated in Mukim 27, lot No. 160, Singapore.

4. RADAR STATION, ST. JOHN'S ISLAND, SINGAPORE.

All the buildings and installations bounded by a security chain link fence situated in St. John's Island (Grid: 5113c), Singapore.

5. RADAR STATION, RAFFLES LIGHTHOUSE, SINGAPORE.

All the buildings and installations bounded by a security chain link fence situated in Raffles Lighthouse (Grid: 4509A/B), Singapore.

6. RADAR STATION, PULAU SAKRA, SINGAPORE.

All the buildings and installations bounded by a security chain link fence situated in Pulau Sakra (Grid: 4155B), Singapore.

(12) [Deleted by S 399/2017 wef 19/07/2017]

(13) Camp Commandant, Pasir Laba Camp

PASIR LABA CAMP.

All that area comprised in Land Lots 3417V and 3421P and part of Land Lots 3119V, 3123P, 3177L and 99931A in Mukim No. 7, and part of Land Lots 44K, 231W, 240N, 252A, 99972V and 99973P in Mukim No. 8 occupied by "PASIR LABA CAMP" containing an area of about 406,474.9 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "PASIR LABA CAMP" which point is 34,766.420 metres North and 10,186.899 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of compiled coordinates approximately as follows:

Northing	Easting
34,766.420	10,186.899
34,780.123	10,165.918
34,786.957	10,155.558
34,794.586	10,145.587
34,795.265	10,144.016
34,798.068	10,140.173
34,807.496	10,129.519

CAI: 250, O 2]	Oraci	[1770 Ed. p. 11
	THE SCHEDULE — continued	
	34,818.008	10,118.920
	34,828.976	10,110.204
	34,831.740	10,108.008
	34,840.362	10,101.935
	34,851.968	10,094.637
	34,863.401	10,089.453
	34,884.924	10,080.127
	34,902.402	10,072.501
	34,913.583	10,066.911
	34,917.461	10,065.645
	34,922.455	10,064.854
	34,926.000	10,065.146
	34,926.766	10,065.308
	34,941.004	10,054.167
	34,935.057	10,045.273
	34,935.426	10,045.225
	34,939.603	10,041.890
	34,946.108	10,034.188
	34,952.827	10,022.348
	34,957.673	10,011.839
	34,960.184	10,006.290
	34,964.865	9,995.357
	34,999.966	9,914.903
	35,003.697	9,906.054
	35,007.657	9,898.109
	35,023.199	9,865.290
	35,029.892	9,849.958
	35,030.894	9,847.724
	35,033.556	9,841.211

p. 12	1990 Ed.]	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	!
		35,059.576	9,784.375
		35,083.559	9,730.529
		35,090.324	9,713.129
		35,093.145	9,696.111
		35,092.480	9,680.875
		35,091.091	9,670.695
		35,171.964	9,677.980
		35,204.544	9,679.734
		35,221.335	9,680.517
		35,236.348	9,679.281
		35,246.124	9,678.204
		35,257.869	9,708.240
		35,275.460	9,750.732
		35,283.261	9,768.896
		35,287.933	9,774.992
		35,303.090	9,788.028
		35,328.639	9,809.983
		35,351.615	9,828.513
		35,377.287	9,849.634
		35,403.705	9,871.329
		35,413.617	9,879.499
		35,418.680	9,883.126
		35,451.347	9,901.416
		35,443.299	9,918.398
		35,446.803	9,945.655
		35,449.348	9,967.329
		35,448.218	9,991.362
		35,446.215	10,012.483
		35,443.639	10,037.352


Cap. 256 , O 2]	Order	[1990 Ed.	p. 13
	THE SCHEDULE — continued		
	35,442.372	10,059.282	
	35,443.522	10,080.430	
	35,443.945	10,086.457	
	35,454.605	10,118.159	
	35,461.558	10,140.122	
	35,467.430	10,172.114	
	35,467.730	10,173.373	
	35,452.847	10,174.312	
	35,453.808	10,187.711	
	35,455.842	10,215.643	
	35,459.001	10,259.029	
	35,476.926	10,280.360	
	35,483.147	10,344.623	
	35,479.972	10,380.849	
	35,481.788	10,423.317	
	35,483.257	10,458.805	
	35,485.869	10,521.727	
	35,486.707	10,542.793	
	35,474.386	10,544.394	
	35,471.883	10,575.139	
	35,460.289	10,574.088	
	35,438.281	10,567.973	
	35,398.570	10,556.939	
	35,382.711	10,552.536	
	35,350.747	10,543.662	
	35,291.642	10,527.380	
	35,215.893	10,504.948	
	35,177.903	10,492.442	
	35,063.651	10,456.024	

THE SCHEDULE — continued		
34,971.919	10,424.886	
34,948.215	10,415.001	
34,900.419	10,385.774	
34,849.549	10,342.033	
34,828.975	10,312.000	
34,808.487	10,273.535	
34,799.470	10,248.224	
34,793.177	10,236.007	
34.776.011	10,210.191	

to the point of commencement.

The boundaries of "PASIR LABA CAMP" are more particularly delineated on the Survey Plan No. D8939/GAZ filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore, a copy of which is set out below.

[S 399/2017 wef 19/07/2017]



[S 94/2012 wef 09/03/2012]

- (14) [Deleted by S 428/98 wef 14/08/1998]
- (15) [Deleted by S 286/93 wef 02/07/1993]
- (16) S 9/67 TRANSMITTER SITE, UPPER CHANGI [11.1.67] ROAD, R.A.F., CHANGI, SINGAPORE.

Commanding Officer, 19th Signal Regiment, R.A.F., Changi, Singapore. All that area comprised in parts of Lot Nos. 341-1, 341-2, Mukim XXXI, Changi, occupied by 19th Signals Regiment, Transmitter Site, off Upper Changi Road, containing an area of approximately 0a. 1r. 07p. and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid Transmitter Site which point is 44,910 links North and 72,100 links East of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 46° 00′ for a distance of 79 feet, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
87° 00′	105 feet
141° 00′	54 feet
215° 00′	71 feet
233° 00′	74 feet
281° 00′	43 feet
323° 00′	92 feet

to the point of commencement.

NO. 5 PEOPLE'S DEFENCE FORCE (TRAINING DEPÔT), HAIG ROAD, SINGAPORE.

All that area comprised in Lot No. 55-31 (S.L.), parts of Lot Nos. 55-30 (S.L.), 55-32 (S.L.), Mukim No. XXV, GEYLANG, occupied by No. 5 People's Defence Force (Training Depôt), containing an area of approximately 3.5 acres and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid No. 5

(17) S 203/67 [6.10.67]

The Officer
 Commanding, No. 5
 People's Defence Force
 (Training Depôt),
 Haig Road, Singapore.

People's Defence Force (Training Depôt), which point is approximately 10,709 links North and 25,257 links East of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 65° 06′ for a distance of 594 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
156° 37′	265 feet (partly across a gate)	
246° 33′	383 feet	
247° 07′	210 feet	
336° 32′	248 feet	

to the point of commencement.

 The Officer-in-charge, Police Reserve Unit No. 2 Base, Queensway, Singapore. POLICE RESERVE UNIT NO. 2 BASE, QUEENSWAY, SINGAPORE.

All that area comprised in parts of Lot Nos. 243 (S.L.), 244 (H.D.B.), 558 (H.D.B.), Mukim No. III Pasir Panjang, occupied by Police Reserve Unit No. 2 Base, containing an area of approximately 15.3 acres and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid Police Reserve Unit No. 2 Base which point is approximately 4,075 links North and 28,699 links West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 17° 17′ for a distance of 59 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
20° 38′	199 feet	

THE SCHEDULE	— continue	ed	
16°	59′	116 fee	rt .
30°	35'	161 fee	et
27°	52'	149 fee	et
126°	29'	51 fee	t
35°	17′	54 fee	et (partly across a gate)
124°	27'	218 fee	t
57°	34'	50 fee	t
142°	53'	138 fee	t
142°	55'	197 fee	t
157°	53'	80 fee	t
139°	51'	69 fee	t
156°	05'	32 fee	t
136°	43'	198 fee	t
126°	27'	22 fee	t
212°	26'	411 fee	t
204°	22'	216 fee	t
309°	38'	316 fee	t
309°	34'	268 fee	t
309°	38'	277 fee	t
310°	05'	50 fee	et

to the point of commencement.

(18) [Deleted by S 41/98 wef 23/01/1998]

(19) S 303/71
[3.12.71]
Chief Executive,
Telecommunication
Authority of Singapore.

SATELLITE EARTH STATION, SENTOSA ISLAND.

All that area comprised in part of lot 135, Mukim No. XXXIV, OTHER ISLANDS, at SENTOSA within the territorial waters of the Republic of Singapore occupied by "Satellite Earth Station" containing an approximate

area of 304,800 sq. ft. and bounded approximately as follows:

Commencing at the south-eastern corner of the perimeter fence of the aforesaid "Satellite Earth Station" which point is 22330 links south and 7935 links west of the Survey Department origin of co-ordinates the boundary runs along a line of fence on a bearing of 304° 16′ for a distance of approximately 187 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
229° 19′	52 feet
304° 08′	22 feet
330° 19′	18 feet
307° 59′	138 feet
265° 35′	18 feet
304° 10′	75 feet
211° 03′	119 feet
225° 18′	146 feet
208° 55′	47 feet
252° 44′	85 feet
213° 17′	36 feet
300° 49′	63 feet
294° 52′	70 feet
8° 49′	19 feet (along gate)
277° 56′	25 feet
288° 04′	48 feet
61° 59′	66 feet
62° 36′	50 feet
56° 31′	49 feet

[Cap. 256, O 2

p. 20	1990 Ed.
-------	----------

THE SCHEDULE —	continued
73° 11′	2 feet
37° 19′	40 feet
18° 21′	158 feet
24° 47′	30 feet
33° 57′	63 feet
23° 41′	90 feet
15° 29′	11 feet
25° 52′	22 feet
6° 52′	30 feet
357° 18′	11 feet
339° 06′	20 feet
352° 39′	60 feet
17° 25′	40 feet
54° 32′	19 feet
88° 55′	10 feet
95° 34′	19 feet
102° 14′	30 feet
84° 56′	50 feet
100° 38′	60 feet
120° 50′	30 feet
136° 42′	10 feet
143° 05′	30 feet
153° 36′	30 feet
157° 51′	70 feet
155° 30′	30 feet
147° 37′	60 feet
136° 26′	40 feet
122° 31′	116 feet
126° 01′	271 feet

THE SCHEDULE -	continued
----------------	-----------------------------

137° 09′	20 feet
144° 57′	13 feet
169° 09′	20 feet
194° 16′	18 feet
212° 19′	30 feet

to the point of commencement.

The boundaries are more particularly delineated and edged pink on Survey Print No. 1504-71 filed in the office of the Chief Surveyor.

CHARTERED INDUSTRIES OF SINGAPORE, LTD., OFF JALAN BOON LAY, SINGAPORE.

All that area comprised in part of lot 251, Mukim No. VI, PENG KANG, occupied by "Chartered Industries of Singapore Limited" containing an area of approximately 59 acres and bounded approximately as follows:

Commencing at a point on the northeastern corner of the perimeter fence of the aforesaid "Chartered Industries of Singapore Limited" which point is 30017 links North and 75173 links West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 169° 04′ for a distance of 105 feet, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
167° 29′	100 feet
166° 03′	100 feet
164° 32′	100 feet
162° 28′	200 feet

(20) S 36/73
[19.1.73]
The General Manager,
Chartered Industries of
Singapore,
Ltd.,
Singapore.

THE SCHEDULE —	continued
----------------	-----------

69 feet
33 feet (along gate)
108 feet
203 feet
538 feet
100 feet
99 feet
98 feet
103 feet
100 feet
100 feet
82 feet
20 feet
100 feet
386 feet
385 feet
310 feet

to a point where it meets a wall thence along successive lines of bearings and distances approximately as under:

Bearing	Distance
275° 00′	20 feet
1° 05′	85 feet
359° 03′	100 feet
356° 34′	100 feet
353° 52′	100 feet
351° 12′	100 feet
348° 25′	100 feet
346° 00′	100 feet

26° 45′ 146 feet 69° 39′ 70 feet

to a point where it meets the corner of the perimeter fence and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
69° 39′	495 feet
69° 45′	95 feet
69° 38′	1,325 feet
119° 46′	124 feet

to the point of commencement.

The boundaries of Chartered Industries of Singapore Limited are more particularly delineated and edged pink on Survey Print No. 1594-71 filed in the office of the Chief Surveyor, Singapore.

(21) S 126/73
[6.4.73]
Personnel Director,
Sembawang Shipyard
(Pte.) Ltd.

SEMBAWANG SHIPYARD SLOP FACILITIES.

All that area comprised in part of Lot No. 774 Mukim No. XIII (SEMBAWANG) and all that foreshore and seabed within the territorial waters of the Republic of Singapore known as the "SLOP RECEPTION FACILITIES" containing an area of approximately 84,000 sq. m (20A 3R 01P) the boundaries of which are more particularly delineated and edged pink on Survey Print No. 1394-72.

- (22) [Deleted by S 351/2012 wef 25/07/2012]
- (23) [Deleted by S 612/2014 wef 19/09/2014]

[31.8.73]
Commanding Officer,
Singapore Armed Force

(24) S 292/73

1. RIFLE RANGE ROAD CAMP I, SINGAPORE.

All that area comprised in parts of lots Nos. 66 (PUB Catchment Area), 87 (PUB

Ammunition Base, Singapore.

Land) Mukim No. XVI (BUKIT TIMAH) and parts of lot No. 155 (PUB Catchment Area) Mukim No. XV (Ulu Kalang) in the Republic of Singapore occupied by the "Rifle Range Road Camp I" containing an area of approximately 293,647 sq. m. (72A 2R 10P) and bounded approximately as follows:

Commencing at a corner point of the perimeter fence northeast of the aforesaid "Rifle Range Road Camp I" which point is 7680.6 metres North (38180 links) and 6554.3 metres West (32581 links) of the Survey Department origin of co-ordinates the boundary runs along a line of fence on a bearing of 119° 30′ for a distance of 33.6 metres (110 feet) thence along successive lines of fence of bearings and distances as under:

Bearing	Distance	
202° 49′	21.4 metres (70 feet)	
157° 44′	6.2 metres (20 feet)	

to a point at the corner of the perimeter fence thence generally south-eastwards, eastwards and south-westwards in succession for a distance of approximately 306.1 metres (1,004 feet) to a point at the corner of the perimeter fence thence along a line of fence on a bearing of 168° 55′ for a distance of 9.2 metres (30 feet) thence generally south-eastwards following the curves of the fence for a distance of approximately 142.7 metres (468.3 feet) to a point at the corner of the perimeter fence thence along successive lines of fence of bearings and distances as under:

Bearing	Distance	
209° 04′	17.3 metres	(57 feet) (across gate)
263° 52′	69.6 metres	(228 feet)

THE SCHEDULE — c	ontinued	
259° 46′	24.3 metres	(80 feet)
257° 09′	40.9 metres	(134 feet)
262° 34′	47.2 metres	(155 feet)
253° 25′	21.3 metres	(70 feet)
263° 37′	35.6 metres	(117 feet)
256° 54′	76.4 metres	(251 feet)
259° 57′	102.6 metres	(337 feet)
255° 21′	14.1 metres	(46 feet)
322° 16′	50.6 metres	(166 feet)
333° 10′	33.3 metres	(109 feet)
231° 18′	30.5 metres	(100 feet)
233° 17′	39.9 metres	(131 feet)
232° 06′	50.1 metres	(164 feet)
231° 10′	49.5 metres	(162 feet)
265° 15′	51.1 metres	(168 feet)
260° 16′	12.2 metres	(40 feet)
277° 48′	64.7 metres	(212 feet)
346° 42′	3.3 metres	(11 feet)
25° 09′	9.0 metres	(30 feet)
291° 30′	10.9 metres	(36 feet) (across gate)
206° 47′	15.2 metres	(50 feet)
278° 33′	37.3 metres	(122 feet)
278° 09′	32.3 metres	(106 feet)
278° 56′	16.3 metres	(54 feet)
36° 45′	75.2 metres	(247 feet)
90° 40′	12.3 metres	(40 feet)
23° 38′	18.1 metres	(59 feet)
344° 48′	13.7 metres	(45 feet)

THE SCHEDULE — continued			
25° 49′	48.7 metres (160 feet)		
69° 53′	45.7 metres (150 feet)		
28° 28′	24.4 metres (80 feet)		
102° 01′	22.9 metres (75 feet)		
20° 15′	39.5 metres (130 feet)		
11° 40′	6.1 metres (20 feet)		
358° 44′	6.1 metres (20 feet)		
339° 43′	6.1 metres (20 feet)		
328° 17′	6.1 metres (20 feet)		
324° 34′	6.1 metres (20 feet)		
319° 11′	6.1 metres (20 feet)		
311° 36′	21.3 metres (70 feet)		
310° 19′	12.2 metres (40 feet)		
318° 52′	6.1 metres (20 feet)		
326° 28′	6.1 metres (20 feet)		
333° 19′	6.1 metres (20 feet)		
336° 30′	24.3 metres (80 feet)		
40° 28′	14.6 metres (48 feet)		
358° 33′	179.5 metres (589 feet)		
2° 53′	22.3 metres (73 feet)		
3° 15′	20.1 metres (66 feet)		
1° 00′	40.2 metres (132 feet)		
359° 31′	60.4 metres (198 feet)		

to a point at the corner of the perimeter fence which point is 7936.4 metres North (39451 links) and 6976.2 metres West (34679 links) of the Survey Department origin of coordinates thence generally north-eastwards, south-eastwards and south-westwards in succession along the curves of the perimeter fence for a distance of approximately 1044.5

metres (3427 feet) to a point at the corner of the perimeter fence thence along a line of fence on bearing of 237° 06′ for a distance of 9.1 metres (30 feet) thence generally southwest following the curves of the fence for a distance of approximately 147.9 metres (485 feet) to a point at the corner of the perimeter fence thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
79° 14′	13.2 metres (44 feet)
75° 45′	53.5 metres (176 feet)
166° 02′	67.1 metres (220 feet)
255° 42′	53.4 metres (175 feet)
280° 20′	22.9 metres (75 feet)

to a point at the corner of the perimeter fence thence generally south-westwards, southwards, north-eastwards and south-eastwards in succession following the curves of the fence for a distance of approximately 1046.1 metres (3432 feet) to a point at the corner of the perimeter fence and thence along successive lines of fence of bearings and distances as under:

Bearing	Dist	ance
26° 17′	7.9 metres	(26 feet)
318° 02′	3.1 metres	(10 feet)
29° 35′	21.4 metres	(70 feet)

to the point of commencement.

The boundaries of the "Rifle Range Road Camp I" are more particularly delineated and edged pink on Print No. 1586/72 filed in the office of the Chief Surveyor, Singapore.

Commanding Officer, Singapore Armed Forces Ammunition Base, Singapore.

2. RIFLE RANGE ROAD CAMP I (ACCOMMODATION), SINGAPORE.

All that area comprised in parts of lot Nos. 66 (PUB Catchment Area) and 87 (PUB Land), Mukim No. XVI (BUKIT TIMAH) in the Republic of Singapore occupied by "Rifle Range Road Camp I (Accommodation)" containing an area of 11556.2 sq. m. (2A 3R 16.9P) and bounded as follows:

Commencing at a corner point of the perimeter fence south-east of the aforesaid "Rifle Range Road Camp I (Accommodation)" which point is 7279.9 metres North (36189 links) and 7358.3 metres West (36571 links) of the Survey Department origin of co-ordinates the boundary runs along a line of fence on a bearing of 311° 08′ for a distance of 33.8 metres (111 feet) and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
296° 10′	27.4 metres (90 feet)
293° 23′	51.8 metres (170 feet)
311° 59′	39.7 metres (130 feet)
16° 02′	12.3 metres (40 feet)
43° 03′	24.2 metres (79 feet)
47° 03′	12.3 metres (40 feet)
48° 20′	15.6 metres (51 feet)
54° 44′	6.5 metres (21 feet)
63° 54′	5.7 metres (19 feet)
67° 33′	5.7 metres (19 feet)
70° 28′	15.3 metres (50 feet)
151° 32′	51.9 metres (170 feet)
65° 10′	14.6 metres (48 feet)

THE SCHEDUL	E — continued
-------------	---------------

123° 19′	27.3 metres	(90 feet)
127° 42′	3.0 metres	(10 feet)
132° 38′	24.6 metres	(81 feet)
139° 21′	3.0 metres	(10 feet)
144° 03′	3.3 metres	(11 feet)
153° 15′	2.8 metres	(9 feet)
155° 58′	3.0 metres	(10 feet)
163° 28′	3.3 metres	(11 feet)
189° 35′	33.6 metres	(110 feet)
227° 52′	35.8 metres	(117 feet) (across gate)

to the point of commencement.

The boundaries of the "Rifle Range Road Camp I (Accommodation)" are more particularly delineated and edged pink on Print No. 1585/72 filed in the office of the Chief Surveyor, Singapore.

- (25) [Deleted by S 21/93 wef 05/02/93]
- (26) [Deleted by S 402/92 wef 11/09/92]
- (27) S 99/74
 [29.3.74]
 Chief Executive,
 Telecommunication
 Authority of Singapore.

ORCHARD EXCHANGE AND ENGINEERING CENTRE.

All that area comprised in parts of lots 76-5, 77-1, 78-1, 78-2, 79-1 (S.L.), 79-2, 80-1 and 80-2 T.S. No. XXI, occupied by "Orchard Exchange and Engineering Centre" containing an area of approximately 29,700 square feet and bounded approximately as follows:

Commencing at the north-western corner of the perimeter wall of the aforesaid Orchard Exchange and Engineering Centre, the boundary runs along the outer perimeter wall on a bearing of 102° 04′ for a distance of 45 feet, thence along successive lines of wall

of bearings and distances approximately as under:

Bearing	Distance	
161° 48′	25 feet (across gate)	
71° 48′	5 feet	
341° 48′	2 feet	

to a point at the corner of the perimeter wall, thence following a line on a bearing of 72° 35′ for a distance of 22 feet to a point at the corner of the perimeter wall, thence following the perimeter wall on a bearing of 162° 50′ for a distance of 7 feet to a point on the wall, thence following a line on a bearing of 72° 50′ for a distance of 16 feet, and thence along successive lines of perimeter wall of bearing and distances approximately as under:

Bearing	Distance
73° 00′	9 feet
164° 20′	3 feet
74° 20′	5 feet
102° 42′	11 feet
162° 12′	3 feet
73° 10′	5 feet
163° 10′	3 feet
72° 21′	4 feet
103° 14′	12 feet
159° 42′	2 feet
72° 56′	3 feet
162° 26′	15 feet
73° 54′	16 feet (across gate)
67° 10′	16 feet
101° 32′	88 feet

THE SCHEDULE — continued	
183° 00′	107 feet
283° 19′	29 feet
267° 31′	138 feet
306° 17′	2 feet
343° 14′	4 feet
254° 30′	3 feet
209° 24′	3 feet
252° 55′	6 feet
300° 05′	3 feet
341° 30′	2 feet
251° 30′	3 feet
161° 30′	2 feet
214° 45′	2 feet
267° 08′	27 feet
342° 20′	10 feet
252° 57′	3 feet
162° 57′	1 foot
252° 57′	1 foot
342° 57′	153 feet
42° 58′	1 foot
162° 57′	4 feet
72° 57′	3 feet
342° 57′	6 feet
42° 58′	6 feet

to the point of commencement. These boundaries are more particularly delineated and edged pink on Survey Print No. 1215-70.

(28) S 277/74 [20.9.74] The General Manager, CHARTERED INDUSTRIES OF SINGAPORE PTE. LTD., BUKIT TIMAH

Chartered Industries of Singapore Pte. Ltd., Singapore.

PLANT, RIFLE RANGE ROAD, SINGAPORE.

All that area comprised in part of Lot 155, Mukim No. XV, ULU KALANG occupied by the "Bukit Timah Plant, Chartered Industries of Singapore Pte. Ltd." containing an area of approximately 340951.5 square metres (3669971 square feet) and bounded as follows:

Commencing at the eastern-most corner of the perimeter fence of the aforesaid "Bukit Timah Plant, Chartered Industries of Singapore Pte. Ltd." which point is 7692.0 metres (38237 links) North and 5212.0 metres (25909 links) West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 255° 23' for a distance of 179.1 metres (588 feet) and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
261° 51′	9.1 metres (30 feet)
206° 27′	14.3 metres (47 feet)
256° 57′	13.7 metres (45 feet)
274° 24′	13.6 metres (45 feet)
257° 55′	67.5 metres (221 feet)
254° 34′	145.1 metres (476 feet)
255° 35′	138.1 metres (453 feet)
240° 48′	38.2 metres (125 feet)
299° 10′	14.8 metres (49 feet)
254° 46′	52.8 metres (173 feet)
214° 50′	5.4 metres (18 feet)
236° 34′	15.5 metres (51 feet)
300° 49′	11.5 metres (38 feet)

254° 48′ 134.3 metres (441 feet) 8° 00′ 16.1 metres (53 feet)

to a point where it meets the outer wall of a Security Guard Room, thence along successive lines of wall of bearings and distances as under:

Bearing	Distance	
277° 42′	6.1 metres	(20 feet)
7° 42′	1.2 metres	(4 feet)
277° 42′	13.8 metres	(45 feet) (partly across a gate)
187° 42′	1.2 metres	(4 feet)
277° 42′	3.0 metres	(10 feet)

to a point where it meets a fence and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance		
278° 32′	11.0 metres (36 feet)		
271° 17′	6.0 metres (20 feet)		
278° 54′	44.8 metres (147 feet)		
7° 17′	15.1 metres (50 feet)		
19° 48′	6.4 metres (21 feet)		
6° 16′	63.9 metres (210 feet)		
63° 52′	4.6 metres (15 feet)		
99° 09′	40.4 metres (132 feet)		
6° 50′	37.5 metres (123 feet)		
99° 30′	16.0 metres (53 feet)		
7° 05′	53.0 metres (174 feet)		
346° 30′	54.3 metres (178 feet)		
23° 41′	23.6 metres (77 feet)		

p. 34	1990 Ed.
-------	----------

Order

[Cap. 256, O 2

THE SCHEDULE —	continued	
114° 51′	9.8 metres	(32 feet)
23° 33′	60.6 metres	(199 feet)
26° 46′	24.6 metres	(81 feet)
356° 56′	31.6 metres	(104 feet)
30° 47′	32.2 metres	(106 feet)
54° 29′	15.2 metres	(50 feet)
337° 42′	6.0 metres	(20 feet)
36° 31′	28.4 metres	(93 feet)
127° 21′	27.0 metres	(89 feet)
44° 41′	28.6 metres	(94 feet)
52° 09′	46.9 metres	(154 feet)
46° 01′	76.5 metres	(251 feet)
4° 56′	49.1 metres	(161 feet)
351° 38′	19.2 metres	(63 feet)
37° 59′	8.5 metres	(28 feet)
288° 03′	17.6 metres	(58 feet)
308° 51′	41.1 metres	(135 feet)
38° 53′	39.9 metres	(131 feet)
128° 35′	30.5 metres	(100 feet)
111° 04′	26.9 metres	(88 feet)
98° 58′	21.3 metres	(70 feet)
140° 09′	8.6 metres	(28 feet)
98° 34′	21.1 metres	(69 feet)
185° 40′	8.0 metres	(26 feet)
70° 53′	26.1 metres	(86 feet)
159° 33′	7.2 metres	(24 feet) (partly across a gate)
105° 28′	21.5 metres	(71 feet)

THE SCHEDULE —	continued	
19° 47′	9.0 metres	(30 feet) (partly across a gate)
113° 23′	37.9 metres	(124 feet)
197° 04′	8.3 metres	(27 feet)
113° 08′	32.5 metres	(107 feet)
102° 40′	42.4 metres	(139 feet)
99° 41′	92.6 metres	(304 feet)
77° 24′	14.8 metres	(49 feet)
46° 20′	49.7 metres	(163 feet)
57° 41′	22.2 metres	(73 feet)
145° 24′	19.5 metres	(64 feet) (partly across a gate)
70° 42′	5.0 metres	(16 feet)
104° 19′	24.2 metres	(80 feet)
154° 16′	38.2 metres	(125 feet)
116° 26′	23.5 metres	(77 feet)
145° 42′	18.0 metres	(59 feet)
165° 03′	47.2 metres	(155 feet)
155° 12′	116.1 metres	(381 feet)
145° 08′	34.2 metres	(112 feet)
159° 24′	41.8 metres	(137 feet)
166° 46′	45.8 metres	(150 feet)
174° 28′	47.5 metres	(156 feet)

to the point of commencement.

The boundaries of "Bukit Timah Plant, Chartered Industries of Singapore Pte. Ltd." are more particularly delineated and edged pink on Survey Print No. 1388-74 filed in the office of the Chief Surveyor, Singapore.

(29) S 288/74
[11.10.74]
Director,
Electricity Department,
Public Utilities Board,
Singapore.

1. JURONG POWER STATION.

All that area comprised in parts of Lots 484, 762 and 781 Mukim No. VI (PENG KANG) occupied by "JURONG POWER STATION" containing an area of approximately 75278.4 square metres (810290 square feet) and bounded approximately as follows:

Commencing at the north-eastern most corner of the perimeter fence of the aforesaid "JURONG POWER STATION" which point is 2772.3 metres (13781 links) North and 15265.7 metres (75886 links) West of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of approximately 180° 40′ for a distance of 36.8 metres (121 feet), and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
180° 37′	190.6 metres	(625 feet)
270° 42′	36.3 metres	(119 feet)
270° 30′	33.6 metres	(110 feet) (partly across a gate)
178° 23′	4.2 metres	(14 feet)
263° 14′	156.4 metres	(513 feet) (partly across gates)
270° 38′	91.6 metres	(301 feet) (partly across a gate)
356° 11′	197.6 metres	(648 feet) (partly across a gate)
356° 49′	12.5 metres	(41 feet)

THE SCHEDUL	E — continued
-------------	---------------

86° 47′	3.7 metres	(12 feet)
356° 23′	19.2 metres	(63 feet) (across Guard House and partly across main gate)
86° 10′	147.0 metres	(482 feet)
86° 09′	147.8 metres	(485 feet) (partly across a gate)
91° 11′	7.9 metres	(26 feet)
118° 11′	8.3 metres	(27 feet) (across a gate)
24° 48′	4.3 metres	(14 feet)
90° 27′	19.3 metres	(63 feet)

The boundaries of "Jurong Power Station" are more particularly delineated and edged pink on Survey Print No. 1386-74 filed in the office of the Chief Surveyor, Singapore.

SINGAPORE SHIPBUILDING AND ENGINEERING LIMITED.

PROTECTED PLACE "A"

All that area comprised in part of Lot 84 reclaimed land Mukim No. VII (TUAS) and occupied by "Singapore Shipbuilding and Engineering Limited" containing an area of approximately 101050.6 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "Singapore Shipbuilding and Engineering Limited" which point is 1843.1 metres North and 19137.7 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a

(30) S 333/74
[2.11.74]
The Deputy General
Manager,
Singapore Shipbuilding
and Engineering Limited,
Singapore.

bearing of 113° 01′ for a distance of approximately 43.6 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
113° 05′	56.7 metres
113° 02′	88.9 metres
113° 18′	36.2 metres
203° 13′	0.3 metre
113° 13′	21.2 metres

to a point which it meets a sea-wall along Benoi Channel and thence along successive lines of sea-wall along Benoi Channel of bearings and distances approximately as under:

Bearing	Distance
172° 46′	16.8 metres
262° 27′	0.9 metre
172° 27′	2.4 metres

to a point where it meets the north-eastern wall of the Syncrolift, thence southwards across the aforesaid Syncrolift along Benoi Channel to a point on the sea-wall on a bearing of 172° 27′ for a distance of approximately 20.4 metres, thence southwards along the sea-wall on a bearing of 172° 45′ for a distance of approximately 156.2 metres to a point where it meets the north-eastern corner wall of the Slipway, thence southwards along Benoi Channel following a line of bearing of 176° 00' for a distance of approximately 52.3 metres to a point on the 2.515 m. (8'3") High Water Mark along Benoi Channel, thence generally southwards following the 2.515 m. (8' 3") High Water Mark along Benoi Channel to a

point where it meets the production of the perimeter fence on a bearing of approximately 113° 07′, thence westwards along the aforesaid production of the perimeter fence on a bearing of approximately 293° 07′ for a distance of 3.6 metres and thence along successive lines of fence and wall of bearings and distances approximately as under:

Bearing	Distance	
293° 07′	228.4 metres	
352° 53′	220.5 metres	(partly across gates and partly along wall)
82° 46′	0.6 metre	(along wall)
352° 46′	21.4 metres	(along wall and partly across gate)
262° 46′	0.6 metre	(along wall)
352° 46′	11.6 metres	(along wall and partly across main gate)
19° 39′	0.4 metre	
352° 47′	217.1 metres	(partly across gate)
317° 36′	0.3 metre	
353° 06′	12.8 metres	(partly across gate)

to the point of commencement.

The boundaries of "Singapore Shipbuilding and Engineering Limited" are more particularly delineated and edged pink on Survey Print No. 1559-74 filed in the office of the Chief Surveyor, Singapore.

PROTECTED PLACE "B"

All that area comprised in part of Lot 84 Mukim No. VII (TUAS), occupied by "Singapore Shipbuilding and Engineering Limited" containing an area of approximately 19715.9 square metres and bounded approximately as follows:

Commencing at the westernmost corner of the perimeter fence of the aforesaid "Singapore Shipbuilding and Engineering Limited" which point is 1596.3 metres North and 19343.4 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of 82° 47′ for a distance of approximately 203.1 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
173° 00′	118.2 metres	(partly across a gate)
217° 28′	16.0 metres	
262° 44′	90.9 metres	
315° 01′	164.0 metres	

to the point of commencement.

The boundaries of "Singapore Shipbuilding and Engineering Limited" are more particularly delineated and edged pink on Survey Print No. 1560-74 filed in the office of the Chief Surveyor, Singapore.

(31) [Deleted by S 286/93 wef 02/07/93]

(32) S 79/76
[15.4.76]
Supplies & Trading
Director,
Shell Eastern Petroleum
(Pte) Limited.

SHELL INSTALLATION AT WOODLANDS NORTH, SINGAPORE.

All that area comprised in part of Lots 149-3 and 149-5, Mukim No. XIII (SEMBAWANG), occupied by "SHELL INSTALLATION AT WOODLANDS

NORTH" containing an area of approximately 50,506 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SHELL INSTALLATION AT WOODLANDS NORTH" which point is approximately 17,942.0 metres North and 8,662.7 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 135° 30′ for a distance of 95.0 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
216° 29′	90.0 metres
125° 59′	119.4 metres
216° 21′	36.5 metres
216° 21′	111.9 metres
307° 59′	103.5 metres
308° 12′	120.4 metres
0° 39′	8.9 metres
345° 03′	3.1 metres

to a point on the southern side of a concrete pillar south of a gate, thence along the aforesaid concrete pillar on a bearing of approximately 237° 55′ for a distance of 0.3 metre to its south-western corner, thence partly along concrete pillars and across the gate on a bearing of approximately 327° 55′ for a distance of 7.1 metres to the north-western corner of a concrete pillar north of the gate, thence along the concrete pillar on a bearing of approximately 57° 55′ for a distance of 0.3 metre to a point where it meets a fence, thence along successive lines of fence

of bearings and distances approximately as under:

Bearing	Distance
1° 30′	4.8 metres
5° 08′	46.9 metres
359° 18′	19.1 metres
54° 56′	30.7 metres
50° 13′	30.5 metres
57° 00′	30.2 metres
60° 31′	30.2 metres
68° 46′	10.3 metres
69° 08′	4.9 metres
63° 03′	18.0 metres
61° 46′	3.2 metres
47° 58′	29.2 metres

to the point of commencement.

The boundaries of "SHELL INSTALLATION AT WOODLANDS NORTH" are more particularly delineated and edged pink on Survey Print No. 1017-76 filed in the office of the Chief Surveyor, Singapore.

1. WESTERN DISPERSAL AREA, CHANGI AIR BASE, SINGAPORE.

All that area known as Western Dispersal Area including all premises, roads, runway, hardstanding, offices, machinery installations, stores and fences within the boundary demarcated by the junction of Upper Changi Road and right side of Calshot Road thence along the right side of Calshot Road to the junction of Cranwell Road and Loyang Road and thence along the right side of Loyang Road for a distance of

(33) S 150/76
[23.7.76]
Base Commander,
Changi Air Base,
Singapore.

approximately 429.8 metres and thence along successive lines of bearings and distances approximately as under:

Bearing	Distance
N 30° E	527.3 metres
S 60° E	923.5 metres

and thence along the right side of Upper Changi Road to the point of commencement.

The boundaries of Western Dispersal Area, Changi Air Base, are more particularly delineated and edged in orange on Plant No. 61/1/B dated 8th April 1975 filed in the office of the Base Commander, Changi Air Base.

Commanding Officer, Guillemard Camp, Singapore.

2. GUILLEMARD CAMP, SINGAPORE.

All that area comprised in State Land Lots 964, 968, 970, part of State Land Lots 966, 79-24, 94-11, 95-3, 95-1, 95-5, 2325, 1298 and part of State Land, Mukim No. XXV (GEYLANG) occupied by "GUILLEMARD CAMP" containing an area of 79874.3 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "GUILLEMARD CAMP" which point is 2348.7 metres North and 4287.4 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence of bearing 345° 05′ for a distance of approximately 80.0 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
345° 05′	107.7 metres
344° 58′	72.8 metres
345° 07′	74.9 metres

THE SCHEDULE —	continued	
78° 37′	97.7 metres	
167° 38′	3.9 metres	
77° 54′	16.5 metres	(partly across gates)
168° 49′	89.1 metres	
81° 24′	65.0 metres	
45° 52′	12.4 metres	
125° 27′	65.8 metres	
119° 58′	52.4 metres	
197° 00′	7.7 metres	
123° 14′	69.9 metres	
87° 34′	28.0 metres	
189° 42′	20.2 metres	
95° 10′	36.3 metres	
177° 20′	74.1 metres	
258° 33′	166.7 metres	
344° 34′	12.0 metres	
254° 58′	37.6 metres	(partly across gates)
169° 57′	9.6 metres	
258° 34′	137.7 metres	

The boundaries of "GUILLEMARD CAMP" are more particularly delineated and edged pink on Survey Print No. 1162-75 filed in the office of the Chief Surveyor, Singapore.

Commanding Officer, Bedok Camps I and II, Singapore.

3. BEDOK CAMPS I AND II, SINGAPORE.

All that area comprised in part of State Land Lots 1992 and 3399 Mukim No. XXVII (BEDOK), occupied by "BEDOK CAMPS I and II" containing an area of 180380.5 square

metres and bounded approximately as follows:

Commencing at the southern-most corner of the perimeter fence of the aforesaid "BEDOK CAMPS I and II" which point is 2818.7 metres North and 11160.0 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of 346° 21′ for a distance of approximately 7.9 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
50° 22′	111.6 metres	
38° 40′	5.6 metres	
21° 27′	5.9 metres	
10° 46′	2.9 metres	
10° 23′	292.6 metres	
100° 19′	21.6 metres	(partly across gate)
10° 26′	28.5 metres	
282° 26′	11.0 metres	(partly across gate)
10° 26′	211.8 metres	
99° 38′	1.6 metres	
8° 23′	4.6 metres	(partly across gate)
324° 14′	2.0 metres	
10° 35′	6.9 metres	
66° 04′	109.8 metres	
159° 47′	10.6 metres	
65° 53′	21.3 metres	
40° 48′	4.2 metres	

THE SCHEDULE —	continued
----------------	-----------

99° 04′	14.0 metres	(partly across gate)
11° 08′	16.9 metres	
40° 10′	2.8 metres	
37° 33′	2.8 metres	
66° 18′	183.8 metres	
190° 06′	618.0 metres	
248° 49′	435.5 metres	

The boundaries of "BEDOK CAMPS I and II" are more particularly delineated and edged pink on Survey Print No. 1034-75 filed in the office of the Chief Surveyor, Singapore.

- 4. [Deleted by S 547/2002 wef 14/10/2002]
- 5. [Deleted by S 290/2012 wef 26/06/2012]
- 6. [Deleted by S 547/2002 wef 14/10/2002]

MOBIL OIL TANK FARM — PULAU PESEK.

All that area comprised in part of PULAU PESEK, Mukim No. XXXIV, OTHER ISLANDS, occupied by "MOBIL OIL TANK FARM — PULAU PESEK", containing an area of 126000.2 square metres and bounded approximately as follows:

Commencing at the western-most corner of the perimeter fence of the aforesaid "MOBIL OIL TANK FARM — PULAU PESEK" which point is 69.2 metres North and 18328.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of 72° 14′ for a distance of approximately 119.4 metres and thence along successive lines of fence of bearings and distances approximately as under:

(34) S 180/76
[3.9.76]
Director-Manufacturing,
Mobil Oil Singapore
Pte. Ltd.

Bear	ring		Dist	ance
72°	17'	157.7	metres	
18°	43'	72.4	metres	
108°	55'	119.2	metres	
108°	55′	111.8	metres	
198°	51'	114.5	metres	(partly across a gate)
198°	45'	60.1	metres	
231°	21'	127.9	metres	
231°	21'	84.0	metres	(partly across a gate)
252°	14'	97.9	metres	
252°	14'	105.7	metres	
342°	' 19'	118.9	metres	
342°	16'	176.8	metres	

to the point of commencement.

The boundaries of "MOBIL OIL TANK FARM — PULAU PESEK" are more particularly delineated and edged pink on Survey Print No. 1776-76 filed in the office of the Chief Surveyor, Singapore.

(35) [Deleted by S 280/98 wef 08/05/98]

(36) S 58/77 [25.3.77]

Commanding Officer, Jalan Kambing Camp, Singapore.

Commander, 9th Singapore Division, Singapore. 1. [Deleted by S 547/2002 wef 14/10/2002]

2. SELARANG BARRACKS, SINGAPORE.

All that area comprised in part of State Land Lot 289-38, parts of State Land Lot 289-19, parts of State Land Lot 290, part of State Land Lot 935 and parts of State Reserves, Mukim No. XXXI (CHANGI) occupied by

"SELARANG BARRACKS" containing an area of 279511.6 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "SELARANG BARRACKS" which point is 9361.4 metres North and 13768.7 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence of bearing 136° 07′ for a distance of approximately 36.5 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
136° 39′	6.2 metres	(across gate)
136° 10′	54.0 metres	
131° 19′	1.7 metres	
182° 38′	12.2 metres	
189° 46′	12.2 metres	
193° 55′	12.2 metres	
198° 34′	12.4 metres	
209° 46′	86.8 metres	
209° 47′	89.2 metres	
205° 38′	9.2 metres	
188° 43′	9.0 metres	
185° 56′	9.1 metres	
180° 15′	9.1 metres	
174° 24′	9.1 metres	
158° 18′	9.2 metres	
150° 53′	8.9 metres	
146° 46′	44.2 metres	
117° 16′	40.2 metres	

THE SCHEDULE —	continued	
85° 48′	19.5 metres	
344° 41′	59.4 metres	
85° 42′	49.2 metres	
169° 25′	10.1 metres	
98° 52′	86.7 metres	
176° 09′	59.5 metres	
108° 42′	64.9 metres	
216° 45′	18.9 metres	
127° 52′	0.2 metre	(along pillar)
216° 22′	6.4 metres	(partly along pillars and across main gate)
126° 04′	0.2 metre	
220° 20′	2.9 metres	
142° 03′	5.6 metres	
153° 48′	5.9 metres	
175° 11′	8.2 metres	
198° 56′	3.0 metres	
218° 21′	2.7 metres	
233° 49′	58.1 metres	
246° 09′	11.2 metres	
233° 58′	7.1 metres	
142° 20′	0.1 metre	(along pillar)
232° 20′	4.7 metres	(partly along pillars and across gate)
322° 20′	0.1 metre	(partly along pillar)
232° 56′	6.2 metres	
288° 27′	39.1 metres	

THE SCHEDULE —	continued	
272° 26′	5.7 metres	
251° 47′	7.6 metres	
167° 05′	19.0 metres	
185° 09′	16.4 metres	
166° 25′	3.7 metres	
261° 05′	19.1 metres	
200° 29′	20.1 metres	
309° 53′	9.2 metres	(partly across gate)
223° 50′	8.2 metres	(partly across gate)
307° 31′	22.0 metres	
307° 28′	23.0 metres	
319° 13′	3.1 metres	
237° 08′	69.4 metres	
209° 53′	1.9 metres	
211° 12′	63.6 metres	
211° 23′	8.6 metres	
263° 59′	55.8 metres	
259° 04′	1.6 metres	
258° 37′	56.1 metres	
255° 44′	48.7 metres	
280° 32′	3.0 metres	
256° 40′	57.8 metres	
259° 50′	33.4 metres	
255° 49′	21.9 metres	
265° 43′	8.7 metres	
258° 50′	11.7 metres	
258° 04′	91.8 metres	

340° 18′	12.0 metres	
10° 08′	21.3 metres	
10° 22′	29.4 metres	
10° 13′	48.5 metres	
10° 14′	32.9 metres	
10° 27′	25.6 metres	
9° 53′	33.0 metres	
9° 47′	30.2 metres	
9° 49′	27.9 metres	
14° 19′	38.0 metres	
19° 35′	92.6 metres	
17° 20′	38.8 metres	
17° 12′	48.5 metres	
17° 08′	75.3 metres	
17° 14′	53.7 metres	
37° 32′	30.5 metres	
22° 06′	85.2 metres	
83° 26′	105.6 metres	
83° 22′	62.1 metres	(partly across gate)
82° 45′	85.9 metres	(partly across gate)

The boundaries of "SELARANG BARRACKS" are more particularly delineated and edged pink on Survey Print No. 1068-75 filed in the office of the Chief Surveyor, Singapore.

- 3. [Deleted by S 444/2003 wef 18/09/2003]
- 4. [Deleted by S 291/2012 wef 26/06/2012]
- 5. [Deleted by S 547/2002 wef 14/10/2002]

(37)

[Deleted S 342/2005 wef 03/06/2005] [Deleted by S 378/2011 wef 01/07/2011]

KHALSA CRESCENT PRISON.

All that area comprised in part of State Land Lot 201, Mukim No. XIII (SEMBAWANG), occupied by "KHALSA CRESCENT PRISON" containing an area of about 9478.2 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "KHALSA CRESCENT PRISON" which point is 18259.9 metres North and 7584.3 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 160° 44′ for a distance of 47.4 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
166° 19′	37.4 metres
166° 22′	49.4 metres
272° 57′	25.0 metres
256° 32′	21.2 metres
233° 09′	12.2 metres
318° 53′	5.6 metres
297° 03′	9.7 metres
322° 07′	22.7 metres
324° 03′	2.6 metres

to a gate, thence along the gate on a bearing of approximately 323° 27′ for a distance of 3.8 metres to a point at the corner of the gate where it meets a line, thence along the aforesaid line on a bearing of approximately

287° 46′ for a distance of 2.9 metres to a point on a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
231° 07′	6.1 metres	(partly along a gate)
321° 06′	6.0 metres	
50° 28′	6.1 metres	(partly along a gate)

to a point where it meets a line, thence along the aforesaid line on a bearing of approximately 9° 12′ for a distance of 2.6 metres to a point on a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
0° 25′	31.1 metres
349° 59′	22.2 metres
357° 21′	36.1 metres
79° 34′	61.7 metres

to the point of commencement.

The boundaries of "KHALSA CRESCENT PRISON" are more particularly delineated and edged pink on Survey Print No. 1278-77 filed in the office of the Chief Surveyor, Singapore.

CHIA KENG PRISON.

All that area comprised in parts of State Land Lots 5006 and 4720 Mukim No. XVIII (ANG MO KIO), occupied by "CHIA KENG PRISON" containing an area of about 9388.9 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "CHIA KENG PRISON" which point is 9372.6 metres North and 2711.4 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of approximately 93° 22′ for a distance of 15.7 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
139° 13′	94.0 metres	
109° 53′	9.0 metres	
177° 40′	31.1 metres	(partly along gates)
273° 21′	57.5 metres	
272° 35′	38.8 metres	
297° 25′	5.0 metres	
300° 05′	33.8 metres	
357° 15′	46.7 metres	
52° 08′	57.4 metres	

to the point of commencement.

The boundaries of "CHIA KENG PRISON" are more particularly delineated and edged pink on Survey Print No. 1263-77 filed in the office of the Chief Surveyor, Singapore.

REFORMATIVE TRAINING CENTRE — ULU BEDOK.

All that area comprised in part of State Land Lot 232 Mukim No. XXVIII (ULU BEDOK) occupied by "REFORMATIVE TRAINING CENTRE — ULU BEDOK" containing an area of about 98351.2 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "REFORMATIVE TRAINING CENTRE — ULU BEDOK" which point is 6086.7 metres North and 9760.9 metres East of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 117° 54′ for a distance of 29.7 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
126° 18′	29.1 metres	
132° 17′	41.0 metres	
35° 40′	10.0 metres	
123° 45′	11.0 metres	(partly along a gate)
110° 28′	11.0 metres	
119° 35′	13.3 metres	
129° 11′	12.9 metres	
135° 01′	9.5 metres	
139° 01′	10.2 metres	
146° 23′	10.6 metres	
154° 19′	10.2 metres	
162° 27′	11.8 metres	
94° 35′	28.6 metres	
106° 48′	14.0 metres	(partly across a concrete drain)
190° 39′	54.2 metres	(partly along gates)
253° 44′	5.0 metres	
188° 06′	9.1 metres	(partly along gates)

THE SCHEDULE —	continued	
102° 07′	3.8 metres	
191° 18′	33.1 metres	
191° 24′	55.9 metres	
189° 58′	12.1 metres	
190° 35′	72.2 metres	
281° 28′	1.7 metres	
191° 54′	8.4 metres	(partly along a gate)
281° 39′	2.2 metres	
198° 24′	2.3 metres	
250° 17′	2.5 metres	
195° 36′	8.3 metres	
198° 34′	6.1 metres	
202° 54′	15.3 metres	
207° 52′	15.4 metres	
265° 56′	8.6 metres	
187° 17′	6.3 metres	(partly along gates)
101° 14′	2.8 metres	
233° 14′	3.1 metres	
242° 27′	18.4 metres	
249° 51′	2.7 metres	
257° 59′	2.5 metres	
273° 18′	2.5 metres	
282° 22′	9.3 metres	
285° 46′	11.1 metres	
302° 08′	2.4 metres	
330° 46′	2.4 metres	
254° 34′	12.1 metres	

		<u> </u>
THE SCHEDULE —	continued	
323° 23′	15.2 metres	
71° 46′	15.2 metres	
345° 33′	10.6 metres	
251° 44′	3.4 metres	
334° 15′	10.9 metres	
259° 28′	2.5 metres	
339° 51′	2.4 metres	
252° 37′	18.3 metres	(partly across a concrete drain)
171° 52′	15.8 metres	
244° 15′	8.0 metres	(partly along a gate)
298° 25′	34.9 metres	
290° 21′	13.9 metres	
283° 26′	50.0 metres	
282° 10′	62.6 metres	
282° 19′	36.0 metres	
287° 03′	35.1 metres	
335° 41′	12.1 metres	
44° 33′	19.0 metres	
39° 47′	47.9 metres	
32° 10′	32.8 metres	
24° 41′	47.4 metres	
28° 49′	41.6 metres	
32° 24′	55.5 metres	
28° 10′	32.1 metres	
9° 10′	7.3 metres	
27° 06′	50.0 metres	
30° 00′	61.0 metres	

to the point of commencement.

The boundaries of "REFORMATIVE TRAINING CENTRE — ULU BEDOK" are more particularly delineated and edged pink on Survey Print No. 1281-77 filed in the office of the Chief Surveyor, Singapore.

[S 342/2005 wef 03/06/2005]

(38) S 284/77
[11.11.77]
The General Manager,
Ordnance Development
and
Engineering Company of
Singapore (Pte.) Ltd.

ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD.

All that area comprised in parts of State Land Lots 205 and 1083 Mukim No. VI (PENG KANG), occupied by "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." containing an area of about 38250.8 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." which point is approximately 5714.1 metres North and 15015.3 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 154° 45′ for a distance of 35.7 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
155° 00′	40.0 metres
154° 49′	80.1 metres
150° 17′	24.3 metres
147° 48′	20.5 metres

THE SCHEDULE —	continued
----------------	-----------

144° 47′	22.8 metres
190° 02′	11.5 metres
234° 18′	14.6 metres
237° 52′	19.3 metres
242° 01′	19.2 metres
244° 04′	19.3 metres
248° 16′	19.3 metres
251° 25′	13.3 metres

up to one end of a brick-wall, thence along the brick-wall on a bearing of approximately 253° 34′ for a distance of 21.0 metres to its other end, thence along a line on a bearing of approximately 253° 34′ for a distance of 0.1 metre, thence along a brick-wall on a bearing of approximately 343° 37′ for a distance of 19.8 metres, thence along gates and pillars, the outer surfaces of the wall and staircase of a guardroom-cum-substation and a brick-wall all of which front a car park and run generally on a west-south-westerly direction for a distance of about 50.3 metres, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
253° 15′	12.7 metres
164° 07′	17.2 metres
253° 45′	3.1 metres
343° 45′	2.6 metres

to the bin centre, thence along its frontage on an approximate bearing of 253° 45′ of length 6.1 metres to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing

Distance

E SCHEDULE — continued	
163° 45′	2.6 metres
253° 45′	4.2 metres
343° 26′	47.5 metres
343° 40′	50.0 metres
343° 37′	49.5 metres
343° 47′	35.0 metres
54° 13′	19.0 metres
50° 59′	157.1 metres

The boundaries of "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." are more particularly delineated and edged pink on Survey Print No. 1416-77 filed in the office of the Chief Surveyor, Singapore.

(39) [Deleted by S 225/2006 wef 13/04/2006]

(40) S 35/78 [24.12.78] Director of Prisons.

SELARANG PARK CENTRE I.

All that area of about 39490.6 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE I" and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE I" which point is approximately 9337.7 metres North and 14307.2 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
309° 46′	12.2 metres
321° 00′	54.5 metres

THE SCHEDULE — $$	continued	
219° 38′	6.0 metres	
318° 53′	12.4 metres	(partly along a gate)
266° 43′	9.3 metres	
309° 02′	4.8 metres	
317° 59′	2.3 metres	(along a gate)
343° 21′	10.0 metres	
244° 16′	10.6 metres	(partly along a gate)
333° 40′	2.2 metres	
238° 09′	3.8 metres	
276° 16′	5.8 metres	
279° 33′	13.5 metres	
282° 11′	19.1 metres	

to the wall of building No. 100, thence along its wall of bearings and distances approximately as under:

Bearing	Distance
195° 03′	2.4 metres
283° 06′	10.3 metres
13° 06′	0.6 metre

to a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
287° 48′	3.0 metres
316° 57′	21.4 metres
280° 54′	12.2 metres
16° 04′	48.8 metres
10° 31′	34.3 metres

THE SCHEDULE —	continued	
56° 32′	77.0 metres	(partly along a gate)
124° 02′	9.9 metres	
123° 53′	26.8 metres	
152° 51′	6.6 metres	
119° 31′	33.6 metres	
122° 35′	27.2 metres	
85° 18′	51.0 metres	
80° 29′	6.1 metres	
93° 14′	3.0 metres	
101° 45′	3.0 metres	
106° 52′	5.8 metres	
108° 53′	36.7 metres	
56° 19′	12.6 metres	
97° 47′	12.5 metres	
134° 08′	25.4 metres	
92° 13′	9.0 metres	
185° 22′	57.9 metres	
271° 58′	33.2 metres	
173° 41′	36.2 metres	
261° 14′	45.2 metres	
166° 13′	15.8 metres	
257° 02′	84.8 metres	

The boundaries of "SELARANG PARK CENTRE I" are more particularly delineated and edged pink on Survey Print No. 1033-78 filed in the office of the Chief Surveyor, Singapore.

Director of Prisons.

SELARANG PARK CENTRE II.

All that area of about 22314.3 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE II" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE II" which point is approximately 9702.0 metres North and 13999.3 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
149° 48′	40.0 metres	
75° 12′	21.8 metres	(partly along a gate)
97° 37′	15.3 metres	
106° 35′	54.8 metres	
116° 16′	8.6 metres	
128° 51′	9.6 metres	
132° 13′	140.2 metres	(partly along a gate)
236° 32′	77.6 metres	(partly along a gate)
331° 36′	63.2 metres	
320° 22′	3.0 metres	
311° 19′	9.3 metres	
303° 51′	18.0 metres	
298° 17′	18.2 metres	
290° 57′	21.5 metres	
255° 26′	18.3 metres	
200° 46′	44.8 metres	

THE SCHEDULE — continued		
296° 57′	3.3 metres	
202° 36′	10.0 metres	
293° 40′	37.0 metres	
342° 48′	9.0 metres	
346° 20′	9.3 metres	
355° 36′	6.2 metres	
58° 39′	11.6 metres	
342° 46′	45.6 metres	
215° 55′	20.7 metres	
236° 17′	33.8 metres	
319° 33′	45.4 metres	
48° 38′	106.3 metres	

The boundaries of "SELARANG PARK CENTRE II" are more particularly delineated and edged pink on Survey Print No. 1033-78 filed in the office of the Chief Surveyor, Singapore.

Director of Prisons.

SELARANG PARK CENTRE III.

All that area of about 19577.6 square metres comprised in parts of State Land Lots 289-19 and 290 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE III" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE III" which point is approximately 9432.4 metres North and 13933.4 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing		Dist	ance	
110° 11′	29.3	metres		
124° 56′	9.8	metres		
142° 35′	8.2	metres		
150° 19′	63.5	metres		
102° 46′	31.9	metres		
113° 08′	20.0	metres		
115° 30′	86.8	metres		
203° 05′	6.4	metres	(partly along gate)	g a
186° 02′	8.8	metres		
204° 19′	45.6	metres		
265° 19′	38.7	metres		
295° 09′	85.1	metres	(partly along gate)	g a
313° 55′	27.2	metres		
301° 39′	51.7	metres		
311° 23′	45.9	metres		
10° 49′	41.7	metres	(partly along gate)	g a
38° 18′	45.5	metres		

to the point of commencement.

The boundaries of "SELARANG PARK CENTRE III" are more particularly delineated and edged pink on Survey Print No. 1033-78 filed in the office of the Chief Surveyor, Singapore.

Director of Prisons.

SELARANG PARK CENTRE IV.

All that area of about 1625.7 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI)

occupied by "SELARANG PARK CENTRE IV" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE IV" which point is approximately 9125.0 metres North and 14158.0 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
140° 02′	42.5 metres (partly along a gate)
225° 42′	21.3 metres
135° 00′	9.2 metres
226° 36′	9.7 metres
315° 54′	9.1 metres
225° 58′	3.1 metres
315° 54′	44.1 metres
48° 39′	37.1 metres

to the point of commencement.

The boundaries of "SELARANG PARK CENTRE IV" are more particularly delineated and edged pink on Survey Print No. 1033-78 filed in the office of the Chief Surveyor, Singapore.

(41) S 143/78 [23.6.78] Director of Prisons.

SELARANG PARK CENTRE V.

All that area of about 21449.3 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE V" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid

"SELARANG PARK CENTRE V" which point is approximately 9361.4 metres North and 14232.9 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	in metres
142° 07′	11.9	
67° 25′	6.9	
162° 50′	7.7	
76° 13′	4.8	(along a gate)
164° 54′	7.6	
179° 22′	7.3	
191° 46′	7.3	
204° 32′	7.4	
221° 04′	7.6	(partly along a gate)
224° 06′	7.4	
144° 37′	23.3	
178° 53′	40.5	
195° 33′	18.4	
226° 54′	48.0	
209° 03′	4.8	
202° 37′	10.5	
258° 59′	22.5	
160° 00′	12.9	
245° 08′	16.7	
340° 19′	14.3	(partly along a gate)
260° 24′	22.3	(partly along a gate)

THE SCHEDULE — continued		
173° 46′	4.7	
164° 26′	10.5	
228° 12′	16.0	(partly along a gate)
320° 30′	81.7	
334° 25′	22.5	
65° 22′	33.6	
24° 19′	49.2	
6° 02′	8.8	
23° 05′	6.4	(partly along a gate)
295° 30′	3.3	
39° 04′	16.5	
102° 38′	21.0	
53° 26′	37.6	
46° 05′	37.5	
87° 37′	14.7	

The boundaries of "SELARANG PARK CENTRE V" are more particularly delineated and shown edged pink on Survey Print No. 1177-78 filed in the office of the Chief Surveyor, Singapore.

(42) S 172/78
[28.7.78]
Commanding Officer,
21st Singapore Artillery,
Woodlands Camp,
Kranji Road,
Singapore.

21ST SINGAPORE ARTILLERY, WOODLANDS CAMP, KRANJI ROAD, SINGAPORE.

All that area of about 20989.5 square metres comprised in parts of State Land Lots 151-68, 151-70, 195-2 Mukim No. XIII (SEMBAWANG) and part of KRANJI ROAD, occupied by "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" and bounded approximately as follows:

Commencing at the easternmost corner of the perimeter fence of the aforesaid "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" which point is 15875.9 metres North and 10423.0 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
223° 03′	64.5 metres	
234° 54′	3.6 metres	
222° 50′	179.8 metres	
347° 11′	6.2 metres	
348° 04′	1.1 metres	
348° 45′	49.6 metres	
78° 36′	0.5 metre	(to a gate)
348° 57′	7.9 metres	(along a gate)
258° 36′	0.5 metre	
349° 17′	26.5 metres	(to a gate)
348° 36′	6.3 metres	(along a gate)
348° 40′	35.8 metres	
358° 49′	3.6 metres	
74° 40′	0.7 metre	(to a gate)
348° 32′	8.3 metres	(along a gate)
268° 07′	0.7 metre	
338° 51′	3.5 metres	
348° 45′	16.5 metres	(to a gate)
347° 27′	6.3 metres	(along a gate)
347° 33′	24.9 metres	
106° 02′	29.9 metres	

77° 12′	27.5 metres
86° 12′	3.7 metres
92° 06′	21.9 metres
84° 21′	62.4 metres
72° 02′	34.9 metres
77° 46′	3.8 metres
133° 06′	38.7 metres

The boundaries of "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" are more particularly delineated and shown edged pink on Survey Print No. 1092-78 filed in the office of the Chief Surveyor, Singapore.

QUALITY CONTROL COMPANY, PROOF CENTRE, SEMBAWANG AMMUNITION DEPOT, ATTAP VALLEY ROAD, SINGAPORE.

All that area of about 6720.8 square metres comprised in part of State Land Lot1043, Mukim No. XX (SELETAR) occupied by "QUALITY CONTROL COMPANY PROOF CENTRE" are bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "QUALITY CONTROL COMPANY PROOF CENTRE" which point is 13146.7 metres North and 2820.0 metres East of the Survey Department origin of co-ordinates, the boundary runs along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
105° 18′	69.6 metres	
144° 49′	0.7 metre	

102° 46′	4.3 metres	(along an outer gate)
53° 04′	0.6 metre	
106° 33′	17.2 metres	
195° 18′	73.5 metres	(partly along a gate)
291° 41′	12.4 metres	

to a wall of a Firing Range, thence along its walls of bearings and distances approximately as under:

Bearing	Distance
195° 18′	0.3 metre
285° 25′	55.8 metres
195° 25′	1.3 metres
285° 25′	0.4 metre
15° 25′	1.3 metres
285° 25′	4.5 metres
195° 25′	1.8 metres
285° 25′	0.4 metre
16° 24′	1.1 metres

to a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
285° 46′	8.8 metres
320° 31′	12.2 metres
16° 01′	7.2 metres
286° 50′	5.2 metres
16° 04′	14.1 metres
100° 36′	5.0 metres
15° 23′	44.2 metres

to the point of commencement.

The boundaries of "QUALITY CONTROL COMPANY PROOF CENTRE" are more particularly delineated and shown edged pink on Survey Print No. 1539-77 filed in the office of the Chief Surveyor, Singapore.

(44) [Deleted by S 613/2011 wef 15/11/2011]

(44A) Permanent Secretary,

The extended boundaries of the Ministry of Ministry of Home Affairs Home Affairs Complex containing an area of about 9,476 square metres in part of State Land Lot 5501 Mukim No. 17 (Toa Payoh) and bounded approximately as follows:

> Commencing at the north-west corner of the perimeter fence of the said Ministry of Home Affairs Complex which point is 34,697.2 metres North and 27,873.3 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
59° 30′	7.2
59° 30′	3.9 (along a gate)
146° 31′	26.4
142° 47′	15.0
140° 08′	3.0
135° 01′	2.3
49° 53′	28.4
136° 55′	55.4
228° 40′	23.5
317° 17′	24.5
228° 24′	4.4
228° 24′	5.8 (along a gate)
317° 00′	17.6

CAP.	256 ,	\mathbf{O}	21
C 111 •	,	\sim	_

	Protectea Places (Con	isotiaation)
56 , O 2]	Order	[1990 Ed. p. 73
	THE SCHEDULE —	continued
	225° 10′	17.8
	167° 55′	8.9
	158° 36′	6.0
	157° 10′	3.0
	154° 09′	3.0
	152° 14′	2.8
	150° 07′	2.7
	144° 17′	35.7
	144° 20′	51.1
	228° 25′	12.4
	161° 34′	79.5
	214° 06′	15.0
	258° 02′	14.5
	340° 06′	50.5
	340° 27′	17.0
	258° 46′	5.1
	259° 19′	5.3 (along a gate)
	258° 35′	7.2
	18° 30′	11.0
	341° 40′	34.7
	339° 26′	33.3
	337° 08′	24.7
	341° 13′	27.5
	22° 04′	25.0
	4° 11′	3.8
	346° 51′	4.0 (along a gate)
	349° 30′	4.0
	65° 03′	8.5
	326° 03′	16.3

316° 32′	7.2
337° 56′	4.0 (along a gate)
327° 56′	9.8

to the point of commencement.

The extended boundaries of the said Ministry of Home Affairs are more particularly delineated and edged in yellow in the Plan filed in the office of the Commissioner of Lands.

[Ref. LO (SEC)/004/85 Vol. 2]

[S 294/97 wef 20/06/97]

(45) S 108/79 [11.5.79] Director of Prisons.

LLOYD LEAS COMMUNITY SUPERVISION CENTRE.

All that area comprised in parts of State Land Lots 149-3, 150, 152-2, 153-2, 154 and 341-2 Mukim No. XXXI (CHANGI) occupied by "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" containing an area of about 53036.6 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" which point is 8743.8 metres North and 14001.9 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
144° 47′	36.8
53° 13′	47.1
140° 31′	43.0
50° 35′	38.1

Order	[1990 Ed. p. 75
THE SCHEDULE — conti	inued
143° 19′	79.0
229° 58′	9.4
144° 11′	13.0
228° 20′	9.5
160° 44′	35.0
156° 21′	16.9
245° 54′	8.7
174° 40′	9.1
176° 00′	6.5
271° 39′	15.3
183° 49′	6.5 (partly along gate)
271° 23′	31.9
262° 52′	3.1
249° 24′	3.0
233° 10′	2.7
222° 50′	3.1
205° 55′	3.0
189° 36′	3.1
181° 31′	45.5
181° 00′	30.3
178° 25′	3.1
177° 23′	6.2
173° 54′	2.9
173° 23′	3.1
172° 22′	3.0
262° 40′	10.0 (partly along gate)

 $263^{\circ} 33'$ 6.5 (to the wall of Block No.

147)

THE SCHEDULE — a	continued
354° 21′	0.2 (to the corner of Block No. 147)
264° 21′	6.3 (along the wall to the next corner of Block No. 147)
174° 21′	0.3 (along the wall)
264° 47′	9.5
353° 48′	20.5
353° 19′	26.9
265° 17′	2.8
277° 14′	30.6
296° 49′	87.8 (partly along gate)
233° 44′	15.4
222° 21′	14.5
272° 01′	5.5
313° 51′	22.1
227° 27′	15.0
270° 56′	17.5 (partly along gate)
242° 01′	21.5
332° 55′	26.5
60° 31′	19.7
35° 23′	2.7
333° 16′	20.2
334° 48′	14.5
332° 15′	40.3
337° 21′	3.0
344° 01′	25.9
38° 04′	6.0
93° 01′	14.1
120° 59′	34.9

THE SCHEDULE — con	ntinued
141° 24′	2.6
148° 47′	8.7
42° 49′	24.5 (partly along gate)
344° 21′	14.3
356° 04′	11.6
21° 10′	5.8
77° 41′	13.8
96° 14′	37.5
347° 17′	15.6
30° 03′	29.6
40° 27′	21.6
128° 18′	12.1
131° 13′	2.8
127° 32′	2.9
27° 54′	15.4

to the point of commencement.

The boundaries of "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" are more particularly delineated and edged pink on Survey Print No. 1067-79 filed in the office of the Chief Surveyor, Singapore.

[S 60/2014 wef 03/02/2014]

(46) [Deleted by S 378/2011 wef 01/07/2011]

(47) S 195/80
[27.6.80]
Commander,
Reserve Armour Training
Centre,
Sungei Gedong Camp,
Singapore 2471.

RESERVE ARMOUR TRAINING CENTRE, SUNGEI GEDONG CAMP, SINGAPORE 2471.

All that area comprised in part of State Reserve and parts of State Land Lots 659, 159-102 and 32 Mukim No. XII (LIM CHU KANG) occupied by the "SUNGEI GEDONG CAMP (RESERVE ARMOUR TRAINING CENTRE)" containing an area

of about 110783.4 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SUNGEI GEDONG CAMP (RESERVE ARMOUR TRAINING CENTRE)" which point is 14548.4 metres North and 17588.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
188° 13′	228.7 metres
178° 00′	53.9 metres
265° 44′	93.7 metres
222° 59′	3.2 metres
239° 54′	37.9 metres
246° 08′	98.5 metres
250° 39′	15.3 metres
312° 11′	55.8 metres
294° 54′	9.4 metres
321° 30′	24.6 metres
325° 04′	33.6 metres
301° 54′	14.2 metres
230° 29′	55.8 metres
229° 71′	36.1 metres
299° 20′	154.5 metres (partly along a gate)
328° 40′	14.7 metres
44° 58′	37.0 metres
2° 52′	9.1 metres
333° 50′	21.2 metres

THE SCHEDULE —	continued
51° 35′	36.4 metres
59° 18′	19.6 metres
128° 29′	13.2 metres (partly along a gate)
56° 02′	21.3 metres
77° 22′	175.9 metres
26° 55′	6.7 metres
70° 44′	4.9 metres
90° 42′	9.4 metres (partly along a gate)
118° 38′	5.7 metres
76° 38′	46.0 metres
80° 17′	21.4 metres
71° 55′	34.1 metres
65° 10′	17.9 metres
54° 18′	12.8 metres
70° 37′	11.0 metres (along gate)
108° 04′	4.4 metres
90° 15′	6.0 metres
72° 50′	17.7 metres
68° 23′	21.2 metres
91° 00′	21.0 metres
76° 46′	19.4 metres
97° 36′	23.4 metres (partly along a gate)
13° 37′	12.9 metres
57° 05′	48.2 metres

to the point of commencement.

The boundaries of "SUNGEI GEDONG CAMP (RESERVE ARMOUR

Order

THE SCHEDULE — continued

TRAINING CENTRE)" are more particularly delineated and edged pink on Survey Print No. 1214-79 filed in the office of the Chief Surveyor, Singapore.

(48) S 331/80[19.12.80]1. General Manager,TelecommunicationAuthority of Singapore.

AYER RAJAH EXCHANGE.

All that area comprised in part of Lot 1232, Mukim No.III (PASIR PANJANG), occupied by the "AYER RAJAH EXCHANGE" containing an area of approximately 5582 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "AYER RAJAH EXCHANGE" which point is 2336.8 metres North and 8279.1 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
114° 21′	60.6
172° 37′	0.4
183° 19′	64.8
193° 24′	5.1
204° 45′	2.0 (along a wall)
294° 29′	3.7 (along a wall)
294° 58′	6.0 (along a gate)
290° 53′	0.2 (along a wall)
204° 38′	8.1
294° 25′	68.8
306° 03′	6.3
17° 40′	0.8
24° 21′	73.6

to the point of commencement.

The boundaries of "AYER RAJAH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1512-79 filed in the office of the Chief Surveyor, Singapore.

 General Manager, Telecommunication Authority of Singapore.

CITY SOUTH EXCHANGE.

All that building known as "CITY SOUTH EXCHANGE", excluding its footway at the ground level fronting Choon Guan Street, standing within Lot 378, TS No. III, containing an area of approximately 2135 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "CITY SOUTH EXCHANGE" which point is 1264.9 metres South and 647.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of bearing 173° 20' and distance of 69.8 metres, partly cutting across a footway and partly following the outer face of an adjacent wall of House No. 10, to a point where it meets a garden wall, thence along a line following the outer edge of the garden wall of bearing 263° 33' and distance of 31.3 metres and thence along successive lines following the remaining building walls of bearings and distances approximately as under:

Bearing	Distance in metres
353° 17′	11.0
353° 44′	8.9
359° 24′	9.6
352° 18′	6.9
348° 01′	0.6
78° 16′	0.1
354° 24′	4.6

p. 82 1990 Ed.]

Order

[CAP. 256, O 2

THE SCHEDULE — continued

265° 31′

0.1

354° 14′

28.3

to a point where it meets another corner of the building and thence along a line of bearing 83° 21' and distance of 30.0 metres, following the limits of the upper floors of the building, to the point of commencement.

The boundaries of "CITY SOUTH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1536-79 filed in the office of the Chief Surveyor, Singapore.

3. General Manager,
Telecommunication
Authority of
Singapore.

TELOK BLANGAH EXCHANGE.

All that area comprised in part of Lot 1301, Mukim No. I (TELOK BLANGAH) occupied by the "TELOK BLANGAH EXCHANGE" containing an area of approximately 4739 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TELOK BLANGAH EXCHANGE" which point is 987.7 metres South and 3716.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
161° 49′	55.4
161° 47′	40.1

to a point where it meets a line, thence along the line of bearing 251 ° 53′ and distance of 5.9 metres across a drive-way to a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
251° 46′	16.7

THE

SCHEDULE — continued		
290° 08′	14.0	
325° 50′	22.0	
319° 47′	18.2	
317° 17′	12.1	
307° 25′	22.8	
303° 31′	18.7	
296° 09′	5.7	
71° 38′	80.2	

to the point of commencement.

The boundaries of "TELOK BLANGAH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1618-80 filed in the office of the Chief Surveyor, Singapore.

- (49) [Deleted by S 150/96 wef 04/04/96]
- (50) [Note: Deleted by S 345/91 wef 08/08/91; see new order S 345/91]
- (51) [Deleted by S 459/94 wef 09/12/.94]
- (52) [Deleted by S 290/96 wef 28/06/96]
- (53) [Deleted by S 576/2005 wef 05/09/2005]
- (54) S 304/81 [18.9.81] General Manager, Telecommunication Authority of Singapore.

1. AMA KENG EXCHANGE.

All that area comprised in part of Lot 704 Mukim No. XII (LIM CHU KANG) occupied by "AMA KENG EXCHANGE" containing an area of about 4156 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "AMA KENG EXCHANGE" which point is 11961.4 metres North and 16628.5 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing

Distance in metres

THE SCHEDULE —	continued
----------------	-----------

157° 52′	46.3
241° 16′	21.8 (partly along a gate)
338° 00′	1.5

to a point where it meets the wall of a store, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
247° 26′	0.1
337° 26′	0.2
247° 26′	2.7
157° 26′	0.2
247° 26′	0.1

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
159° 05′	1.9
241° 09′	57.0
337° 05′	55.6
67° 43′	82.0

to the point of commencement.

The boundaries of "AMA KENG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1505-70 filed in the office of the Chief Surveyor, Singapore.

2. YIO CHU KANG EXCHANGE.

All that area comprised in parts of Lots 4523 and 6026, Mukim No. XVIII (ANG MO KIO), occupied by "YIO CHU KANG EXCHANGE" containing an area of about 2500 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "YIO CHU KANG

EXCHANGE" which point is 10909.3 metres North and 1953.1 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
97° 05′	31.0
52° 55′	3.1
98° 47′	9.0
143° 59′	2.6
97° 30′	3.2
189° 04′	47.2
188° 13′	8.8
195° 13′	1.8
278° 55′	38.3
9° 06′	4.2
8° 25′	21.3
324° 13′	4.3
281° 22′	7.1
11° 39′	19.9
11° 08′	6.4 (along a gate)
36° 51′	1.36

to the point of commencement.

The boundaries of "YIO CHU KANG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1535-79 filed in the office of the Chief Surveyor, Singapore.

3. ANG MO KIO EXCHANGE.

All that area comprised in part of Lot 5679, Mukim No. XVIII (ANG MO KIO), occupied by "ANG MO KIO EXCHANGE" containing an area of about

2768 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "ANG MO KIO EXCHANGE" which point is 8936.5 metres North and 2389.2 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
108° 41′	5.6
96° 35′	52.4
186° 03′	35.3
274° 42′	1.1
3° 44′	0.1
274° 34′	6.7 (along a gate)
186° 55′	0.1
276° 56′	67.5
3° 38′	0.1
277° 08′	7.1 (along a gate)
178° 45′	0.1

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
275° 36′	0.5
7° 31′	2.3 (partly along a gate)
277° 46′	2.3
6° 19′	0.4
277° 04′	3.5

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
236° 08′	4.1
275° 46′	6.6
54° 44′	54.2

to the point of commencement.

The boundaries of "ANG MO KIO EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1671-79 filed in the office of the Chief Surveyor, Singapore.

4. EAST EXCHANGE.

All that area comprised in parts of State Land Lots 644 and 645, TS No. XVII occupied by the "EAST EXCHANGE" containing an area of about 2553 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "EAST EXCHANGE" which point is 2081.2 metres North and 990.3 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
314° 06′	31.0
352° 34′	3.7
43° 26′	47.7

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
312° 46′	0.1

THE SCHEDULE — continued		
41° 44′	2.2	
131° 19′	5.9	
221° 19′	0.2	
131° 32′	4.0 (along a gate)	
41° 11′	0.2	
131° 11′	24.5	
133° 00′	3.4	
223° 00′	0.2	
131° 56′	4.0 (along a gate)	
41° 08′	0.2	
131° 08′	11.7	
221° 42′	0.1	

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
181° 24′	5.1
210° 35′	6.1
251° 52′	50.9

to a point of commencement.

The boundaries of the "EAST EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1672-79 filed in the office of the Chief Surveyor, Singapore.

5. SEMBAWANG EXCHANGE.

All that area comprised in part of Lot 472, Mukim No. XIII (SEMBAWANG) occupied by the "SEMBAWANG EXCHANGE" containing an area of about 5922 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SEMBAWANG

EXCHANGE" which point is 16579.9 metres North and 2928.9 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
97° 11′	36.5
178° 39′	78.4
284° 52′	16.2
281° 06′	11.1
285° 05′	20.0
283° 57′	25.0
284° 39′	27.5
11° 33′	42.4
71° 10′	18.2 (partly across a wall)

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
159° 32′	0.3
119° 06′	3.8
71° 05′	7.5 (partly across a gate)
25° 12′	3.9
339° 55′	0.3

to a point where it meets a fence, thence along a line following the fence of bearing 71° 32′ and distance of 22.1 metres to the point of commencement.

The boundaries of "SEMBAWANG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1673-79 filed in the office of the Chief Surveyor, Singapore.

6. WOODLANDS EXCHANGE.

All that area comprised in part of Lot 812, Mukim No. XIII (SEMBAWANG) occupied by "WOODLANDS EXCHANGE" containing an area of about 3136 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "WOODLANDS EXCHANGE" which point is 15980.5 metres North and 9953.4 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
90° 56′	89.1
201° 01′	21.9
180° 14′	16.0
270° 55′	84.0

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres	
1° 07′	35.3 (partly across two gates)	
90° 45′	1.5	

to a point where it meets a fence of bearing 19° 22′ and distance of 1.8 metres to the point of commencement.

The boundaries of the "WOODLANDS EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1675-79 filed in the office of the Chief Surveyor, Singapore.

7. BEDOK EXCHANGE.

All that area comprised in parts of Lots 3389 and 4955, Mukim No. XVII (BEDOK), occupied by the "BEDOK EXCHANGE" containing an area of

about 4063 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "BEDOK EXCHANGE" which point is 3020.6 metres North and 9119.6 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
173° 50′	47.4 (across two gates)
208° 55′	22.4
176° 15′	11.5
264° 33′	49.2 (across a gate and two pillars)
354° 30′	21.5
9° 33′	58.8
90° 44′	36.5
67° 16′	10.6

to the point of commencement.

The boundaries of "BEDOK EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1609-81 filed in the office of the Chief Surveyor, Singapore.

(55) S 53/82 [5.3.82] Commanding Officer. 2 RLTC.

> **Assistant Director** (Shared Services Centre),

Defence Science and Technology Agency

1. [Deleted by S 527/2005 wef 05/08/2005]

2. DSO MARINA HILL.

All that area comprised in part of Land Lot 3815K in Mukim No. 3 occupied by "DSO MARINA HILL" containing an area of about 29,665 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "DSO MARINA HILL" which point is 30,273.243 metres North and 22,622.045 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of co-ordinates approximately as follows:


Northing	Easting
30,273.243	22,622.045
30,267.423	22,631.660
30,256.422	22,651.281
30,250.415	22,664.531
30,248.272	22,674.862
30,248.262	22,685.321
30,249.122	22,708.931
30,249.545	22,723.770
30,249.605	22,725.814
30,245.874	22,733.914
30,231.477	22,745.935
30,206.961	22,761.379
30,165.190	22,790.227
30,129.261	22,817.070
30,099.914	22,833.844
30,100.860	22,835.636
30,097.192	22,837.683
30,088.960	22,840.923
30,081.443	22,843.355
30,069.328	22,856.184
30,067.081	22,858.328
30,046.635	22,875.490
30,039.132	22,883.945

ZAI • 250, O 2]	Oraci	[1770 Ed.	p. 75
	THE SCHEDULE — continued		
	30,033.857	22,886.228	
	30,022.745	22,896.249	
	30,018.574	22,915.471	
	30,015.362	22,923.728	
	29,998.142	22,942.352	
	29,992.260	22,944.826	
	29,962.283	22,947.491	
	29,957.088	22,949.371	
	29,953.954	22,949.280	
	29,935.991	22,953.175	
	29,930.849	22,935.652	
	29,933.029	22,927.668	
	29,925.953	22,843.461	
	29,985.981	22,837.968	
	29,993.663	22,826.899	
	30,008.179	22,827.129	
	30,013.048	22,835.555	
	30,033.789	22,833.720	
	30,036.158	22,829.332	
	30,052.502	22,816.406	
	30,058.528	22,814.726	
	30,114.129	22,775.939	
	30,115.885	22,775.515	
	30,123.813	22,769.852	
	30,127.908	22,764.909	
	30,133.711	22,754.401	
	30,139.572	22,736.159	
	30,140.909	22,724.718	
	30,141.139	22,718.351	

THE SCHEDULE — continued	
30,141.158	22,700.505
30,140.433	22,691.550
30,142.725	22,686.830
30,144.735	22,684.529
30,153.310	22,676.465
30,160.109	22,666.275
30,165.526	22,666.285
30,168.384	22,666.238
30,173.788	22,665.860
30,179.500	22,665.260
30,191.598	22,663.470
30,203.251	22,660.285
30,210.159	22,654.163
30,220.175	22,631.507
30,223.035	22,632.361
30,232.832	22,610.463
30,246.111	22,594.295
30,252.575	22,601.698
30,253.362	22,601.364
30,256.650	22,605.413
30,259.552	22,612.608

to the point of commencement.

The boundaries of "DSO MARINA HILL" are more particularly delineated on the Survey Plan No. D8826/GAZ filed in the office of the Director, Protective Infrastructure and Estate Programme Centre, Defence Science and Technology Agency, Singapore.



(56) S 161/82
[11.6.82]
S 346/88
S 454/90
Assistant Chief of General Staff (Training),
Ministry of Defence,
Tanglin,

Singapore 1024.

1. NEE SOON RANGE.

All that area comprised in part of Lot 187 in Mukim No. XIV (MANDAI) occupied by "NEE SOON RANGE" together with the corridor that surrounds it, containing an area of about 874230 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid corridor of "NEE SOON RANGE" which point is 12550.1 metres North and 4656.2 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
149° 19′	805.0

THE SCHEDULE —	continued
----------------	-----------

230° 19′	1086.0
320° 19′	805.9
50° 19′	1086 0

to the point of commencement.

The boundaries of the corridor of "NEE SOON RANGE" are more particularly delineated and edged pink on Survey Print No. 1327-82 filed in the office of the Chief Surveyor, Singapore.

Assistant Chief of General Staff (Training), Ministry of Defence, Tanglin, Singapore 1024.

2. MAJU RANGE.

All that area comprised in part of State Land Lots 115-3, 115-4, 115-6 and 1963 in Mukim No. V (PANDAN) occupied by "MAJU RANGE" together with the corridor that surrounds it, containing an area of about 70380 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid corridor of "MAJU RANGE" which point is 4789.0 metres North and 8776.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
157° 11′	391.0
247° 11′	180.0
337° 11′	391.0
67° 11′	180.0

to the point of commencement.

The boundaries of the corridor of "MAJU RANGE" are more particularly delineated and edged pink on Survey Print No. 2121-81 filed in the office of the Chief Surveyor, Singapore.

Assistant Chief of General Staff (Training), Ministry of

3. TAMPINES RANGE.

All that area comprised in part of State Land Lot 91-9 in Mukim No. XXIX (TAMPINES) occupied by "TAMPINES RANGE" together with the corridor

Defence, Tanglin, Singapore 1024 that surrounds it, containing an area of about 62339 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid corridor of "TAMPINES RANGE" which point is 9034.8 metres North and 11033.1 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
140° 16′	361.5
166° 37′	8.6
179° 39′	51.5
230° 16′	74.9
303° 50′	9.5
301° 28′	61.5
304° 02′	94.7
311° 21′	24.2
307° 24′	8.3
320° 16′	218.8
50° 16′	166.0

to the point of commencement.

The boundaries of the corridor of "TAMPINES RANGE" are more particularly delineated and edged pink on Survey Print No. 1004-82 filed in the office of the Chief Surveyor, Singapore.

(57) Commander, Sembawang Air Base

SEMBAWANG AIR BASE/DIEPPE BARRACKS.

All that area comprised in State Land Lots 122N and 99950K, and Lots D4020, 511L, 514W, 515V, 516P, 4128A, 4131A, 99287M, 99288W, 99290M, 99291W, 99292V, 99293P, 99294T, 99295A, 99296K, 99297N, 99298X, 99299L, 99306K, 99307N, 99308X, 99309L, 99310N, 99311X, 99312L, 99341N, 99366T, 99367A, 99368K,

99371K, 99373X, 99374L, 99376M, 99377W, 99379P, 33980W, 99381V, 99382P, 99383T, 99384A, 99385K, 99386N, 99387X, 99388L, 99390X, 99391L, 99392C, 99393M, 99394W, 99395V, 99396P, 99463L, 99464C, 99465M, 99466W, 99467V and 99468P, and part of Resurvey Lot 99960V, and part of State Land Lots 12P, 518A, 2730W and 4002C, and part of Lots D4019, 509C, 566A, 875V, 3034V, 3931A, 99285L, 99286C, 99300M, 99301W, 99302V, 99303P, 99304T, 99313C, 99314M, 99317P. 99318T, 99321T, 99369N, 99447C, 99865C, 99866M, 99883M, 99884W, 99900T and 99948N in MUKIM No. 13 (SEMBAWANG), and in part of State Land Lot 1926V in MUKIM No. 19 (NORTH SELETAR) occupied by "SEMBAWANG AIR BASE/DIEPPE BARRACKS" containing an area of about 6,815,792 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "SEMBAWANG AIR BASE/DIEPPE BARRACKS" which point is 45,607.701 metres North and 26,971.434 metres East of the Land Survey Department, Singapore Land Authority origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
71° 02′ 40″	65.198
192° 53′ 00″	7.844
192° 53′ 00″	12.215
192° 53′ 00″	12.213
192° 53′ 00″	11.215
192° 53′ 00″	14.136
192° 53′ 00″	22.404

	1 Totected 1 taces (Consolidation)		
Cap. 256 , O 2]	Order	[1990 Ed.	p. 99
	THE SCHEDULE — continued		
	192° 53′ 00″	19.882	
	192° 52′ 00″	10.950	
	192° 52′ 00″	10.428	
	192° 52′ 00″	34.870	
	266° 04′ 30″	34.334	
	266° 04′ 30″	1.900	
	191° 49′ 00″	143.912	
	170° 36′ 52″	21.941	
	201° 37′ 30″	23.758	
	201° 37′ 30″	10.898	
	201° 37′ 30″	10.951	
	201° 37′ 30″	11.469	
	201° 37′ 30″	10.814	
	201° 37′ 30″	21.581	
	201° 37′ 30″	9.095	
	201° 37′ 30″	9.115	
	201° 37′ 30″	8.718	
	201° 37′ 30″	8.506	
	201° 37′ 30″	0.799	
	201° 37′ 30″	1.500	
	201° 37′ 30″	19.862	
	203° 04′ 00″	10.537	
	203° 04′ 00″	14.409	
	203° 04′ 00″	16.396	
	105° 17′ 30″	33.877	
	105° 17′ 30″	5.524	
	105° 17′ 30″	10.992	
	105° 17′ 30″	39.115	
	105° 17′ 30″	155.426	

p. 100 1990 I	Ed.
---------------	-----

1 Totelled I tales (Consolidation)	
Order	[CAP. 256, O 2
THE SCHEDULE — continued	
190° 54′ 48″	31.877
192° 46′ 25″	12.297
194° 26′ 20″	12.948
196° 58′ 26″	17.173
195° 39′ 30″	33.404
190° 18′ 13″	14.268
190° 32′ 48″	28.324
189° 27′ 45″	29.832
188° 52′ 59″	8.955
182° 57′ 42″	2.556
191° 52′ 07″	21.200
189° 35′ 55″	28.633
190° 33′ 25″	14.690
188° 19′ 37″	47.384
185° 49′ 50″	60.826
189° 48′ 03″	48.542
176° 32′ 05″	4.263
183° 20′ 25″	4.944
200° 13′ 26″	4.249
212° 17′ 22″	1.994
197° 41′ 16″	11.365
284° 50′ 01″	0.717
194° 34′ 08″	7.438
100° 02′ 48″	0.313
197° 35′ 43″	0.717
193° 44′ 57″	92.278
193° 44′ 57″	14.102
193° 44′ 57″	21.284
193° 54′ 05″	177.965

2]	Order	[1990 Ed.	p. 101
	THE SCHEDULE — continued		
	193° 55′ 15″	20.957	
	193° 55′ 15″	8.042	
	193° 55′ 16″	226.831	
	193° 55′ 16″	22.036	
	193° 55′ 16″	60.107	
	193° 55′ 16″	14.763	
	198° 36′ 38″	7.353	
	198° 36′ 38″	9.198	
	206° 38′ 57″	3.960	
	216° 21′ 03″	3.960	
	226° 03′ 09″	3.960	
	235° 45′ 15″	3.960	
	245° 27′ 21″	3.960	
	255° 09′ 27″	3.960	
	264° 51′ 33″	3.960	
	274° 33′ 40″	3.960	
	284° 15′ 46″	3.960	
	293° 57′ 52″	3.960	
	297° 22′ 22″	13.842	
	294° 39′ 01″	13.842	
	291° 55′ 40″	13.842	
	289° 12′ 19″	13.842	
	287° 47′ 48″	45.793	
	286° 19′ 37″	18.924	
	284° 14′ 20″	18.924	
	282° 09′ 02″	18.924	
	280° 03′ 45″	18.924	
	277° 58′ 28″	18.924	
	275° 53′ 10″	18.924	

		Protectea Places (Consoliaation)	
<u>p. 102</u>	1990 Ed.]	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		273° 47′ 53″	18.924
		271° 42′ 35″	18.924
		269° 37′ 18″	18.924
		267° 32′ 00″	18.924
		265° 26′ 43″	18.924
		263° 21′ 25″	18.924
		261° 16′ 08″	18.924
		260° 13′ 29″	352.731
		261° 21′ 06″	18.846
		263° 35′ 51″	18.846
		265° 50′ 36″	18.846
		268° 05′ 21″	18.846
		270° 20′ 06″	18.846
		272° 34′ 51″	18.846
		274° 49′ 36″	18.846
		277° 04′ 21″	18.846
		279° 19′ 06″	18.846
		281° 33′ 51″	18.846
		283° 48′ 36″	18.846
		286° 03′ 21″	18.846
		288° 18′ 06″	18.846
		290° 32′ 51″	18.846
		292° 47′ 36″	18.846
		293° 55′ 16″	80.083
		293° 55′ 16″	11.799
		293° 55′ 16″	105.258
		293° 55′ 16″	27.047
		293° 55′ 16″	19.133
		293° 55′ 16″	52.901

1 Totected 1 taces (Consolidation)		
Order	[1990 Ed.	p. 10
THE SCHEDULE — continued		
293° 55′ 16″	11.083	
292° 50′ 12″	16.259	
290° 57′ 16″	16.259	
289° 04′ 20″	16.259	
287° 11′ 23″	16.259	
285° 18′ 27″	16.259	
283° 35′ 47″	17.308	
281° 16′ 24″	17.308	
278° 57′ 00″	17.308	
276° 37′ 37″	17.308	
271° 18′ 14″	17.308	
271° 58′ 50″	17.308	
270° 02′ 08″	18.834	
267° 45′ 37″	18.834	
265° 29′ 07″	18.834	
263° 12′ 36″	18.834	
260° 56′ 05″	18.834	
258° 39′ 34″	18.834	
256° 23′ 04″	18.834	
254° 00′ 53″	19.284	
251° 46′ 22″	19.284	
249° 31′ 50″	19.284	
247° 17′ 19″	19.284	
245° 02′ 48″	19.284	
242° 48′ 17″	19.284	
240° 33′ 46″	19.284	
237° 41′ 14″	15.237	
239° 04′ 05″	26.660	
240° 44′ 59″	26.660	

[CAP. 256, O 2

n	104	1990 Ed.
ν.	107	1770 Eu.

THE SCHEDULE — continued	
244° 19′ 55″	12.884
246° 26′ 11″	12.884
248° 32′ 27″	12.884
250° 38′ 44″	12.884
262° 13′ 32″	6.926
266° 55′ 38″	6.926
271° 37′ 45″	6.926
276° 19′ 51″	6.926
281° 01′ 58″	6.926
285° 44′ 04″	6.926
292° 44′ 14″	8.672
297° 53′ 02″	8.672
303° 01′ 50″	8.672
308° 10′ 38″	8.672
313° 19′ 26″	8.672
318° 28′ 15″	8.672
318° 17′ 57″	43.341
317° 37′ 31″	22.973
316° 13′ 07″	22.973
314° 48′ 44″	22.973
313° 24′ 20″	22.973
311° 59′ 56″	22.973
310° 35′ 32″	22.973
306° 00′ 41″	138.843
309° 57′ 25″	197.752
309° 57′ 23″	30.355
309° 06′ 46″	30.348
310° 15′ 59″	15.816
309° 08′ 14″	11.140

CAD	256 ,	\cap	21
CAP.	430.	v	

	Trotected Traces (Consolidation)		
Cap. 256 , O 2]	Order	[1990 Ed.	p. 105
	THE SCHEDULE — continued		
	309° 43′ 33″	93.279	
	308° 28′ 56″	41.859	
	307° 49′ 19″	19.155	
	306° 30′ 22″	74.829	
	305° 55′ 21″	60.528	
	304° 46′ 37″	60.528	
	303° 37′ 51″	60.528	
	302° 29′ 06″	60.528	
	301° 28′ 58″	45.397	
	300° 37′ 24″	45.397	
	302° 00′ 18″	115.043	
	303° 37′ 58″	28.048	
	306° 53′ 30″	28.050	
	308° 31′ 10″	39.388	
	308° 31′ 10″	12.174	
	311° 36′ 16″	6.820	
	317° 46′ 10″	6.820	
	323° 56′ 04″	6.820	
	330° 05′ 58″	6.820	
	336° 15′ 52″	6.820	
	342° 25′ 46″	6.820	
	348° 35′ 40″	6.820	
	354° 45′ 34″	6.820	
	0° 55′ 28″	6.820	
	7° 05′ 22″	6.820	
	13° 15′ 16″	6.820	
	19° 25′ 10″	6.820	
	25° 35′ 04″	6.820	
	31° 44′ 58″	6.820	

p. 106	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256 , O 2
<u>p. 100</u>	1990 Ed.]	THE SCHEDULE — continued	[CAI: 230, C 2
		37° 54′ 52″	6.820
		41° 00′ 05″	48.660
		29° 41′ 25″	32.892
		41° 00′ 00″	454.900
		41° 00′ 00″	333.301
		41° 00′ 00″ 41° 00′ 00″	138.736
		41° 00′ 00″	30.478
		41° 00′ 00″	38.809
		41° 00′ 00″	69.247
		41° 00′ 00″	69.351
		41° 00′ 00″	69.416
		41° 00′ 00″	26.891
		41° 00′ 00″	132.364
		41° 00′ 00″	20.753
		41° 00′ 00″	123.397
		41° 00′ 00″	247.893
		41° 00′ 00″	16.991
		41° 00′ 00″	281.262
		41° 00′ 00″	15.826
		41° 00′ 00″	15.426
		41° 00′ 00″	209.398
		41° 00′ 00″	88.606
		40° 00′ 49″	19.913
		38° 00′ 11″	19.913
		35° 59′ 33″	19.913
		33° 58′ 55″	19.913
		31° 58′ 17″	19.913
		29° 57′ 40″	19.913
		2=2 ==1 22#	10.012

27° 57′ 02″

19.913

CAR	256 ,	\cap	21
CAP.	∠ 50.	v	<i>–</i> ∠ I

Cap. 256, O 2]	Order	[1990 Ed.	p. 107
	THE SCHEDULE — continued		
	25° 56′ 24″	19.913	
	23° 55′ 46″	19.913	
	21° 55′ 08″	19.913	
	19° 58′ 15″	20.592	
	17° 53′ 14″	20.592	
	15° 48′ 13″	20.592	
	13° 43′ 12″	20.592	
	11° 38′ 11″	20.592	
	9° 33′ 10″	20.592	
	7° 28′ 10″	20.592	
	6° 26′ 56″	83.190	
	10° 49′ 33″	4.346	
	19° 34′ 19″	4.346	
	28° 19′ 05″	4.346	
	37° 03′ 51″	4.346	
	45° 48′ 36″	4.346	
	54° 33′ 22″	4.346	
	63° 18′ 08″	4.346	
	72° 02′ 54″	4.346	
	80° 47′ 40″	4.346	
	89° 32′ 26″	4.346	
	98° 17′ 11″	4.346	
	107° 01′ 57″	4.346	
	111° 24′ 12″	49.998	
	105° 41′ 45″	30.150	
	111° 44′ 39″	29.756	
	120° 07′ 04″	40.201	
	113° 35′ 10″	14.741	
	116° 02′ 50″	14.011	

p. 108	1990 Ed.
p. 100	1990 Ea.

Order	[CAP. 256 , O 2
THE SCHEDULE — continued	
113° 39′ 24″	14.856
107° 21′ 35″	40.088
115° 43′ 22″	38.352
116° 38′ 55″	38.352
117° 34′ 28″	38.352
118° 30′ 01″	38.352
119° 25′ 34″	38.352
120° 21′ 07″	38.352
121° 16′ 40″	38.352
129° 32′ 43″	39.910
122° 56′ 56″	14.659
116° 41′ 58″	39.514
124° 53′ 38″	36.368
125° 49′ 07″	36.368
126° 44′ 36″	36.368
127° 40′ 05″	36.368
128° 35′ 34″	36.368
129° 31′ 03″	36.368
130° 26′ 32″	36.368
137° 57′ 55″	35.400
133° 14′ 32″	19.540
125° 46′ 52″	38.956
132° 45′ 28″	10.662
133° 23′ 29″	40.247
134° 29′ 14″	40.247
135° 34′ 59″	40.247
136° 40′ 43″	40.247
137° 46′ 28″	40.247
138° 52′ 13″	40.247

C	256	\cap	27
CAP.	256 ,	U	

C 25(0.21	Trotected Flaces (Consolidation)	F	100
CAP. 256, O 2]	Order	[1990 Ed.	p. 109
	THE SCHEDULE — continued		
	146° 24′ 21″	39.444	
	140° 27′ 00″	15.122	
	133° 50′ 52″	32.344	
	148° 26′ 07″	10.969	
	148° 26′ 07″	10.355	
	148° 26′ 07″	33.658	
	149° 51′ 10″	54.663	
	151° 51′ 42″	17.369	
	152° 03′ 53″	18.044	
	147° 37′ 30″	13.992	
	144° 53′ 02″	13.992	
	142° 08′ 35″	13.992	
	139° 29′ 45″	13.033	
	136° 56′ 34″	13.033	
	134° 23′ 24″	13.033	
	131° 40′ 32″	15.915	
	128° 57′ 44″	15.915	
	126° 14′ 56″	15.915	
	123° 32′ 09″	15.915	
	120° 49′ 21″	15.915	
	118° 06′ 33″	15.915	
	115° 23′ 45″	15.915	
	112° 40′ 58″	15.915	
	109° 58′ 10″	15.915	
	107° 15′ 22″	15.915	
	104° 32′ 34″	15.915	
	100° 09′ 32″	8.736	
	95° 17′ 02″	8.736	
	90° 24′ 31″	8.736	

THE SCHEDULE — continued	
85° 32′ 01″	8.736
80° 39′ 31″	8.736
75° 47′ 00″	8.736
181° 45′ 30″	13.049
181° 45′ 30″	189.934
183° 11′ 20″	61.617
276° 29′ 00″	75.320
180° 05′ 09″	185.336
180° 05′ 09″	137.744
162° 03′ 44″	26.661
154° 52′ 57″	14.825
142° 20′ 01″	62.803
183° 11′ 20″	6.383

to the point of commencement.

The boundaries of "SEMBAWANG **AIR** BARRACKS" BASE/DIEPPE are more particularly delineated and edged pink on the Survey Plan No. 5909/SBAB/GAZ filed in the office of the Director, Building and Infrastructure, Defence Technology Science and Agency, Singapore.

[S 547/2002 wef 14/10/2002]

(58) S 211/82 [23.7.82] Commanding Officer, 38 SCE, Singapore 2471

38 SCE VEHICLE PARK.

All that area comprised in part of State Land Lots 159-84 and 32, Mukim No. XII (LIM CHU KANG) occupied by the "38 SCE VEHICLE PARK" containing an area of about 10,004 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "38 SCE VEHICLE PARK" which point is 14645.0 metres North and 17682.2 metres West of the Survey Department origin of co-ordinates, the boundaries run along

successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
163° 40′	99.9
253° 39′	120.0 (partly along gates)
343° 42′	33.6
25° 48′	89.5
73° 42′	60.0

to the point of commencement.

The boundaries of the "38 SCE VEHICLE PARK" are more particularly delineated and edged pink on the Survey Print No. 1410-82 filed in the office of the Chief Surveyor, Singapore.

(59) S 339/82 [17.12.82] General Manager, Bukit Batok FM/TV Transmitting Station.

BUKIT BATOK FM/TV TRANSMITTING STATION.

All that area comprised in parts of State Land Lots 1759 and 454, Mukim No. X (JURONG) occupied by "BUKIT BATOK FM/TV TRANSMITTING STATION" containing an area of about 13810 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "BUKIT BATOK FM/TV TRANSMITTING STATION" which point is 7214.9 metres North and 9468 metres West of the survey Department origin co-ordinates, the boundary runs along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
96° 11′	2.5
118° 50′	2.7
134° 14′	3.0
146° 43′	3.0

00 Ed.]	Order	[CAP. 256, O 2
	THE SCHEDULE —	
	158° 17′	3.0
	161° 32′	3.1
	166° 05′	3.0
	174° 05′	23.8
	176° 16′	30.1
	177° 08′	52.1
	223° 53′	48.3
	305° 28′	5.6
	215° 30′	12.2 (partly along a gate)
	263° 51′	37.6
	287° 45′	21.1
	310° 19′	13.9
	328° 56′	16.9
	309° 57′	13.7
	297° 56′	16.4
	338° 45′	11.5
	17° 31′	16.5
	32° 15′	13.7 (partly along a gate)
	50° 29′	13.7
	68° 28′	16.3
	79° 11′	14.6
	124° 45′	13.5
	96° 55′	2.7
	125° 08′	11.6
	153° 04′	2.9
	125° 46′	7.7
	74° 42′	20.7
	352° 01′	15.1
	355° 58′	9.0

THE SCHEDULE — contin	nued
1° 00′	8.7
7° 06′	8.5
12° 43′	5.5
18° 19′	5.3
40° 07′	1.9
23° 09′	21.3
27° 32′	5.5 (To a pillar)
295° 53′	0.1 (Along a pillar)
25° 53′	0.5 (Along a pillar)
115° 53′	6.5 (Along a gate and pillars)
42° 03′	2.9
51° 54′	2.8
65° 13′	3.0
85° 51′	3.1

to the point of commencement.

The boundaries of "BUKIT BATOK FM/TV TRANSMITTING SATION" are more particularly delineated and edged pink on survey Print No. 1560-82 filed in the office of the Chief Surveyor, Singapore.

- (60) [Deleted by S 547/2002 wef 14/10/2002]
- (61) [Deleted by S 474/1996 wef 01/11/1996]
- (62) [Deleted by S 130/2003 wef 19/03/2003]
- (63) [Deleted by S 454/2012 wef 13/09/2012]
- (64) [Deleted by S 270/93 wef 30/06/1993]
- (65) [Deleted by S 521/2000 wef 14/11/2000]
- (66) S 8/84 KRANJI CAMP.

 [20.1.84] Commander,
 All that area comprised in State Land Lots 171, 172, part of State Land Lot 173 and parts of State Lands,

4 Singapore Armoured Brigade. Mukim No. XI (KRANJI) occupied by "KRANJI

CAMP" containing an area of about 1,307,014 square metres and bounded approximately as follows:

Commencing at the point northeast of Lot 172 Mukim No. XI of the aforesaid "KRANJI CAMP" which point is 14,175.4 metres North and 12,270.6 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
170° 45′	68.9
180° 36′	60.3
141° 58′	55.0
199° 50′	55.8
205° 48′	80.3
172° 06′	61.8
195° 35′	117.9
200° 01′	131.1
201° 33′	101.4
291° 46′	86.8

and thence along its production of a line on a bearing of 291° 46′ for a distance of 0.7 metre to a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
164° 24′	7.4
138° 34′	227.8
215° 24′	121.4

to the corner of a gate, fronting Stagmont Ring Road, thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
116° 56′	50.4

THE	SCHEDULE	C — continued
-----	-----------------	---------------

205° 57′

12.1

296° 36′

50.4 (partly along a gate)

to fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
206° 33′	176.5
202° 39′	13.1 (to a gate)
158° 45′	7.0 (along a gate)
186° 18′	23.9
152° 27′	84.3
243° 32′	15.2 (party along a gate)
170° 33′	63.9
252° 06′	9.9
171° 48′	13.4
80° 55′	10.3
170° 27′	150.2
170° 31′	238.3
183° 30′	194.1
183° 30′	149.4
236° 08′	101.8

thence along a line across a road on a bearing of 235° 00′ for a distance of 19.5 metres to the corner of a fence, thence along successive lines of fence of bearings and distances as under::

Bearing	Distance in metres
236° 04′	198.3
304° 38′	163.1
352° 11′	82.8
352° 31′	170.8
10° 10′	429 3

THE SCHEDULE — continued		
10° 14′	253.0	
254° 33′	86.3	
318° 08′	38.3	

to a point on an arc of a circle of radius 150.0 metres the centre point of which is 13,038.8 metres North and 12953.8 metres West of the Survey Department origin of co-ordinates, thence along the said arc for a distance of 291.4 metres to a point where it intersects the western boundary of Lot 173pt. (S.L.), thence along the boundaries of Lot 173pt. of bearings and distances as under:

Bearing	Distance in metres
255° 07′	24.0
2° 46′	29.7

to a point on an arc of the aforesaid circle, thence along the said arc for a distance of 204.7 metres to a point where it meets a fence, thence along the fence on a bearing of 2° 15′ for a distance of 77.3 metres, thence along the north western boundaries of Lot 173, western and northern boundaries of Lot 172, Mukim No. XI of bearings and distances as under:

	· ·
Bearing	Distance in metres
276° 59′	76.9
6° 01′	111.8
320° 44′	42.0
326° 49′	78.5
334° 01′	77.2
358° 19′	67.6
32° 53′	122.2
67° 57′	62.1
314° 18′	41.2
299° 28′	117.5
7° 55′	68.2

	<u> </u>	_
THE SCHEDULE — continued		
30° 43′	137.7	
72° 44′	92.5	
82° 49′	91.1	
154° 06′	55.9	
14° 22′	109.0	
34° 15′	125.1	
90° 21′	128.9	
91° 21′	119.6	
86° 24′	81.3	
90° 37′	212.3	
79° 37′	49.1	

to the point of commencement.

The boundaries of "KRANJI CAMP" are more particularly delineated and edged pink on Survey Print No. 1823-83 filed in the office of the Chief Surveyor, Singapore.

[S 131/2002 wef 22/03/2002]

- (67) [Deleted by S 41/1998 wef 23/01/1998]
- (68) [Deleted by S 666/2001 wef 26/12/2001]
- (69) S 176/84 [29.6.84]
 Commanding
 Officer,
 46th Battalion,
 Singapore
 Armour Regiment.

1. SUNGEI GEDONG CAMP II.

All that area comprised in State Land Lots 159-58, 159-59 and 159-60, parts of State Land Lots 139, 159-61, 159-64, 159-65, 159-66, 159-67, 159-104, 159-106, 598, 599, 617, 618, 633, 634, 635 and 729 and parts of Lot 159-105 (S.R. for Road), being part of Sungei Gedong Road, Jalan Kedidi and Sarimbun Avenue in Mukim XII (LIM CHU KANG), occupied by "SUNGEI GEDONG CAMP II" containing an area of about 246,279 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "SUNGEI

GEDONG CAMP II" which point is 14,503.8 metres North and 17,149.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
306° 53′	96.6
296° 15′	82.4 (across a concrete drain)
291° 42′	57.8
347° 07′	10.5

to a point where it meets the corner of a brick pillar, thence along a line of bearing 287 ° 32′ and distance 10.6 metres following consecutively that and two other brick pillars along a gate to a point where it meets a fence, thence along that and other successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
240° 30′	9.2
286° 02′	194.9
195° 55′	14.0 (partly along a gate)
283° 29′	21.2
292° 20′	24.4
318° 06′	18.2
326° 06′	27.3
338° 53′	65.6
7° 37′	18.2
15° 26′	21.3
22° 42′	18.3
33° 21′	72.8
39° 07′	30.4

THE SCHEDULE — contin	ued
46° 38′	21.1
48° 35′	21.3
57° 03′	30.4
66° 28′	21.4
67° 36′	30.7
77° 06′	30.4
78° 55′	65.6
39° 08′	12.1
16° 41′	70.1
20° 30′	89.6 (across a concrete drain)
124° 12′	30.4
115° 27′	30.5
104° 43′	41.7
165° 18′	3.7

to a point where it meets the corner of a brick pillar, thence along successive lines following that and other brick pillars along a gate of bearings and distances as under:

Bearing	Distance in metres
105° 13′	10.6
195° 23′	0.4

to a point where it meets a fence, thence along that and other successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
104° 54′	8.2
18° 43′	6.7
106° 59′	129.2
109° 43′	90.4
194° 36′	198.0

THE SCHEDULE —	continued
----------------	-----------

194° 47′	205.2
194° 45′	165 9

to a point of commencement.

The boundaries of the "SUNGEI GEDONG CAMP II" are more particularly delineated and edged pink on Survey Print 1344-82 filed in the office of the Chief Surveyor, Singapore.

Commanding Officer, School of Armour, Sungei Gedong Camp.

2. MAGAZINE, SUNGEI GEDONG CAMP.

All that area comprised in part of State Land Lots 159-76 and 159-77 in Mukim XII (LIM CHU KANG), occupied by "MAGAZINE, SUNGEI GEDONG CAMP (SCHOOL OF ARMOUR)" containing an area of about 5,532 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "MAGAZINE, SUNGEI GEDONG CAMP II (SCHOOL OF ARMOUR)" which point is 14,884.3 metres North and 17,829.4 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
100° 20′	62.1
194° 29′	98.1
296° 27′	36.7
297° 09′	26.8 (partly along a gate)
14° 32′	80.2

to the point of commencement.

The boundaries of the "MAGAZINE, SUNGEI GEDONG CAMP (SCHOOL OF ARMOUR)" are more particularly delineated and edged pink on Survey Print No. 1345-82 filed in the office of the Chief Surveyor, Singapore.

(70) S 177/84
[29.6.84]
Camp Commandant,
Nee Soon Camp.

NEE SOON CAMP.

All that area comprised in parts of State Land Lots 212, Mukim No. XIII (SEMBAWANG), and 16¹ and 16² Mukim No. XIX (NORTH 3 SELETAR); parts of Lots 13³ (Nature Reserve), 14, 15² and 15³; part of State Reserve for Road, Mukim No. XIII (SEMBAWANG) occupied by the "NEE SOON CAMP" containing an area of about 1,265,352.1 square metres and bounded approximately as follows:

Commencing at the northernmost corner of Lot No. 212 which point is 14,110.7 metres North and 4,644.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of adjacent lot boundaries of bearings and distances approximately as under:

Bearing	Distance in metres
106° 29′	65.1
88° 40′	50.2
89° 12′	45.4
85° 08′	53.0
82° 42′	28.9
104° 47′	13.6
122° 24′	0.2

thence along a line of bearing and distance of about 180° 07′ and 0.7 metre respectively to a fence, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
123° 00′	51.4
85° 50′	30.5
87° 41′	51.8
100° 20′	12.2
114° 17′	27.1

THE SCHEDULE — c	ontinued
117° 17′	4.3 (partly along a gate)
170° 04′	23.5
182° 27′	15.4
190° 33′	34.6
163° 10′	18.9
135° 09′	3.1
127° 11′	15.4
112° 20′	44.7
104° 15′	162.9
97° 48′	12.2
98° 55′	25.4
104° 33′	21.0
91° 46′	21.7
79° 25′	6.1
75° 09′	154.3

thence along a line of bearing and distance of about 351° 40′ and 1.0 metre respectively to an adjacent lot boundary, and thence along successive lines of adjacent lot boundaries of bearings and distances approximately as under:

Bearing	Distance in metres
81° 40′	24.2
91° 23′	44.4
89° 21′	38.4
96° 10′	36.7
101° 08′	18.4

thence along a line of bearing and distance of about 11° 08′ and 0.8 metre respectively to a fence, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing

Distance in metres

CAP. 256, O 2

Cap. 256 , O 2]	Order	[1990 Ed. p. 123
	THE SCHEDULE — contin	nued
	117° 57′	24.5
	127° 12′	18.5
	154° 43′	67.4
	150° 48′	110.0
	154° 40′	88.5
	164° 22′	64.5
	200° 42′	4.8
	233° 38′	30.0
	186° 07′	6.5
	194° 50′	12.5
	186° 55′	19.1
	158° 44′	41.0
	143° 31′	4.7
	154° 46′	33.8
	164° 31′	26.3
	180° 37′	33.3
	194° 49′	34.1
	201° 43′	26.5
	205° 46′	80.8
	212° 25′	34.7
	220° 54′	19.8
	229° 04′	31.4
	211° 32′	7.5
	210° 20′	6.3 (partly along a gate)
	196° 58′	12.3
	167° 46′	42.4
	165° 53′	24.6
	168° 17′	16.6
	170° 30′	17.1

p. 124 199	0 Ed.]	Order	[(
------------	--------	-------	----

124	1000 E4]	Order	
124	1990 Ed.]		[CAP. 256, O 2
		THE SCHEDULE — contin	
		266° 21′	9.3
		183° 56′	8.8
		207° 25′	14.0
		210° 57′	82.6
		214° 17′	37.0
		300° 58′	36.9
		219° 44′	2.3
		301° 15′	53.5
		217° 35′	14.8
		301° 07′	71.8
		212° 17′	37.0 (partly along a gate)
		140° 59′	3.8
		205° 22′	77.9
		251° 26′	12.1
		260° 55′	67.6
		259° 38′	103.8
		268° 03′	46.8
		252° 37′	19.8
		260° 52′	30.4
		260° 04′	30.3
		251° 32′	9.2
		244° 30′	9.1
		245° 51′	105.3
		252° 27′	2.8
		166° 23′	8.6
		243° 54′	19.9

thence along successive lines of the outer edges of a concrete drain of bearings and distances approximately as under:

THE SCHEDULE — continued

Bearing	Distance in metres
309° 13′	7.0
312° 47′	36.2
311° 09′	17.4
318° 58′	8.3
332° 19′	5.6
346° 45′	4.0
354° 42′	32.7
338° 51′	12.2
333° 08′	19.6
325° 28′	34.6
217° 34′	25.5

thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
_	Distance in menes
298° 53′	9.3
299° 05′	8.3 (across a pillar, along a gate and across another pillar)
294° 34′	1.6
264° 07′	2.2
272° 01′	9.0
281° 19′	6.5
289° 28′	3.2
296° 41′	6.0
303° 38′	10.2
334° 17′	8.9
318° 25′	11.5
313° 41′	39.9
307° 25′	14.8

D. 120 1990 Ea.	p.	126	1990 Ed.
-----------------	----	-----	----------

. 126	1990 Ed.]	Order	[CAP. 256 , O 2
		THE SCHEDULE — c	rontinued
		305° 01′	15.4
		299° 03′	26.3
		294° 48′	12.1
		288° 01′	6.2
		253° 46′	5.9
		285° 00′	69.9
		282° 40′	7.9 (across a pillar along a gate and across another pillar)
		285° 54′	15.2
		291° 36′	25.0
		289° 58′	15.0
		292° 24′	18.3
		260° 36′	5.4
		295° 39′	20.1
		301° 08′	18.3
		304° 50′	15.3
		307° 57′	18.2
		309° 26′	9.2
		309° 59′	8.1 (across a pillar, along a gate and across another pillar)
		346° 44′	3.2
		316° 17′	12.0
		320° 01′	9.2
		322° 28′	24.5
		328° 43′	25.1
		296° 47′	29.7
		295° 48′	3.0
		356° 26′	36.5

CAP.	256 ,	0	21
C/11.		\sim	

Cap. 256, O 2]	Order	[1990 Ed.	p. 127
	THE SCHEDULE — continued		
	0° 46′	112.6	
	293° 22′	3.2	
	333° 02′	28.3	
	324° 40′	30.2	
	357° 50′	57.7	
	357° 35′	14.5	
	355° 53′	26.3	
	349° 18′	55.5	
	303° 24′	52.2	
	313° 01′	43.0	
	307° 23′	55.6	
	348° 33′	62.8	
	86° 11′	68.6	
	71° 17′	3.1	
	69° 14′	3.1	
	51° 29′	31.0	
	51° 14′	126.0	
	57° 30′	18.7	
	69° 33′	9.0	
	76° 09′	31.6	
	95° 25′	69.1	
	93° 36′	18.5	
	89° 05′	19.2	
	175° 12′	5.3	
	93° 09′	5.5	
	91° 30′	9.4	
	4° 25′	2.7	
	102° 06′	64.5	
	101° 57′	6.2	

THE SCHEDULE — continued			
104° 31′	59.0		
92° 10′	37.0		
107° 40′	15.9		
113° 33′	37.0		
359° 52′	34.6		
359° 33′	152.9		

thence along a line of bearing and distance of about 299° 35′ and 0.6 metre respectively to an adjacent lot boundary, and thence along that lot boundary of bearing and distance of about 299° 35′ and 272.7 metres respectively, to the point of commencement.

The boundaries of "NEE SOON CAMP" are more particularly delineated and edged pink on Survey Print No. 1270-79 filed in the office of the Chief Surveyor, Singapore.

[S 332/93 wef 06/08/93]

(71) [Deleted by S 332/93 wef 06/08/93]

(72) S 239/84 [14.9.84] Camp Commandant, Khatib Camp.

1. KHATIB CAMP.

All that area comprised in part of State Land Lot 855, Mukim No. 19 (NORTH SELETAR) occupied by "KHATIB CAMP" containing an area of about 303,036 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "KHATIB CAMP" which point is 15,313.5 metres North and 2,764.5 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
109° 33′	30.0
112° 28′	26.9
115° 00′	30.0

CAD	256 ,	\cap	21
CAP.	430 ,	\mathbf{O}	2

	Froiectea Flaces (Consolidation)		
Cap. 256 , O 2]	Order	[1990 Ed.	p. 129
	THE SCHEDULE — continued		
	118° 26′	27.0	
	120° 26′	29.9	
	123° 41′	24.0	
	126° 03′	32.9	
	128° 25′	20.9	
	132° 33′	75.6	
	46° 03′	2.0	
	132° 25′	170.1	
	130° 49′	20.3	
	127° 58′	19.9	
	124° 42′	20.1	
	122° 20′	20.0	
	118° 00′	32.4	
	114° 43′	17.2	
	111° 28′	21.6	
	108° 19′	28.7	
	104° 52′	16.1	
	179° 49′	31.3	
	189° 15′	2.5	
	179° 55′	153.2	
	177° 18′	17.9	
	174° 10′	20.4	
	170° 12′	20.0	
	166° 43′	20.0	
	162° 18′	28.0	
	142° 45′	5.8	
	242° 26′	207.1	
	291° 30′	171.8	
	302° 25′	12.4	

[CAP. 256, O 2

p.	130	1990 Ed.

Ľu.J	Oraci	[CAI: 230, O 2
	THE SCHEDULE —	continued
	317° 23′	264.5
	311° 25′	5.0
	301° 03′	5.0
	292° 55′	7.3
	276° 56′	7.1
	269° 39′	110.9
	280° 04′	7.6
	286° 00′	28.6
	10° 46′	15.6
	298° 19′	0.5 (to the corner of a car park)
	10° 30′	24.9 (along edge of a car park)
	12° 27′	15.9 (partly across a drive-way)
	10° 12′	19.1
	8° 44′	15.0
	5° 35′	75.1
	7° 42′	12.5
	10° 35′	110.2
	13° 17′	25.1
	16° 07′	25.1
	19° 54′	25.1
	22° 44′	20.0
	25° 35′	40.1
	27° 20′	58.0
	54° 47′	14.8

to the point of commencement.

The boundaries of "KHATIB CAMP" are more particularly delineated and edged pink on

Survey Print No. 1310-84 filed in the office of the Chief Surveyor, Singapore.

(73) Camp Commandant, MAJU CAMP. Maju Camp

All that area comprised in Lots 99665L, 99866C and 99867M and part of Lots 4380C and 8167W in Mukim No. 5 (PANDAN) occupied by "MAJU CAMP" containing an area of about 227,141.6 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "MAJU CAMP" which point is 34459.195 metres North and 21588.463 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of co-ordinates approximately as follows:

Northing	Easting
34459.195	21588.463
34449.577	21577.035
34393.642	21605.698
34380.086	21596.846
34355.305	21583.393
34333.383	21571.000
34310.414	21558.193
34309.372	21557.615
34377.643	21441.490
34478.338	21270.210
34631.215	21010.100
34637.152	20994.323
34638.801	20989.880
34688.794	20854.973
34748.008	20818.545
34803.879	20764.798

p. 132	1990 Ed.]	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		34806.050	20762.710
		34824.274	20745.172
		34876.046	20791.684
		34921.017	20907.539
		34925.817	20901.815
		34927.766	20899.091
		34930.811	20894.761
		34932.822	20891.529
		34935.195	20887.579
		34936.503	20885.030
		34937.500	20883.120
		34938.379	20881.246
		34938.825	20879.394
		34938.653	20876.581
		34938.716	20874.774
		34939.471	20873.351
		34940.089	20872.483
		34939.965	20872.150
		34940.442	20871.929
		34940.748	20873.297
		34944.866	20885.177
		34949.743	20900.064
		34946.536	20899.951
		34944.438	20900.083
		34942.726	20900.836
		34940.945	20901.718
		34938.553	20903.361
		34935.998	20906.323
		34934.521	20908.152

21288.825

21343.542

21458.980


to the point of commencement.

34748.904

34674.571

34653.737

The boundaries of "MAJU CAMP" are more particularly delineated on the Survey Plan No. 1188-06/GAZ filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore, a copy of which is set out below.



[S 397/2014 wef 04/06/2014]

(74) S 72/87 [6.3.87] Chief Engineer Officer.

1. JURONG CAMP HQ SCE.

All that area comprised in part of State Land Lot 50 Mukim No. 9 (CHOA CHU KANG) Lots 53-94 and 53-93 Mukim No. 7 (TUAS) occupied by "JURONG CAMP HQ SCE." containing an area of about 199,031 square metres and bounded approximately as follows:

Commencing at the westernmost corner of a perimeter fence of the aforesaid "JURONG CAMP HQ SCE" which point is 5,716.0 metres North and 18,894.9 metres West of the Survey Department origin of coordinates, the boundaries run along successive line of fence of bearings and distances as under:

Bearing Distance in metres

51° 54′ 123.3

THE SCHEDULE — continued		
52° 03′	196.9	
61° 54′	14.9	
68° 22′	40.9	
140° 26′	92.1	
106° 53′	9.5	
142° 41′	169.2	
142° 35′	281.0	
212° 15′	53.0	
142° 08′	48.1	
205° 12′	1.3	
204° 28′	11.3 (along outer wall of bin centre)	
204° 25′	2.4	
124° 59′	28.0	
210° 14′	8.7 (partly along a gate)	

then along a boundary line of bearings and distances as follows:

Bearing	Distance in metres	
250° 06′	16.6	

to a corner of fence then along the fences of bearings and distances as under:

Bearing	Distance in metres
211° 21′	3.0
322° 11′	24.4
302° 17′	57.7
325° 03′	35.0
243° 55′	48.7
275° 15′	50.7
268° 30′	34.0

THE SCHEDULE — continued		
251° 38′	5.6	
329° 14′	2.3	
249° 25′	11.8	
156° 27′	2.2	
249° 31′	36.4	
253° 21′	18.1	
204° 56′	42.0	
232° 08′	19.6	
233° 06′	43.4	
322° 21′	56.2	
322° 22′	180.7	
322° 20′	105.1	
58° 10′	1.5	
322° 37′	8.5	
237° 54′	1.6	
322° 19′	129.1	

[CAP. 256, O 2

to the point of commencement.

The boundaries of "JURONG CAMP HQ SCE" are more particularly delineated and edged pink on Survey Print No. 1396-86 filed in the office of the Chief Surveyor, Singapore.

Commander 3 DIV.

2. JURONG CAMP HQ 3 DIV.

All that area comprised in part of State Land Lots 96-151, 96-152, 196, 957, 96-142 and whole of Lot 96-150 Mukim No. 6 (PENG KANG) and part of State Land Lots 135, 53-86, 53-94 and whole of Lot 53-91 MUKIM NO. 7 (TUAS) occupied by "JURONG CAMP HQ 3 DIV" containing an area of about 271,271 square metres and bounded approximately as follows:

Commencing at the westernmost corner of a perimeter fence of the aforesaid "JURONG CAMP HQ 3 DIV" which point is 5,336.4 metres North and 18,601.8 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
53° 06′	43.4
52° 08′	19.6
24° 56′	42.0
73° 21′	18.1
69° 31′	36.4
336° 27′	2.2
69° 25′	11.8
149° 14′	2.3
71° 38′	5.6
88° 30′	34.0
95° 15′	50.7
63° 55′	48.7
145° 03′	35.0
122° 17′	57.7
142° 11′	24.4
31° 21′	3.0

then along a boundary line of bearing and distance as follows:

Bearing	Distance in metres
70° 06′	16.6

to a corner of fence then along the fences of bearings and distances as under:

Bearing Distance in metres

[Cap. 256, O 2

p. 138	1990 Ed.
--------	----------

THE SCHEDULE — continued		
121° 19′	26.4	
131° 21′	12.0	
139° 16′	26.1	
138° 24′	40.2	
139° 19′	40.1	
146° 50′	24.7	
147° 23′	64.2	
147° 23′	33.6	
149° 30′	107.3	
132° 25′	51.3	
164° 11′	22.8	
218° 12′	45.5	
124° 46′	5.3	
212° 59′	7.8	
301° 50′	2.2	
216° 38′	49.0	
215° 49′	11.1 (partly along the main gate)	
214° 44′	26.6	
215° 03′	22.2	
218° 24′	15.1 (partly along the electric sub-station gate)	
218° 04′	45.8	
209° 44′	6.4	
227° 30′	10.2	
246° 18′	57.4	
231° 54′	18.2	
209° 34′	12.2	
193° 58′	12.1	

51.1

88.2

139.1

52.2

127.8

173.6

192° 47′	36.6
196° 24′	15.5
296° 28′	14.8
208° 02′	13.0 (partly along the gate)
116° 10′	14.5
241° 42′	45.3
249° 24′	24.4
260° 20′	27.6
267° 51′	41.6
353° 14′	56.0
267° 15′	37.0
344° 40′	34.1

to the point of commencement.

344° 40′

344° 18′

344° 35′

310° 39′

4° 01′

322° 37′

The boundaries of "JURONG CAMP HQ 3 DIV" are more particularly delineated and edged pink on Survey Print No. 1397-86 filed in the office of the Chief Surveyor, Singapore.

(75) S 196/87 [17.7.87] President and Chief Executive Officer of Senoko Energy Pte. Ltd. SENOKO POWER STATION AREAS "A" and "B".

All those portions of land known as AREAS "A" and "B", comprised in part of State Land Lots 1320, 1318 and part of foreshore of **SELAT JOHOR** Mukim No. 13 (SEMBAWANG) occupied by "SENOKO

POWER STATION" containing areas of about 279,621 square metres and 47,447 square metres respectively and bounded approximately as follows:

AREA "A".

Commencing at the northernmost corner of a fence of the aforesaid AREA "A" which point is 19,838.9 metres North and 5,811.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
101° 41′	11.9
105° 32′	9.0
108° 28′	6.0
110° 16′	6.0
116° 10′	8.6
177° 27′	8.0
97° 40′	10.3
99° 29′	14.0
97° 10′	14.9
21° 50′	2.9
23° 50′	6.0
68° 29′	1.9
127° 50′	2.9
121° 44′	3.0
127° 01′	3.0
57° 40′	10.5
347° 13′	3.9
88° 48′	9.1
147° 17′	150.6

0, 0 2]	Oraer	[1990 Ed. p. 141
	THE SCHEDULE — continued	
	147° 23′	152.8
	241° 34′	26.5
	240° 45′	6.6 (along a gate)
	237° 10′	1.5
	326° 16′	3.5
	275° 32′	1.0
	254° 28′	2.9
	302° 17′	3.0
	327° 26′	10.1
	237° 10′	18.3
	147° 40′	36.2
	56° 40′	18.2
	147° 27′	76.0
	146° 16′	4.2 (along a gate)
	147° 23′	5.2
	237° 16′	214.4
	237° 19′	238.9
	237° 22′	131.3
	327° 21′	167.3
	328° 01′	6.1 (along a gate)
	327° 13′	65.9
	327° 22′	205.6
	54° 02′	30.1
	88° 45′	3.3
	58° 09′	119.2
	146° 49′	8.9
	57° 58′	8.5
	57° 38′	7.0 (along a gate)
	54° 50′	0.5

[Cap. 256, O 2

p. 142	1990 Ed.
--------	----------

THE SCHEDULE — continued		
327° 44′	7.3	
57° 25′	9.9	
59° 57′	7.0 (along a gate)	
57° 24′	59.3	
327° 08′	36.0	
11° 09′	1.7	
61° 00′	20.7	
146° 05′	9.0	
57° 16′	21.0	
327° 35′	13.3	
64° 44′	8.8	
69° 01′	9.0	
71° 36′	6.0	
74° 55′	17.0	
186° 48′	3.0	
57° 41′	38.1	
147° 45′	5.0	
58° 20′	1.0 (along a gate)	
79° 56′	1.5	
57° 13′	27.4	
326° 28′	3.6	
59° 51′	1.8	
58° 07′	4.0 (along a gate)	
353° 23′	2.6	
4° 20′	5.5	
24° 38′	3.0	
37° 29′	3.1	
45° 39′	5.9	
51° 59′	5.9	

THE SCHEDULE —	continued	
55°	52'	15.0
60°	29'	15.3
58°	53'	84.1
69°	22'	6.0

to the point of commencement.

AREA "B".

Commencing at the southernmost corner of a fence of the aforesaid AREA "B" which point is 18,985.0 metres North and 6,192.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
272° 26′	69.6
356° 48′	6.7
355° 30′	22.6
351° 50′	30.4
353° 19′	88.7
355° 30′	14.5
60° 47′	74.0
44° 20′	17.0
38° 09′	11.9
327° 19′	11.3
59° 38′	79.0
33° 29′	31.9
146° 49′	29.7
148° 10′	4.4 (along a gate)
147° 15′	80.2
147° 33′	5.1 (along a gate)
147° 23′	78.8

THE SCHEDULE — co	ntinued
---------------------	---------

147° 15′	5.2 (along a gate)
147° 49′	6.8
237° 17′	149.8
235° 35′	15.4
237° 51′	60.1

to the point of commencement.

The boundaries of "SENOKO POWER STATION" AREAS "A" and "B" are more particularly delineated and edged pink on Survey Print No. 1658-86 filed in the office of the Chief Surveyor, Singapore.

[S 490/2014 wef 25/07/2014]

(76) [Deleted by S 81/2001 wef 14/02/2001]

(77) S 96/88 [15.4.88] Base Commander, Gombak Base.

BUKIT GOMBAK CAMP.

All that area comprised of State Land Lots 63², 64², 79⁶, 79⁸, 79¹⁰, 201¹, 201⁵, 202², 203², 213, 214⁴, 361, 1518, 1520, 1521, 1522, 1523, 1971, part of 1530, State Reserves and S.R. for stream occupied by "BUKIT GOMBAK CAMP", MUKIM NO. 10 (JURONG), containing an area of about 1,601,809 square metres and bounded approximately as follows:

Commencing at a point northernmost corner of the aforesaid "BUKIT GOMBAK CAMP" which point is 9,955.5 metres North and 10,229.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
90° 13′	98.2
90° 13′	23.0
153° 15′	122.5

*	L	F
THE SCHEDULE — continued		
168° 16′	15.8	
78° 30′	3.4	
153° 11′	120.8	
158° 10′	54.1	
160° 36′	33.4	
159° 24′	45.7	
167° 49′	139.9	
167° 39′	122.6	
166° 16′	8.3	
164° 43′	85.5	
159° 36′	63.5	
155° 10′	63.3	
150° 47′	63.2	
146° 50′	53.2	
149° 29′	92.2	
144° 47′	59.4	
142° 11′	52.8	
142° 16′	111.3	
144° 51′	84.9	
152° 13′	110.1	
249° 23′	103.8	
314° 01′	8.3	

to a point which is 8,579.5 metres North and 9,576.5 metres West and thence along the undefined boundary (formerly a stream) to a point which is 8,608.9 metres North and 9,795.8 metres West thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
310° 45′	53.5

Order	[CAP. 256, O 2
THE SCHEDULE — continued	
249° 15′	80.4
229° 26′	31.0
202° 46′	56.8
191° 20′	101.4
145° 41′	115.8
182° 24′	68.0
313° 44′	8.6
343° 42′	32.3
275° 27′	38.4
208° 21′	80.7
215° 32′	100.2
233° 23′	16.3
233° 23′	12.3
257° 58′	54.9
286° 32′	4.8
293° 37′	17.2
266° 23′	52.0
273° 40′	53.1
237° 54′	39.3
237° 51′	62.4
326° 38′	92.7
222° 18′	80.2
287° 00′	161.6
286° 59′	148.2
16° 59′	220.1
244° 45′	104.0
354° 32′	160.2
354° 32′	365.7
267° 05′	32.6

Order	[1990 Ed.	p. 147
THE SCHEDULE — continued		
359° 59′	117.4	
0° 07′	356.2	
297° 33′	42.5	
297° 34′	83.5	
32° 52′	94.4	
26° 05′	50.2	
312° 49′	23.0	
335° 12′	27.3	
31° 06′	17.5	
36° 40′	68.3	
34° 43′	52.8	
28° 06′	82.6	
93° 59′	67.7	
110° 04′	52.1	
91° 55′	76.2	
77° 52′	53.4	
59° 30′	69.9	
166° 02′	136.1	
185° 49′	74.7	
149° 50′	57.8	
66° 44′	149.8	
10° 14′	104.1	
38° 33′	68.0	
73° 48′	136.7	
325° 01′	195.5	
60° 28′	8.6	

The boundaries of "BUKIT GOMBAK CAMP" are more particularly

delineated and edged pink on Survey Plan Nos. 10006 and 10007 filed in the office of the Chief Surveyor, Singapore.

(78) [Deleted by S 545/2007 wef 17/10/2007]

(79) S 142/88
[10.6.88]
The General Manager,
Chartered
Chemical Industries
Private Limited.

CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED.

All that area comprised in part of State Land Lot 155 Mukim No. 15 (ULU KALLANG) occupied by "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" containing an area of about 1,263,356 square metres and bounded approximately as follows:

Commencing at a point easternmost of the aforesaid "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" which point is 7,691.8 metres North and 5,211.7 metres west of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
255° 25′	179.0
263° 32′	9.1
207° 24′	14.0
256° 51′	13.7
273° 29′	13.9
257° 59′	67.2
255° 05′	283.0
241° 08′	29.4
253° 32′	10.8
297° 26′	12.0
254° 42′	49.4
226° 18′	22.5

Oraci	[1770 Ed. p. 1 17
THE SCHEDULE — continued	
301° 02′	15.1
255° 04′	133.7
6° 42′	7.7
7° 42′	5.7 (partly along a gate)
76° 59′	1.3
6° 42′	2.6 (along wall of Bin Centre)
250° 08′	1.5
6° 42′	0.1
277° 55′	5.9 (along wall of Security Office)
7° 55′	1.1 (along wall of Security Office)
277° 55′	2.4 (along wall of Security Office)
7° 55′	0.1 (along wall of Security Office)
277° 30′	7.8 (partly along a gate)
188° 03′	0.1 (along wall of Guard Room)
278° 03′	2.5 (along wall of Guard Room)
188° 03′	1.1 (along wall of Guard Room)
277° 28′	2.1 (along wall of Guard Room)
187° 38′	19.7 (partly along gates)
280° 10′	35.6
178° 24′	40.6
243° 23′	8.6

p.	150	1990 Ed.

1990 Ed.]	Order	[CAP. 256, O 2
	THE SCHEDULE — continued	
	253° 52′	38.3
	256° 00′	95.7
	263° 55′	2.4
	268° 32′	2.6
	272° 24′	2.3
	278° 12′	7.1
	282° 13′	7.2
	285° 31′	2.4
	292° 07′	25.5
	289° 59′	15.3
	274° 23′	27.4
	271° 29′	27.4
	274° 45′	24.3
	281° 56′	27.5
	291° 18′	3.1
	297° 32′	3.0
	301° 54′	3.0
	305° 36′	12.2
	348° 48′	9.2
	22° 47′	33.6
	20° 46′	45.7
	16° 55′	6.1
	11° 39′	3.1
	7° 36′	6.0
	3° 03′	6.1
	357° 25′	6.1
	354° 42′	6.1
	351° 38′	6.0
	342° 52′	3.1

Cap. 256 , O 2]	Order	[1990 Ed.	p. 151
	THE SCHEDULE — continued		
	337° 38′	3.0	
	328° 36′	3.1	
	325° 37′	3.0	
	326° 02′	3.1	
	325° 04′	3.1	
	321° 59′	6.1	
	310° 26′	3.0	
	305° 41′	3.0	
	301° 09′	6.1	
	299° 14′	3.1	
	293° 59′	9.1	
	289° 55′	3.1	
	283° 35′	3.0	
	279° 46′	3.1	
	277° 52′	6.1	
	275° 28′	9.1	
	7° 10′	0.1	
	7° 10′	4.6	
	10° 43′	24.0	
	12° 50′	24.1	
	351° 28′	40.9	
	2° 57′	24.3	
	21° 52′	37.4	
	105° 13′	16.9	
	131° 48′	36.2	
	134° 44′	18.9	
	128° 54′	31.4	
	141° 10′	41.2	
	133° 05′	24.5	

[CAP. 256, O 2

p. 152 1	990 Ed.
----------	---------

THE SCHEDULE — continued	
139° 45′	41.2
107° 56′	19.6
79° 10′	14.6
52° 29′	7.5
12° 09′	7.3
359° 18′	9.7
329° 40′	40.2 (partly along a gate)
336° 54′	46.4
340° 59′	35.5
0° 58′	14.8
1° 18′	88.9
28° 03′	25.5
33° 15′	33.1
52° 39′	43.2
75° 13′	18.0
112° 38′	15.3
132° 20′	17.7
152° 47′	12.3
167° 30′	25.7
172° 38′	28.8
169° 45′	25.2
132° 00′	27.9
104° 19′	9.9
91° 16′	2.6
74° 04′	15.0
65° 57′	2.5
26° 08′	29.9
38° 44′	7.4

5.4

18.8

37° 59′

29° 19′

[Cap. 256, O 2

p. 154 1990 Ed.

THE SCHEDULE — continued	
14° 45′	4.8
4° 54′	50.7
351° 46′	16.9
34° 52′	8.9
287° 50′	17.2
308° 53′	40.9
38° 34′	39.4
127° 58′	30.6
111° 42′	11.9
111° 03′	14.9
99° 22′	21.3
138° 41′	8.7
98° 21′	20.4
184° 36′	8.0
70° 41′	26.6
177° 36′	1.8
157° 45′	5.7 (along a gate)
99° 08′	2.4
105° 48′	19.2
19° 10′	9.1 (partly along a gate)
113° 33′	37.5
195° 50′	8.4
112° 58′	32.4
102° 53′	42.4
99° 40′	50.9
99° 42′	42.2
77° 13′	14.3
46° 39′	49.7

THE SCHEDULE -	continued
----------------	-----------------------------

57° 32′	22.3
146° 15′	19.7 (partly along a gate)
68° 36′	5.1
104° 07′	24.9
153° 46′	37.7
116° 21′	22.8
145° 36′	18.8
164° 53′	47.0
154° 20′	191.1
170° 45′	93.7

The boundaries of "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" are more particularly delineated and edged pink on Survey Print No. 10001 filed in the office of the Chief Surveyor, Singapore.

(80) [Deleted by S 368/91 wef 23/08/91; see new order S 368/91]

(81) S 210/88 [12.8.88] 1. Chief Executive. Telecommunication Authority of Singapore.

GEYLANG TELEPHONE EXCHANGE.

All that area comprised in part of Lot 5459 Mukim No. 24 (KALLANG), occupied by "GEYLANG TELEPHONE EXCHANGE" containing an area of about 3,980 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "GEYLANG TELEPHONE EXCHANGE" which point is 3,210.1 metres North and 4,514.8 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fences of bearings and distances as under:

> Bearing Distance in metres

THE SCHEDULE — continued	
176° 04′	22.0
177° 57′	29.2
182° 17′	27.0
264° 47′	27.8
350° 09′	27.4
319° 57′	3.6
305° 00′	0.1
228° 56′	0.1

to a point where it meets the corner of a building wall, thence along a line following the building wall on a bearing of 260° 37′ and for a distance of about 23.7 metres to the corner of the building wall, thence along successive lines of fences of bearings and distances as under:

Distance in metres
2.3 (partly along a gate and a wall)
0.3 (partly along a post)
7.0 (along a gate)
18.4 (partly along posts)
7.3 (along a gate)
8.5 (partly along a post)
8.4
60.4

to the point of commencement.

The boundaries of "GEYLANG TELEPHONE EXCHANGE" are more particularly delineated and edged pink on

Survey Print No. 30006 filed in the office of the Chief Surveyor, Singapore.

2. Chief Executive,
Telecommunication
Authority of
Singapore.

BUKIT PANJANG TELEPHONE EXCHANGE.

All that area comprised in part of State Land Lot 267 Mukim No. 14 (MANDAI), occupied by "BUKIT PANJANG TELEPHONE EXCHANGE" containing an area of about 4,023 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the perimeter fence of the aforesaid "BUKIT PANJANG TELEPHONE EXCHANGE" which point is 10,509.8 metres North and 10,096.2 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
151° 24′	73.0
241° 23′	56.2
331° 34′	61.1
61° 33′	6.6

to a point where it meets a wall, thence along successive lines following the wall of bearings and distances as under:

Bearing	Distance in metres
330° 29′	0.5
59° 36′	0.6
331° 22′	0.9
331° 01′	6.1 (along a gate)
331° 08′	1.1

to a point where it meets a fence, thence along a line of the fence on a bearing of 241° 08′

and for a distance of about 1.2 metres to a point where it meets the corner of a wall, thence along successive lines following the wall of bearings and distances as under:

Bearing	Distance in metres
331° 08′	3.6
61° 13′	0.3
148° 07′	0.2

to a point where it meets a fence, thence along a line of the fence on a bearing of 61° 30′ and for a distance of about 49.9 metres to the point of commencement.

The boundaries of "BUKIT PANJANG TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 40002 filed in the office of the Chief Surveyor, Singapore

3. Chief Executive,
Telecommunication
Authority
Singapore.

TUAS TELEPHONE EXCHANGE.

All that area comprised in part of State Land Lot 1419, Mukim No. 7 (TUAS), occupied by "TUAS TELEPHONE EXCHANGE" containing an area of about 5,803 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TUAS TELEPHONE EXCHANGE" which point is 3,780.5 metres North and 21,733.3 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
131° 07′	2.2 (across a drain)
133° 03′	6.8 (across a gate)
44° 53′	0.5 (along a wall)

96° 59′	0.2 (across a wall)
133° 17′	7.8 (along a wall)
133° 24′	36.7

to a point where it meets the wall of a Bin Centre, thence along successive lines following the wall of the Bin Centre of bearings and distances as under:

Bearing	Distance in metres
43° 50′	0.4
134° 07′	2.7
223° 50′	0.9

to a point where it meets a fence, thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
133° 50′	8.5 (across a gate and drain)
223° 28′	88.9
313° 24′	64.9
43° 25′	88.7

to the point of commencement.

The boundaries of "TUAS TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30003 filed in the office of the Chief Surveyor, Singapore.

1. OIL TANK FARM, JURONG POWER STATION.

All that area comprised in part of Lot 1084 Mukim No. 6 (PENG KANG), occupied by "OIL TANK FARM (JURONG POWER STATION)" containing an area of about 66,184 square metres and bounded approximately as follows:

(82) S 244/88 [9.9.88] Director, Electricity Department, Public Utilities Board, Singapore.

Commencing at a northern-most corner of the aforesaid "OIL TANK FARM (JURONG POWER STATION)" which point is 3,387.1 metres North and 15,294.8 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
171° 53′	205.4 (along a fence)
176° 10′	198.5 (along a fence)
266° 20′	6.4 (along a fence)
266° 12′	212.4 (along a fence)
266° 09′	109.7 (along a fence)
7° 10′	24.4 (along a fence)
25° 11′	6.1 (along a fence)
48° 41′	6.0 (along a fence)
62° 35′	6.1 (along a fence)
67° 37′	6.1 (along a fence)
70° 16′	6.1 (along a fence)
75° 43′	9.2 (along a fence)
81° 31′	9.1 (along a fence)
88° 11′	57.8 (along a fence)
93° 28′	18.1 (along a fence)
92° 35′	12.0 (along a fence)
91° 14′	12.2 (along a fence)
84° 46′	9.0 (along a fence)
73° 22′	6.1 (along a fence)
65° 22′	9.1 (along a fence)
61° 25′	9.2 (along a fence)
55° 59′	6.1 (along a fence)

0, 0 2]	Oraci	[1770 Ed. p. 101
	THE SCHEDULE — continued	
	50° 45′	9.1 (along a fence)
	45° 18′	9.1 (along a fence)
	42° 54′	6.1 (along a fence)
	39° 35′	9.1 (along a fence)
	35° 44′	6.1 (along a fence)
	30° 19′	6.2 (along a fence)
	25° 54′	9.0 (along a fence)
	20° 47′	6.2 (along a fence)
	15° 30′	9.1 (along a fence)
	12° 13′	9.2 (along a fence)
	9° 53′	9.1 (along a fence)
	7° 24′	6.1 (along a fence)
	4° 09′	6.0 (along a fence)
	1° 00′	9.1 (along a fence)
	356° 34′	6.1 (along a fence)
	352° 55′	6.1 (along a fence)
	348° 37′	9.1 (along a fence)
	344° 44′	6.1 (along a fence)
	341° 34′	6.1 (along a fence)
	335° 00′	6.0 (along a fence)
	328° 54′	6.1 (along a fence)
	325° 06′	6.0 (along a fence)
	321° 10′	6.1 (along a fence)
	317° 33′	5.8 (along a fence)
	312° 37′	5.6 (along a fence)
	309° 18′	4.9 (along a fence)
	304° 30′	6.1 (along a fence)
	300° 14′	12.4 (along a fence)
	296° 31′	6.2 (along a fence)

THE SCHEDULE — continued	
292° 13′	6.2 (along a fence)
288° 54′	6.1 (along a fence)
285° 07′	6.3 (along a fence)
282° 07′	6.0 (along a fence)
276° 45′	15.2 (along a fence)
266° 35′	9.4 (along a fence)
260° 32′	6.2 (along a fence)
258° 38′	12.4 (along a fence)
257° 09′	20.1 (along a fence)
261° 02′	14.0 (along a fence)
253° 57′	9.1 (along a fence)
250° 06′	6.0 (along a fence)
245° 31′	6.2 (along a fence)
242° 47′	18.5 (along a fence)
238° 16′	9.0 (along a fence)
234° 17′	15.5 (along a fence)
303° 19′	18.6
32° 12′	33.4 (along a fence)
34° 24′	18.6 (along a fence)
38° 47′	30.8 (along a fence)
43° 26′	18.8 (along a fence)
46° 18′	15.5 (along a fence)
49° 28′	15.4 (along a fence)
51° 58′	15.5 (along a fence)
55° 02′	18.8 (along a fence)
58° 34′	12.4 (along a fence)
62° 44′	184.4 (along a fence)

The boundaries of "OIL TANK FARM (JURONG POWER STATION)" are more particularly delineated and edged pink on Survey Print No. 1006-87 filed in the office of the Chief Surveyor, Singapore.

Director, Electricity Department, Public Utilities Board, Singapore.

2. JURONG GAS TURBINE.

All that area comprised in part of Lot 1006 Mukim No. 6 (PENG KANG), containing an area of about 16,349 square metres and bounded approximately as follows:

Commencing at a northern-most corner of the aforesaid "JURONG GAS TURBINE" which point is 2,685.3 metres North and 15,692.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
90° 49′	73.6 (along a fence)
99° 36′	7.2 (along a gate)
86° 18′	17.0 (along a fence)
176° 16′	159.4 (partly along a fence, a gap and a fence)
270° 38′	103.6 (along a fence)
320° 50′	11.9 (along a fence)
3° 36′	35.6 (along a fence)
2° 33′	28.3 (along a fence)
0° 14′	36.9 (along a fence)
359° 53′	29.0 (along a fence)
358° 29′	20.2 (along a fence)

to the point of commencement.

The boundaries of "JURONG GAS TURBINE" are more particularly delineated and edged pink on Survey Plan No. 30002 filed in the office of the Chief Surveyor, Singapore.

(83) S 256/88
[16.9.88]
Chief Executive,
Telecommunication
Authority of Singapore.

JURONG EAST TELEPHONE EXCHANGE.

All that areas comprised in part of State Land Lot 4277 Mukim No. 5 (PANDAN), occupied by "JURONG EAST TELEPHONE EXCHANGE" containing an area of about 6,253 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the aforesaid "JURONG EAST TELEPHONE EXCHANGE" which point is 6,200.5 metres North and 12,926.7 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
118° 25′	2.2
207° 58′	0.3 (generally along outer face of wall)
159° 34′	2.0
208° 02′	2.2
119° 17′	7.4 (along gates and pillars)

to a point where it meets a fence, and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
29° 00′	7.3
119° 06′	32.9
120° 01′	5.3

CAP. 256, O 2]	Order	[1990 Ed.	p. 165
	THE SCHEDULE — continued		
	122° 59′	2.8	
	128° 12′	8.1	
	134° 30′	5.6	
	139° 28′	5.4	
	144° 58′	2.6	
	146° 27′	2.9	
	149° 44′	2.6	
	154° 34′	2.7	
	158° 38′	5.4	
	160° 31′	5.4	
	163° 30′	5.3	
	167° 17′	2.9	
	171° 50′	2.7	
	174° 49′	2.7	
	178° 23′	2.7	
	182° 14′	2.8	
	184° 51′	2.8	
	188° 05′	2.7	
	192° 25′	5.4	
	194° 02′	2.6	
	196° 42′	5.3	
	196° 13′	2.7	
	198° 42′	2.7	
	201° 34′	6.3	
	202° 14′	3.2	
	299° 12′	110.9	
	29° 13′	57.1	
	118° 17′	2.3	

to meet the wall of the aforesaid building and thence along the outer face of the wall of bearings and distances as under:

Bearing	Distance in metres
30° 08′	0.3
115° 00′	1.0
27° 52′	3.9

to a point of commencement.

The boundaries of JURONG EAST TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30005 filed in the office of the Chief Surveyor, Singapore.

TANJONG GUL CAMP.

All that area comprised in State Land Lot 54-4, parts of State Land Lots 41, 46-4, 46-8, 54-1, 54-3, 419, 838 and 1360 Mukim No. 7 (TUAS) and two parts of the foreshore and seabed, occupied by "TANJONG GUL CAMP", containing an area of about 321,054 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "TANJONG GUL CAMP" which point is 1,664.9 metres North and 21,120.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances approximately as under:

Bearing	Distance in metres
137° 00′	125.7
137° 09′	130.0
146° 57′	207.5
154° 32′	22.6

(84) S 281/88
[30.9.88]
Commander,
6 Singapore Division,
Tanjong Gul Camp.

Protected Places (Consolidation) Order	[1990 Ed.	p. 167
THE SCHEDULE — continued		
230° 22′	4.6	
155° 35′	140.4	
155° 44′	165.0	
239° 13′	9.9	
158° 05′	17.8	
201° 01′	17.6	
219° 37′	11.9	
227° 20′	15.0	
232° 50′	30.0	
239° 58′	18.0	
242° 56′	12.0	
246° 56′	30.4	
252° 25′	30.2	
259° 06′	30.3	
263° 23′	32.8	
269° 52′	27.3	
275° 37′	17.8	
279° 14′	15.0	
281° 08′	14.6	
281° 50′	14.6	
282° 39′	14.7	
284° 03′	14.8	
285° 39′	14.8	
286° 44′	15.2	
286° 46′	14.9	
286° 58′	14.8	
289° 17′	14.9	
292° 04′	15.3	
300° 26′	15.1	
	THE SCHEDULE — continued 230° 22' 155° 35' 155° 44' 239° 13' 158° 05' 201° 01' 219° 37' 227° 20' 232° 50' 239° 58' 242° 56' 246° 56' 252° 25' 259° 06' 263° 23' 269° 52' 275° 37' 279° 14' 281° 08' 281° 50' 282° 39' 284° 03' 285° 39' 286° 44' 286° 58' 289° 17' 292° 04'	Order [1990 Ed. THE SCHEDULE — continued 230° 22' 4.6 155° 35' 140.4 155° 44' 165.0 239° 13' 9.9 158° 05' 17.8 201° 01' 17.6 219° 37' 11.9 227° 20' 15.0 232° 50' 30.0 239° 58' 18.0 242° 56' 12.0 246° 56' 30.4 252° 25' 30.2 259° 06' 30.3 263° 23' 32.8 269° 52' 27.3 275° 37' 17.8 279° 14' 15.0 281° 08' 14.6 281° 50' 14.6 282° 39' 14.7 284° 03' 14.8 285° 39' 14.8 286° 46' 14.9 286° 58' 14.8 289° 17' 14.9 292° 04' 15.3

THE

SCHEDULE — continued	
306° 49′	15.4
311° 40′	9.6
319° 45′	15.0
327° 17′	18.5
337° 37′	6.4
337° 09′	45.7
336° 15′	28.3
35° 47′	8.0
22° 55′	8.7
292° 00′	1.9
293° 53′	7.6 (across a gate)
295° 03′	1.8
204° 11′	7.7
335° 57′	82.7
321° 32′	72.2
321° 15′	128.2
321° 27′	70.2
306° 26′	7.0
37° 06′	3.1
39° 59′	9.7 (across pillars and gates)
39° 11′	1.5
306° 00′	91.9
305° 40′	6.2 (across a gate)
306° 12′	21.1
56° 58′	139.4
56° 48′	68.9
174° 33′	4.9
56° 57′	36.3

[CAP. 256, O 2

THE	SCHE	DULE –	 continued 	1
11112	OCHE	レいしじー	— сопинива	

33.2	135° 33′	2
25.6	46° 03′	.6
9.1 (across pillars gates)	45° 41′	-
3.0	45° 21′)
5.3	317° 38′	3
22.3	353° 13′	.3
115.8	56° 52′	.8
5.9	136° 44′	9
2.3	48° 07′	3
6.4 (across pillars gate)	46° 44′	-
11.3	45° 18′	.3

The boundaries of "TANJONG GUL CAMP" are more particularly delineated and edged pink on Survey Print No. 10012 filed in the office of the Chief Surveyor, Singapore.

(85) S 323/88
[21.10.88]
Chief Executive Officer,
YTL PowerSeraya Pte Ltd

1. PULAU SERAYA POWER STATION STAGE I.

All that area comprised in part of former PULAU SERAYA (STATE LAND), part of State Land Lot 269 Mukim No. 34 (OTHER ISLANDS — PULAU SERAYA, PULAU SEBURUS DALAM AND PULAU SEBURUS LUAR) and two parts of the foreshore and seabed within the territorial waters of the Republic of Singapore occupied by "PULAU SERAYA POWER STATION STAGE I", containing an area of about 339,791 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid

"PULAU SERAYA POWER STATION STAGE I" which point is 29,618.6 metres North and 16,099.4 metres East of the Survey Department origin of co-ordinates (N 30000, E 30000), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
106° 26′	9.4
134° 16′	24.0 (partly across a concrete drain)
153° 52′	6.1
134° 00′	36.0 (partly along a gate)
145° 51′	25.5
161° 50′	11.9
144° 55′	6.2
134° 28′	23.8 (partly along a gate and across concrete drain)
139° 02′	38.6 (partly along a gate and across concrete drain)
223° 34′	6.8
134° 03′	52.1 (partly along two gates)
44° 39′	4.1
132° 00′	22.6
220° 42′	4.2
131° 38′	65.2 (partly along a gate)
144° 48′	35.9
140° 49′	38.6

Oraci	[1770 Ed. p. 171
THE SCHEDULE — continued	
147° 56′	39.1
146° 18′	38.7
125° 25′	53.9 (partly along a gate and across concrete drain)
43° 25′	51.9
134° 46′	28.6
42° 53′	4.9
134° 46′	12.4
223° 28′	16.3 (partly along a gate)
134° 14′	27.2
44° 22′	16.0
131° 44′	22.4
223° 44′	35.2
176° 56′	7.6
149° 12′	6.7
129° 28′	36.3 (partly across an earth drain)
152° 13′	75.9 (partly across a concrete drain)
223° 59′	132.0
314° 02′	390.0 (partly along a gate)
224° 02′	513.5 (partly along two gates)
314° 02′	529.2 (partly along two gates)
64° 39′	173.3
71° 31′	30.9
43° 29′	2.8 (partly along a gate)

THE SCHEDULE — continued	
79° 10′	10.4
66° 33′	19.0
339° 48′	2.4
65° 27′	6.5
160° 32′	2.5
66° 43′	187.4
53° 35′	31.5
36° 47′	5.3
21° 19′	33.7
40° 28′	40.6
59° 30′	40.5
66° 40′	54.4
313° 53′	8.9
62° 48′	38.8
43° 54′	57.9

The boundaries of "PULAU SERAYA POWER STATION STAGE I" are more particularly delineated and edged pink on Survey Print No. 10013 filed in the office of the Chief Surveyor, Singapore.

2. PULAU SERAYA POWER STATION STAGE I (ANCILLIARY FORESHORE STRUCTURES).

All those area comprised in parts of Lot 269 Mukim No. 34 (OTHER ISLANDS — PULAU SERAYA, PULAU SEBURUS DALAM AND PULAU SEBURUS LUAR) together with various parts of the foreshore and seabed within the territorial waters of the Republic of Singapore occupied by the foreshore structures (including fuel oil unloading jetty, intake structure, mooring dolphins, walkways, unloading ramp and

personnel jetty) ancilliary to "PULAU SERAYA POWER STATION STAGE I" and bounded approximately by their limits.

The boundaries of the foreshore structures ancilliary to "PULAU SERAYA POWER STATION STAGE I" are more particularly delineated and edged blue on Survey Print No. 10013 filed in the office of the Chief Surveyor, Singapore.

[S 243/2012 wef 30/05/2012]

(86) S 346/88
[4.11.88]
Assistant Chief of
General Staff (Training),
Ministry of Defence,
Tanglin,
Singapore.

1. SELETAR RIFLE RANGE.

All that area comprised in part of catchment area (NATURE RESERVE) of Lot 187 Mukim No. 14 (MANDAI) occupied by "SELETAR RIFLE RANGE" containing an area of about 88,489 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELETAR RIFLE RANGE" which point is 11,620.2 metres North and 3,806.5 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
103° 29′	136.9
198° 50′	50.0 (to the corner of fence)

thence run along successive lines of the perimeter fences of bearings and distances as under:

Bearing	Distance in metres
198° 50′	70.2
292° 10′	57.6

THE SCHEDULE — continued		
205° 30′	94.7	
202° 44′	45.4	
205° 34′	51.8	
196° 57′	27.1	
206° 06′	77.0	
202° 15′	58.1	
176° 30′	67.9	
216° 22′	64.4	
246° 29′	49.1	
299° 55′	100.4	
346° 48′	38.5	
16° 32′	44.7	
26° 19′	177.5	
26° 19′	154.4	
25° 55′	116.9	
46° 56′	73.1	
87° 40′	12.3	

The boundaries of "SELETAR RIFLE RANGE" are more particularly delineated and edged pink on Survey Plan No. 10002 filed in the office of the Chief Surveyor, Singapore.

Assistant Chief of General Staff (Training), Ministry of Defence, Tanglin, Singapore.

2. BUKIT TIMAH RANGE.

All that area comprised in part of State Land Lots 88¹ and 912 Mukim No. 16 (BUKIT TIMAH RANGE" containing an area of about 56,528 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "BUKIT TIMAH RANGE" which point is 6,941.1 metres

North and 7,674.9 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
104° 26′	26.8 (along fence)
193° 23′	25.7
201° 16′	314.2
201° 16′	100.2
257° 49′	30.9
203° 01′	16.1 (partly along a fence and a gate)
292° 46′	98.6
21° 04′	49.7
17° 09′	96.4
32° 38′	56.9
17° 42′	98.0 (along fence)
0° 59′	65.7
10° 56′	8.9 (along fence)
63° 05′	24.7
72° 24′	39.9
67° 15′	36.0
79° 56′	55.7 (along fence)

to the point of commencement.

The boundaries of "BUKIT TIMAH RANGE" are more particularly delineated and edged pink on Survey Plan No. 10004 filed in the office of the Chief Surveyor, Singapore.

Executive Secretary, Singapore Armed Forces Sports Association,

3. SINGAPORE GUN CLUB.

All that area comprised in parts of State Land Lots 88¹ and 912 Mukim No. 16

Block 12, Central Manpower Base Dempsey Road, Singapore. (BUKIT TIMAH) occupied by "SINGAPORE GUN CLUB" containing an area of about 47,711 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "SINGAPORE GUN CLUB" which point is 6,540.1 metres North and 7,932.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
112° 46′	98.6 (partly along a fence and a gate)
23° 01′	16.1
77° 49′	30.9
156° 04′	86.1
218° 31′	69.3
218° 31′	98.7
218° 30′	90.5
218° 30′	28.5
218° 30′	33.5
218° 30′	21.8
219° 01′	45.3
3° 47′	79.3
3° 47′	16.4
3° 46′	32.0
21° 04′	235.3

to the point of commencement.

The boundaries of "SINGAPORE GUN CLUB" are more particularly delineated and edged pink on Survey Plan

No. 10004 filed in the office of the Chief Surveyor, Singapore.

(87) S 392/88
[9.12.88]
Base Commander,
Tengah Air Base,
Singapore.

TENGAH AIR BASE, SINGAPORE.

- (a) All those areas comprising State Land Lots 2⁴, 2⁵, 2⁷, 2⁸, 2⁹, 4¹, 4⁴, 5¹, 6³, 6⁶, 6⁸, 7³, 7⁴, 110, 112, 113, 172, 180, 182 to 186, 188 to 191, 196, 198, 200 to 222, 224, 226, 229 to 265, 269 to 279, 284 to 299, 305, 308 to 338, 340 to 352, 363 to 368, 373, 445, 449, 514, 515, 517, 518, 520 to 544, 553 to $585, 592, 593, \text{ part of State Land Lots } 6^9, 6^{10},$ 8^{10} , 8^{16} , 8^{19} , 8^{22} , 8^{26} , 91, 135, 167, 171, 175 to 179, 181, 266 to 268, 280, 300 to 304, 306, 307, 339, 353, 362, 369, 370, 399, 545, 548, 549, 552, 587 to 589, 715, 721, Lots 714, 720 State Reserves, State Lands, part of State Lands, Lorong Ayam Jantan, part of Lorong Avam Borek, part of Ama Keng Road, part of Ayam Dara, Vampire Road, (old) Choa Chu Kang Road, part of Choa Chu Kang Road, in Mukim No. 12 (LIM CHU KANG), and
- (*b*) State Land Lots 8², 9¹⁰, 111, 113, 116, 120, part of State Land Lots 6⁶, 94, 109, 110, 112, 114, 117 to 119, 121, 122, 158, 350, part of Choa Chua Kang Road, part of State Reserve, in Mukim No. 9 (CHOA CHU KANG) occupied by "TENGAH AIR BASE" containing an area of approximately 6,704,435 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TENGAH AIR BASE" which point is 12,890.4 metres North and 15,789.2 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing

Distance in metres

<u>p. 178</u>	1990 Ed.]	Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		90° 04′	9.0
		98° 03′	2.9
		105° 04′	3.4
		109° 22′	8.9
		113° 43′	6.0
		115° 38′	3.2
		123° 50′	6.0
		129° 20′	6.0
		134° 47′	6.0
		140° 49′	3.2
		145° 40′	6.0
		148° 20′	71.6
		147° 06′	11.9
		144° 36′	12.1
		141° 58′	6.0
		133° 30′	6.0
		125° 02′	6.1
		117° 04′	38.1
		111° 50′	20.4
		112° 54′	6.1
		115° 41′	8.9
		118° 02′	6.0
		119° 32′	9.1
		121° 17′	18.1
		122° 18′	12.0
		123° 47′	9.0
		125° 49′	9.0
		127° 37′	6.1
		128° 51′	6.2

CAP. 230, O 2]	Oraer	[1990 Eu. p. 179
	THE SCHEDULE — continued	
	129° 46′	3.4
	131° 59′	6.4
	129° 30′	5.5
	126° 48′	3.3
	119° 39′	11.8
	117° 52′	20.7
	118° 27′	111.5
	124° 59′	15.1
	182° 38′	9.9
	141° 02′	14.6
	95° 22′	7.4 (along a gate)
	119° 26′	10.9
	19° 13′	8.5
	122° 37′	39.2
	42° 28′	12.0 (partly along a gate)
	60° 01′	14.5
	60° 06′	70.0
	60° 19′	67.4
	54° 10′	38.0
	71° 44′	29.1
	69° 48′	20.6
	64° 17′	73.0
	148° 30′	45.6
	106° 55′	39.6
	110° 44′	29.2
	121° 14′	51.7
	79° 15′	19.6
	155° 32′	76.5

-	100	1990 Ed.
υ.	180	1990 Ea.

THE SCHEDULE — continued				
184° 22′	51.7			
179° 31′	16.5			
182° 58′	26.0			
105° 07′	200.8 (partly along a gate)			
129° 13′	83.4			
118° 02′	26.1			
140° 58′	89.3			

[CAP. 256, O 2

thence along a line on a bearing of 169° 58′ for a distance of 124.4 metres to a point at the northernmost corner of lot 335, thence the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
107° 38′	57.0
82° 49′	9.0
82° 49′	56.4
73° 32′	38.2
55° 12′	20.8
55° 12′	57.5
73° 19′	69.8
105° 02′	62.7
129° 16′	51.7
170° 17′	14.1
170° 17′	76.4
209° 50′	26.2
209° 50′	90.6
186° 10′	80.7
245° 38′	29.2
245° 38′	32.3

Order	[1990 Ed.	p. 181
THE SCHEDULE — continued		
265° 01′	34.3	
233° 52′	69.9	
263° 21′	63.0	
225° 57′	24.9	
225° 57′	41.3	
271° 51′	45.3	
208° 40′	40.7	
194° 10′	53.9	
231° 13′	10.1	
231° 13′	34.4	
281° 11′	54.6	
281° 12′	50.2	
286° 53′	87.0	
311° 27′	42.2	
311° 27′	84.1	
327° 16′	88.2	
315° 35′	113.3	
338° 56′	42.4	
326° 55′	56.1	
326° 55′	72.8	
276° 46′	45.0	
303° 16′	36.3	
269° 02′	8.5	
269° 02′	59.8	
222° 00′	17.6	
222° 00′	50.9	
229° 15′	50.3	

thence along a line on a bearing of 158° 06' for a distance of 50.0 metres to a point where

it meets a fence, and thence along the fence of bearings and distances as under:

ings and distance	s as under.
Bearing	Distance in metres
131° 42′	228.2
135° 53′	23.9
143° 50′	30.0
153° 02′	26.9
161° 18′	23.6
168° 11′	30.1
179° 18′	32.5
188° 40′	29.6
197° 47′	29.8
207° 02′	29.4
214° 21′	11.9
218° 08′	18.7
223° 11′	15.1
228° 38′	15.3
236° 12′	116.5
210° 19′	407.3
141° 58′	56.2
139° 31′	11.7
136° 05′	9.0
134° 38′	9.1
130° 59′	9.0
126° 35′	12.1
124° 11′	9.0
121° 03′	8.9
117° 03′	12.2
112° 30′	15.0

Cap. 256 , O 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 183
	THE SCHEDULE — continued		
	108° 24′	12.0	
	105° 34′	24.2	
	99° 40′	6.0	
	78° 08′	11.9	
	64° 38′	9.2	
	55° 20′	3.1	
	48° 18′	6.0	
	30° 02′	50.6	
	28° 10′	80.4	
	8° 00′	92.4	
	20° 07′	30.4	
	17° 00′	29.8	
	74° 48′	25.7	
	76° 50′	117.8	
	26° 35′	82.7	
	74° 24′	33.2	
	97° 46′	33.5	
	165° 40′	30.5	
	158° 50′	30.6	
	109° 50′	88.1	
	20° 56′	123.4	
	72° 29′	30.0	
	85° 46′	30.0	
	170° 25′	25.0	
	182° 30′	26.0	
	189° 38′	29.8	
	170° 59′	29.7	
	161° 48′	29.8	
	158° 25′	29.9	

p. 184 1990 Ed	p.	184	1990 Ed.
----------------	----	-----	----------

Order	[CAP. 256 , O 2
THE SCHEDULE — continued	
173° 47′	59.8
182° 21′	58.9
230° 09′	105.8
139° 40′	69.6
142° 16′	11.9
145° 55′	8.9
148° 42′	9.0
151° 20′	9.0
154° 07′	9.1
157° 29′	8.9
160° 05′	9.0
162° 06′	8.9
163° 49′	6.0
166° 55′	8.8
170° 52′	12.0
173° 32′	9.1
177° 22′	12.0
180° 41′	12.1
183° 35′	8.9
187° 48′	12.1
190° 11′	9.0
193° 51′	8.9
195° 59′	9.0
199° 27′	12.1
202° 18′	9.0
205° 46′	9.0
208° 35′	9.0
211° 32′	12.0
214° 10′	149.8

Cap. 256 , O 2]	Order	[1990 Ed.	p. 185
	THE SCHEDULE — continued		
	214° 32′	9.0	
	220° 58′	8.8	
	224° 41′	12.0	
	228° 03′	77.3	
	224° 07′	6.0	
	216° 05′	6.1	
	208° 26′	5.7	
	200° 48′	6.1	
	190° 41′	5.5	
	185° 31′	5.5	
	175° 29′	5.5	
	170° 02′	5.4	
	161° 23′	6.0	
	150° 12′	5.9	
	142° 39′	5.9	
	138° 05′	6.1	
	134° 03′	150.1	
	136° 06′	8.8	
	139° 28′	8.9	
	145° 34′	6.0	
	152° 52′	9.0	
	155° 28′	11.6	
	160° 48′	9.1	
	166° 50′	8.9	
	173° 45′	6.1	
	177° 19′	5.9	
	180° 26′	8.9	
	185° 47′	8.9	
	190° 33′	9.0	

p. 186	1990 Ed.]	Order	[CAP. 256, O 2

p. 180	1990 Eu.]	Oraer	[CAF. 230, O 2
		THE SCHEDULE — continued	
		196° 17′	5.9
		200° 56′	6.0
		205° 06′	8.9
		208° 20′	5.9
		213° 09′	8.9
		223° 27′	6.1
		235° 10′	5.8
		238° 51′	9.1
		241° 29′	9.1
		244° 36′	9.0
		247° 37′	6.0
		250° 18′	9.1
		251° 46′	9.0
		252° 20′	21.0
		255° 06′	17.6
		258° 14′	11.7
		263° 52′	129.3
		263° 53′	7.4 (along a gate)
		263° 45′	56.3
		250° 40′	5.6
		244° 32′	8.5
		234° 06′	6.1
		255° 12′	9.0
		216° 11′	8.9
		207° 27′	6.1
		199° 35′	6.0
		194° 43′	5.8
		189° 57′	186.6
		203° 03′	43.7

THE SCHEDULE — continued		
	195° 36′	44.9
	194° 33′	9.0
	193° 14′	243.2
	190° 35′	19.1
	194° 39′	7.9
	284° 20′	11.0
	195° 06′	195.8

to meet a point on the concrete beacon wall, thence generally along the said wall or bearings and distances as under:

Bearing	Distance in metres
315° 38′	0.8
225° 37′	2.9
135° 38′	0.8

to a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
257° 50′	7.0
257° 26′	47.9

to a point on the pillar, thence along it on a bearing of 343° 12′ and distance of 0.2 metre to a point where it meets a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
317° 29′	8.3
44° 59′	11.0
312° 51′	26.6
252° 14′	11.0 (partly along a gate)
226° 55′	2.8

p. 188 1990 Ed.]

Order

[CAP. 256, O 2

THE SCHEDULE — continued				
139° 02′	9.4			
219° 12′	15.3 (partly along 3 gates)			
322° 15′	2.2			
224° 25′	2.0 (partly along a pillar and outer wall of block 112)			
314° 25′	0.1 (along outer wall of block 112)			
224° 25′	3.7 (along outer wall of block 112)			
178° 15′	14.5			
170° 32′	4.0			
255° 20′	16.6			
349° 09′	4.3 (partly along a gate)			
255° 49′	18.2			
256° 00′	28.5			
261° 15′	30.2			
257° 32′	82.9			
235° 08′	64.3			
234° 57′	55.6			
325° 06′	45.3			
235° 01′	30.5			
145° 00′	45.1			
235° 13′	117.0			
238° 00′	6.1 (along a gate)			
237° 47′	76.0			
237° 38′	96.9			
237° 48′	76.3			
259° 34′	8.9			

	Trolected Tiddes (Consolidation)	
CAP. 256, O 2]	Order	[1990 Ed. p. 189
	THE SCHEDULE — continued	
	261° 53′	11.8
	266° 23′	12.6
	269° 22′	12.5
	273° 07′	12.5
	277° 02′	11.6
	279° 23′	12.1
	283° 40′	12.2
	286° 32′	12.2
	289° 47′	12.5
	291° 15′	12.2
	296° 06′	12.1
	297° 51′	12.3
	297° 44′	24.9
	305° 53′	38.3
	306° 07′	34.0
	313° 35′	14.7
	304° 24′	115.5
	22° 28′	0.6
	303° 02′	2.2
	225° 30′	0.6
	304° 18′	22.1
	295° 28′	42.7
	311° 31′	13.1
	274° 43′	15.6 (partly along 2 gates)
	280° 18′	18.7
	302° 00′	5.3
	277° 07′	27.0
	275° 30′	22.8

	100	
p.	190	1990 Ed.

Order	[CAP. 256 , O 2
THE SCHEDULE — continued	
3° 25′	3.1
274° 09′	6.0
181° 50′	3.2
272° 44′	44.8
270° 39′	59.5
271° 52′	77.5
1° 15′	2.4
274° 35′	6.5
184° 01′	2.7
273° 13′	296.6
272° 46′	29.8
271° 06′	63.1
272° 11′	59.7
278° 43′	18.0
285° 40′	27.2
292° 30′	5.9
299° 43′	17.9
295° 51′	152.5
300° 01′	86.5
305° 47′	10.6
10° 46′	101.5
17° 15′	120.6
17° 20′	7.4 (along a gate)
16° 58′	64.1
17° 56′	66.2
286° 23′	6.4
17° 07′	171.0
19° 11′	104.0
21° 48′	5.5

[1990 Ed.	p. 191
[1990 Eu.	p. 171

250 , O 2]	Oraer	[1990 Ed. p. 191
	THE SCHEDULE — continued	
	22° 54′	68.3
	31° 55′	42.9
	34° 42′	37.7
	123° 48′	36.5
	33° 50′	30.4
	303° 55′	36.6
	28° 39′	0.8
	301° 43′	8.2 (partly along a gate)
	33° 48′	407.8
	78° 38′	11.7
	123° 50′	7.0
	33° 58′	12.1 (partly across 3 pillars and 2 gates)
	303° 43′	7.0
	347° 30′	11.3
	33° 29′	47.1
	123° 52′	16.5
	34° 02′	4.4 (along a gate)
	303° 36′	16.5
	33° 48′	58.9
	123° 41′	43.4
	33° 39′	7.6
	304° 01′	4.3
	33° 23′	7.0 (along outer wall of block 4)
	303° 44′	3.0 (along outer wall of block 4)
	31° 46′	2.1
	303° 22′	10.3

p. 192	1990 Ed.]
--------	-----------

Order	[Cap. 256, O 2
THE SCHEDULE — continued	[
213° 59′	9.1
303° 27′	21.4
303° 29′	4.3
33° 21′	148.7
123° 13′	34.4
213° 08′	2.3
122° 45′	1.5
213° 27′	8.8
123° 37′	46.7
33° 24′	32.3
303° 36′	46.5
213° 54′	16.5
303° 09′	36.2
31° 39′	34.6
36° 06′	18.9
36° 53′	61.4
74° 25′	6.7
22° 42′	12.1 (partly along a gate)
33° 14′	115.4
23° 03′	2.8
2° 57′	337.8
64° 59′	9.0
3° 34′	260.8
349° 49′	23.6
356° 52′	7.4 (along a gate)
346° 59′	21.2
346° 24′	11.9
344° 58′	11.9

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 193
	THE SCHEDULE — continued	
	342° 12′	12.2
	341° 18′	15.0
	340° 08′	15.0
	338° 27′	15.2
	337° 14′	277.9
	337° 21′	204.4
	337° 57′	11.9
	339° 01′	21.0
	339° 42′	21.0
	341° 59′	6.0
	353° 01′	8.9
	355° 52′	12.3
	356° 29′	14.9
	14° 03′	39.6
	10° 18′	23.7
	308° 25′	26.2
	357° 53′	45.1
	46° 58′	8.3
	47° 28′	11.2
	21° 08′	2.8
	18° 18′	5.2
	291° 36′	2.4
	294° 30′	3.1
	299° 57′	2.9
	301° 46′	3.0
	311° 22′	3.0
	321° 22′	2.9
	329° 24′	3.0
	337° 47′	3.0

	p.	194	1990 Ed.
--	----	-----	----------

Order	[CAP. 256, O 2
THE SCHEDULE — continued	
357° 46′	38.9
93° 58′	6.1
358° 08′	4.9
273° 55′	6.2
359° 20′	5.8
0° 55′	6.0
3° 04′	9.0
6° 31′	9.1
9° 21′	5.9
10° 23′	6.2
12° 15′	2.9
13° 11′	3.0
14° 17′	9.1
16° 15′	14.9
90° 45′	66.1
68° 32′	44.5
72° 51′	3.1
74° 13′	60.0
69° 33′	44.4
154° 09′	3.7
67° 29′	5.1
335° 25′	3.5
69° 42′	62.9
70° 44′	51.5
73° 08′	3.0
78° 31′	5.8
81° 19′	9.1
84° 34′	9.0
86° 19′	9.3

Oruei	[1990 Eu.	p. 175
THE SCHEDULE — continued		
88° 10′	8.9	
74° 58′	3.0	
69° 32′	41.6	
71° 42′	2.9	
95° 05′	3.1	
97° 55′	32.9	
98° 20′	3.0	
99° 30′	3.1	
97° 47′	27.0	
96° 17′	116.9	
94° 07′	3.0	
91° 02′	6.0	
85° 10′	6.0	
76° 38′	6.0	
73° 06′	3.0	
69° 30′	5.9	
66° 37′	3.0	
60° 55′	9.0	
51° 16′	5.9	
42° 24′	3.1	

thence along a line on a bearing of 149° 19' for a distance of 12.1 metres to a point where it meets a fence, and thence along the fence of bearings and distances as under:

Bearing	Distance in metres
6° 55′	26.9
10° 03′	6.0
12° 50′	6.0
16° 40′	8.9
21° 42′	15.0

D. 170 1770 Eu.	p. 196	1990 Ed.
-----------------	--------	----------

Protected Places (Consolidation) Order	[CAP. 256 , O 2
THE SCHEDULE — continued	
24° 19′	9.0
28° 11′	6.1
30° 33′	5.9
37° 09′	5.8
43° 23′	6.1
55° 58′	6.1
62° 21′	3.7
65° 38′	8.1
69° 13′	6.1
74° 00′	6.0
77° 01′	5.8
79° 27′	6.3
81° 01′	6.1
84° 55′	8.9
87° 00′	11.9
90° 03′	12.0
92° 06′	6.0
97° 13′	6.0
102° 59′	6.0
107° 44′	6.0
110° 37′	18.1
106° 59′	23.8
100° 41′	15.1
93° 28′	9.0
74° 43′	6.3
90° 47′	2.8
65° 53′	101.7
69° 15′	6.1
74° 05′	6.1

78° 17′

3.2

85° 37′

2.9

to the point of commencement.

The boundaries of "TENGAH AIR BASE" are more particularly delineated and edged pink on Survey Plan Nos. 10008 and 20001 filed in the office of the Chief Surveyor, Singapore.

(88) Commander, Paya Lebar Airbase

PAYA LEBAR AIRPORT.

All that area comprised in Lots 80X, 81L, 82C, 83M, 85V, 87T, 88A, 89K, 92K, 213M, 214W, 254M, 583N, 584X, 628M, 629W, 631M, 632W, 836C, 838W, 1367W, 1368V, 3860X, 4013L, 4015M, 4017V, 7409W, 7410C, 8566V, 8567P, 8568T, 8569A, 8570P, 8623W, 8624V, 8625P, 8626T, 8633X. 8627A, 8629N, 8630A, 8631K, 8634L, 8635C, 8636M, 8637W, 8638V, 8639P, 8640W, 8706L, 8710C, 99512A, 99517C, 99514N, 99518M, 99520C, 99522W, 99523V, 99524P, 99526A, 99528N, 99532X, 99533L. 99534C, 99544K, 99541P, 99542T, 99545N, 99546X, 99548C, 99550L, 99551C, 99557A, 99556T. 99558K, 99559N, 99560A, 99703T and part of Lots 706P, 7412W, 8705X, 8707C, 8708M, 8709W, 8728P, 8729T, 99529X, 99530K, 99531N, 99540V, 99562N, 99563X in Mukim No. 22 ; Lots 54P, 60K, 61N, 62X, 71P, 78C, 80L, 271X, 301M, 302W, 347W, 348V, 349P, 350W, 351V, 352P, 354A, 789X, 2068C, 3916C, 3917M, 3919V, 3920M, 3921W, 3923P, 3924T, 3925A, 3926K, 3927N, 3928X. 3929L. 3930N. 3931X. 3932L. 3933C, 3934M, 3935W, 3936V, 3937P, 3938T, 3939A, 3940P, 3941T, 3942A, 3943K. 3944N. 3945X. 3946L. 3947C. 3948M, 3949W, 3951M, 3952W, 3953V,

3954P, 3955T, 3956A, 3957K. 3958N. 3959X, 4321X, 4398N, 4399X, 4529X, 5545A, 4530K, 5543P, 5544T, 5967L. 99417P, 99418T, 99419A, 99420P, 99421T, 99424N, 99422A. 99425X. 99426L. 99427C, 99428M, 99429W, 99430C. 99431M. 99432W, 99433V, 99434P, 99437K, 99438N, 99440K, 99441N. 99448P, 99449T, 99450V, 99451P, 99452V, 99453A, 99456X, 99457L and part of Lots 76X, 81C, 84V, 261W, 263P, 265A, 272L, 667K, 2658N, 3922V, 4392W, 4394P, 4396A, 4527K, 4621X, 4622L, 7675N, 99415W, 99416V, 99455N, 99459M in Mukim No. 23; Lot 1154P and part of Lots 37X, 1155T, 6447V, 6460L, 99334M, 99335W, 99336V in Mukim No. 28; Lot 1765A and part of Lots 329K, 340M, 1764T, 1766K, 1878W in Mukim No. 29; and Lots 11A, 13N, 14X, 15L, 21W, 53V, 54P, 57K, 58N, 59X, 60K, 61N, 62X, 63L, 64C, 66W, 67V, 68P, 69T, 70V, 71P, 72T, 73A, 74K, 75N, 76X, 77L, 78C, 79M, 80L, 81C, 82M, 83W, 84V, 95C, 97W, 98V, 114A, 115K, 116N, 117X, 118L, 119C, 120X, 121L, 123M, 124W, 125V, 127T, 128A, 129K, 131A, 132K, 134X, 136C, 137M, 141W, 146K, 147N, 148X, 149L, 156V, 169W, 335P, 336T, 337A, 339N, 346M, 347W, 348V, 350W, 351V, 352P, 353T, 354A, 355K, 356N, 357X, 358L, 359C, 360X, 361L, 362C, 363M, 364W, 365V, 366P, 367T, 368A, 369K, 370T, 371A, 372K, 373N, 374X, 375L, 376C, 377M, 378W, 379V, 380M, 381W, 382V, 383P, 429X, 9609P, 99610W, 99629K, 99630T, 99632K, 99633N, 99635L, 99636C, 99643P, 99646K, 99649L, 99663K, 99674P, 99675T, 99676A, 99677K, 99679X, 99680K, 99681N, 99683L. 99686W. 99687V. 99707L. 99727W. 99729P. 99732P. 99741L. 99756C, 99759V, 99765A, 99770N,

99771X. 99775W. 99783K. 99782A. 99785X, 99786L, 99787C, 99797K, 99804P, 99805T, 99807P, 99822T, 99823A, 99824K, 99825N, 99826X, 99827L, 99828C, 99829M, 99830L, 99831C, 99832M, 99833W, 99834V, 99835P. 99837A, 99839N, 99840A, 99841K, 99842N, 99843X, 99844L, 99845C, 99846M, 99847W, 99848V, 99849P, 99852P, 99855K, 99856N. 99859C, 99860X, 99861L, 99862C, 99863M, 99864W, 99866P, 99868A, 99871A, 99872K, 99876C, 99877M, 99878W, 99879V, 99881W, 99882V, 99883P, 99884T, 99889L, 99896V, 99897P, 99898T, 99900N, 99902L, 99907P, 99908T, 99909A, 99911T. 99922W, 99925T, 99953W, 99956T, 99957A, 99960A, 99961K, 99962N. 99963X. 99964L. 99965C. 99968V, 99969P and part of Lots 20M, 25A, 26K, 91K, 96M, 122C, 126P, 130T, 133N, 135L, 142V, 150N, 151X, 155W, 327L, 328C, 335P, 338K, 345C, 349P, 427K, 99608V, 99652L, 99655W, 99657P, 99659A. 99662A, 99672W. 99689T. 99731V. 99733T. 99760M. 99763P. 99778C, 99814C, 99821P, 99828C, 99886K. 99888X. 99893C. 99899A. 99953W. 99955P. 99970W. 99971V. 99972P in Mukim No. 30 containing an area of about 7,214,739 square metres and bounded approximately as follows:

Commencing at a point which is 38,859.086 metres North and 38,28.614 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing Distance in metres

THE SCHEDULE — continued			
203° 12′ 52″	46.252 (along a fence)		
203° 08′ 35″	52.840 (along a fence)		
203° 13′ 27″	50.879 (along a fence)		
203° 17′ 58″	48.272 (along a fence)		
203° 04′ 32″	48.407 (along a fence)		
203° 07′ 56″	57.077 (along a fence)		
203° 22′ 16″	47.559 (along a fence)		
203° 27′ 36″	20.058 (along a fence)		
203° 44′ 01″	41.400 (along a fence)		
204° 06′ 22″	48.277 (along a fence)		
202° 55′ 46″	45.493 (along a fence)		
202° 51′ 40″	39.644 (along a fence)		
203° 02′ 14″	47.307 (along a fence)		
203° 10′ 15″	53.924 (along a fence)		
204° 05′ 53″	53.393 (along a fence)		
203° 57′ 20″	47.381 (along a fence)		
203° 58′ 49″	47.083 (along a fence)		

THE SCHEDULE — continued	
203° 59′ 25″	40.441 (along a fence)
204° 05′ 36″	48.540 (along a fence)
204° 03′ 12″	48.477 (along a fence)
203° 57′ 28″	47.827 (along a fence)
203° 58′ 01″	47.908 (along a fence)
203° 43′ 46″	48.395 (along a fence)
203° 14′ 15″	48.369 (along a fence)
209° 35′ 51″	9.815 (along a fence)
204° 01′ 30″	48.302 (along a fence)
204° 06′ 57″	48.280 (along a fence)
204° 06′ 55″	48.627 (along a fence)
204° 05′ 57″	48.512 (along a fence)
204° 06′ 04″	46.366 (along a fence)
204° 09′ 34″	50.974 (along a fence)
204° 10′ 53″	48.517 (along a fence)
204° 07′ 29″	55.724 (along a fence)
204° 08′ 25″	939.027
212° 03′ 56″	32.832 (along a fence)

THE SCHEDULE — continued			
228° 50′ 04″	42.689 (along a fence)		
228° 50′ 08″	41.674 (along a fence)		
228° 52′ 38″	44.980 (along a fence)		
228° 52′ 14″	36.137 (along a fence)		
228° 55′ 40″	37.660 (along a fence)		
228° 52′ 16″	74.753 (along a fence)		
228° 45′ 53″	55.986 (along a fence)		
228° 37′ 53″	45.896 (along a fence)		
228° 54′ 10″	50.851 (along a fence)		
228° 52′ 54″	266.488		
229° 49′ 58″	36.574 (along a fence)		
229° 49′ 11″	38.031 (along a fence)		
229° 45′ 42″	40.077 (along a fence)		
227° 36′ 46″	21.259 (along a fence)		
229° 01′ 57″	27.298 (along a fence)		
229° 00′ 51″	32.883 (along a fence)		
228° 46′ 02″	30.202 (along a fence)		

THE SCHEDULE — continued	
232° 25′ 32″	14.392 (along a fence)
232° 31′ 46″	49.290 (along a fence)
232° 30′ 17″	36.303 (along a fence)
232° 38′ 06″	16.368 (along a fence)
309° 28′ 58″	27.554 (along a fence)
262° 56′ 33″	7.788 (along a fence)
246° 43′ 59″	7.348 (along a fence)
215° 46′ 07″	2.693 (along a fence)
209° 54′ 09″	2.597 (along a fence)
335° 13′ 36″	0.763
213° 11′ 11″	27.429
272° 35′ 22″	173.325
180° 00′ 00″	120.396
270° 11′ 00″	17.103
180° 20′ 00″	46.000
180° 18′ 00″	20.653
270° 17′ 38″	188.677
270° 36′ 09″	55.301
255° 14′ 00″	175.479
279° 01′ 00″	98.556
214° 58′ 41″	2.849
282° 15′ 13″	12.230 (along a fence)
282° 39′ 54″	12.202 (along a fence)

E SCHEDULE — continue	ed
283° 52′ 20″	12.186 (along a fence)
284° 29′ 03″	12.203 (along a fence)
285° 24′ 38″	14.624 (along a fence)
286° 14′ 41″	12.187 (along a fence)
286° 48′ 51″	12.202 (along a fence)
287° 47′ 12″	12.195 (along a fence)
288° 35′ 12″	12.209 (along a fence)
288° 55′ 23″	11.287 (along a fence)
290° 07′ 44″	13.179 (along a fence)
291° 14′ 19″	24.744 (along a fence)
291° 25′ 09″	6.628 (along a gate)
291° 25′ 44″	24.779 (along a fence)
291° 29′ 50″	24.007 (along a fence)
291° 22′ 46″	13.711
291° 31′ 40″	0.941
291° 36′ 33″	0.941
291° 41′ 10″	0.941
291° 45′ 26″	0.941
291° 50′ 40″	0.941
291° 54′ 56″	0.941
291° 59′ 41″	0.941

CAP. 230, O 2]	Oruer	[1990 Ed.	p. 203
	THE SCHEDULE — continued		
	292° 04′ 26″	0.941	
	292° 09′ 02″	0.941	
	292° 13′ 56″	0.941	
	292° 18′ 12″	0.941	
	292° 22′ 57″	0.941	
	292° 27′ 42″	0.941	
	292° 32′ 27″	0.941	
	292° 37′ 12″	0.941	
	292° 41′ 28″	0.941	
	292° 46′ 41″	0.941	
	292° 51′ 06″	0.941	
	292° 55′ 22″	0.941	
	293° 00′ 36″	0.941	
	293° 04′ 52″	0.941	
	293° 09′ 45″	0.941	
	293° 14′ 22″	0.941	
	293° 18′ 55″	0.941	
	293° 24′ 00″	0.941	
	293° 28′ 16″	0.941	
	293° 32′ 50″	0.941	
	293° 37′ 55″	0.941	
	293° 42′ 19″	0.941	
	293° 47′ 13″	0.941	
	293° 51′ 29″	0.941	
	293° 56′ 23″	0.941	
	294° 00′ 59″	0.941	
	294° 05′ 32″	0.941	
	294° 10′ 26″	0.941	
	294° 15′ 02″	0.941	

[CAP. 256, O 2

p. 206	1990 Ed.
p. 200	1990 Ea. J

9.11.5	[
THE SCHEDULE — continued	
294° 19′ 56″	0.941
294° 24′ 20″	0.941
294° 28′ 45″	0.941
294° 33′ 59″	0.941
294° 38′ 15″	0.941
294° 42′ 58″	0.941
294° 47′ 33″	0.941
294° 52′ 27″	0.941
294° 56′ 52″	0.941
295° 01′ 46″	0.941
295° 06′ 30″	0.941
295° 11′ 05″	0.941
295° 15′ 29″	0.941
295° 20′ 14″	0.941
295° 25′ 08″	0.941
295° 29′ 42″	0.941
295° 34′ 27″	0.941
295° 38′ 51″	0.941
295° 43′ 45″	0.941
295° 48′ 10″	0.941
295° 53′ 14″	0.941
295° 57′ 29″	0.941
296° 02′ 32″	0.941
296° 06′ 47″	0.941
296° 11′ 51″	0.941
296° 16′ 16″	0.941
296° 20′ 50″	0.941
296° 25′ 54″	0.941
296° 30′ 19″	0.941

Oraer	[1990 Ed.	p. 207
THE SCHEDULE — continued		
296° 35′ 03″	0.941	
296° 39′ 27″	0.941	
296° 44′ 31″	0.941	
296° 48′ 56″	0.941	
296° 53′ 30″	0.941	
296° 58′ 14″	0.941	
297° 03′ 18″	0.941	
297° 07′ 23″	0.941	
297° 12′ 17″	0.941	
297° 17′ 11″	0.941	
297° 21′ 26″	0.941	
297° 26′ 20″	0.941	
297° 31′ 14″	0.941	
297° 35′ 39″	0.941	
297° 40′ 24″	0.941	
297° 44′ 48″	0.941	
297° 49′ 42″	0.941	
297° 54′ 27″	0.941	
297° 58′ 51″	0.941	
298° 03′ 26″	0.941	
298° 08′ 30″	0.941	
298° 12′ 54″	0.941	
298° 17′ 29″	0.941	
298° 22′ 33″	0.941	
298° 26′ 57″	0.941	
298° 31′ 42″	0.941	
298° 36′ 17″	0.941	
298° 40′ 51″	0.941	
298° 45′ 45″	0.941	

p. 208	1990 Ed.]	O

Trotected Traces (Consolidation)	FG 256 0 2
Order	[CAP. 256, O 2
THE SCHEDULE — continued	
298° 50′ 20″	0.941
298° 54′ 54″	0.941
298° 59′ 39″	0.941
299° 04′ 03″	0.941
299° 09′ 08″	0.941
299° 13′ 23″	0.941
299° 18′ 28″	0.941
299° 20′ 38″	14.433
299° 20′ 38″	68.753
303° 56′ 10″	0.756
304° 56′ 06″	0.756
305° 55′ 09″	0.756
306° 55′ 39″	0.756
307° 54′ 58″	0.756
308° 54′ 35″	0.756
309° 54′ 41″	0.756
310° 54′ 05″	0.756
311° 54′ 00″	0.756
312° 53′ 54″	0.756
313° 53′ 06″	0.756
314° 53′ 34″	0.756
315° 52′ 45″	0.756
316° 52′ 36″	0.756
317° 52′ 09″	0.756
318° 52′ 24″	0.756
319° 51′ 45″	0.756
320° 51′ 30″	0.756
321° 51′ 23″	0.756

322° 51′ 04″

0.756

Cap. 256, O 2]	Order	[1990 Ed.	p. 209
	THE SCHEDULE — continued		
	323° 50′ 34″	0.756	
	324° 50′ 47″	0.756	
	325° 50′ 05″	0.756	
	326° 50′ 23″	0.756	
	327° 49′ 42″	0.756	
	328° 49′ 23″	0.756	
	329° 49′ 18″	0.756	
	330° 48′ 36″	0.756	
	331° 48′ 51″	0.756	
	332° 48′ 16″	0.756	
	333° 48′ 28″	0.756	
	334° 47′ 53″	0.756	
	335° 47′ 42″	0.756	
	336° 47′ 11″	0.756	
	337° 47′ 20″	0.756	
	338° 46′ 33″	0.756	
	339° 46′ 52″	0.756	
	340° 46′ 17″	0.756	
	341° 45′ 59″	0.756	
	342° 45′ 33″	0.756	
	343° 45′ 24″	0.756	
	344° 45′ 27″	0.756	
	345° 45′ 08″	0.756	
	346° 44′ 43″	0.756	
	347° 44′ 18″	0.756	
	348° 44′ 21″	0.756	
	349° 43′ 57″	0.756	
	350° 43′ 38″	0.756	
	351° 43′ 23″	0.756	

	p.	210	1990 Ed.
--	----	-----	----------

210	1990 Ed.]	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		352° 43′ 05″	0.756
		353° 43′ 03″	0.756
		354° 42′ 32″	0.756
		355° 42′ 17″	0.756
		356° 42′ 03″	0.756
		357° 41′ 40″	0.756
		358° 41′ 46″	0.756
		359° 41′ 21″	0.756
		0° 40′ 56″	0.756
		1° 40′ 59″	0.756
		2° 40′ 11″	0.756
		3° 40′ 17″	0.756
		4° 40′ 02″	0.756
		5° 39′ 52″	0.756
		6° 39′ 24″	0.756
		7° 38′ 55″	0.756
		8° 39′ 08″	0.756
		9° 38′ 35″	0.756
		26° 08′ 56″	44.987
		20° 39′ 20″	10.835
		15° 16′ 14″	13.950
		19° 56′ 13″	19.346
		21° 06′ 39″	21.307
		110° 28′ 18″	0.963
		29° 44′ 28″	25.459
		308° 49′ 47″	1.722
		29° 44′ 29″	18.664
		29° 16′ 54″	4.952
		28° 44′ 01″	0.990

CAP. 256, O 2]	Order	[1990 Ed.	p. 211
	THE SCHEDULE — continued		
	28° 33′ 08″	0.990	
	28° 21′ 58″	0.990	
	28° 10′ 47″	0.990	
	28° 00′ 04″	0.990	
	27° 48′ 53″	0.990	
	27° 38′ 01″	0.990	
	27° 27′ 00″	0.990	
	27° 15′ 49″	0.990	
	27° 04′ 57″	0.990	
	26° 54′ 05″	0.990	
	26° 42′ 45″	0.990	
	26° 32′ 21″	0.990	
	26° 20′ 42″	0.990	
	26° 10′ 09″	0.990	
	25° 58′ 59″	0.990	
	25° 47′ 48″	0.990	
	25° 37′ 05″	0.990	
	25° 25′ 54″	0.990	
	25° 15′ 03″	0.990	
	25° 03′ 42″	0.990	
	24° 53′ 09″	0.990	
	24° 41′ 48″	0.990	
	24° 30′ 46″	0.990	
	24° 20′ 04″	0.990	
	24° 09′ 02″	0.990	
	23° 58′ 00″	0.990	
	23° 46′ 58″	0.990	
	23° 36′ 04″	0.990	
	23° 24′ 35″	0.990	

		Protected Places (Consolidation)	
<u>p. 212</u>	1990 Ed.]	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		23° 14′ 09″	0.990
		23° 02′ 59″	0.990
		22° 51′ 54″	0.990
		22° 40′ 53″	0.990
		22° 29′ 59″	0.990
		22° 19′ 05″	0.990
		22° 07′ 52″	0.990
		21° 56′ 59″	0.990
		21° 45′ 46″	0.990
		21° 34′ 52″	0.990
		21° 24′ 06″	0.990
		21° 12′ 53″	0.990
		21° 01′ 48″	0.990
		20° 51′ 02″	0.990
		20° 39′ 49″	0.990
		20° 29′ 11″	0.990
		20° 17′ 58″	0.990
		20° 06′ 52″	0.990
		19° 55′ 47″	0.990
		19° 45′ 08″	0.990
		19° 33′ 43″	0.990
		19° 22′ 57″	0.990
		19° 11′ 59″	0.990
		19° 01′ 00″	0.990
		18° 49′ 55″	0.990
		18° 38′ 56″	0.990
		18° 27′ 58″	0.990
		18° 09′ 43″	1.982

17° 55′ 53″

0.989

12° 38′ 56″

12° 35′ 51″

12° 32′ 22″

12° 28′ 59″

12° 25′ 54″

12° 22′ 01″

12° 18′ 56″

12° 15′ 33″

12° 12′ 04″

0.813

0.813

0.813

0.813

0.813

0.813

0.813

0.813

0.813

p. 214	1990 Ed.	Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		12° 08′ 35″	0.813
		12° 05′ 11″	0.813
		12° 02′ 07″	0.813
		11° 58′ 38″	0.813
		11° 54′ 44″	0.813
		11° 51′ 45″	0.813
		11° 48′ 46″	0.813
		11° 44′ 47″	0.813
		11° 41′ 23″	0.813
		11° 38′ 24″	0.813
		11° 34′ 56″	0.813
		11° 31′ 02″	0.813
		11° 27′ 58″	0.813
		11° 24′ 59″	0.813
		11° 21′ 10″	0.813
		11° 17′ 41″	0.813
		11° 14′ 37″	0.813
		11° 11′ 13″	0.813
		11° 07′ 19″	0.813
		11° 04′ 15″	0.813
		11° 00′ 51″	0.813
		10° 57′ 52″	0.813
		10° 53′ 59″	0.813
		10° 51′ 00″	0.813
		10° 47′ 06″	0.813
		10° 44′ 02″	0.813
		10° 40′ 38″	0.813
		10° 37′ 14″	0.813
		10° 33′ 45″	0.813

CAP. 256, O 2]	Order	[1990 Ed.	p. 215
	THE SCHEDULE — continued		
	10° 30′ 16″	0.813	
	10° 22′ 22″	0.400	
	10° 10′ 05″	0.400	
	9° 57′ 57″	0.400	
	9° 45′ 40″	0.400	
	9° 32′ 41″	0.400	
	9° 20′ 24″	0.401	
	9° 08′ 16″	0.400	
	8° 55′ 17″	0.400	
	8° 43′ 51″	0.401	
	8° 30′ 52″	0.401	
	8° 18′ 00″	0.400	
	8° 06′ 36″	0.401	
	7° 53′ 36″	0.400	
	7° 40′ 37″	0.400	
	7° 29′ 26″	0.400	
	7° 16′ 20″	0.401	
	7° 04′ 18″	0.400	
	6° 51′ 19″	0.400	
	6° 39′ 11″	0.400	
	6° 27′ 03″	0.401	
	6° 14′ 09″	0.400	
	6° 02′ 07″	0.400	
	5° 49′ 59″	0.400	
	5° 37′ 00″	0.401	
	5° 24′ 57″	0.400	
	5° 12′ 55″	0.400	
	4° 59′ 56″	0.401	
	4° 47′ 06″	0.400	

p. 210 1770 Eu.	p.	216	1990 Ed.
-----------------	----	-----	----------

Order	[CAP. 256, O 2
THE SCHEDULE — continued	<u> </u>
4° 35′ 50″	0.400
4° 22′ 05″	0.400
4° 10′ 49″	0.401
3° 57′ 59″	0.400
3° 45′ 56″	0.400
3° 33′ 02″	0.400
3° 20′ 59″	0.400
3° 08′ 05″	0.400
2° 56′ 04″	0.400
2° 43′ 10″	0.400
2° 31′ 59″	0.400
2° 18′ 14″	0.401
2° 06′ 13″	0.400
1° 54′ 11″	0.401
1° 41′ 18″	0.400
1° 29′ 18″	0.400
1° 17′ 16″	0.401
1° 04′ 23″	0.400
0° 51′ 31″	0.400
0° 39′ 29″	0.401
0° 27′ 28″	0.400
0° 14′ 36″	0.401
0° 02′ 35″	0.401
359° 49′ 42″	0.401
359° 37′ 41″	0.400
359° 19′ 13″	0.801
358° 59′ 55″	0.401
358° 47′ 52″	0.400
358° 35′ 53″	0.401

353° 00′ 04″

352° 48′ 46″

352° 42′ 03″

0.400

0.400

31.137

[Cap. 256, O 2

p. 218 1990 Ed.

THE SCHEDULE — continued	
350° 23′ 17″	9.368
359° 05′ 00″	27.091
355° 51′ 00″	30.500
350° 34′ 00″	4.400
353° 12′ 00″	21.200
351° 25′ 00″	17.500
345° 29′ 00″	24.400
342° 15′ 00″	59.200
341° 11′ 19″	58.398
341° 32′ 51″	36.895 (along a fence)
337° 14′ 59″	14.762 (along a fence)
342° 27′ 11″	54.098 (along a fence)
344° 40′ 58″	19.699 (along a fence)
346° 38′ 46″	12.275 (along a fence)
349° 14′ 45″	2.468 (along a fence)
350° 49′ 19″	14.760 (along a fence)
350° 31′ 49″	16.878 (along a fence)
352° 02′ 29″	6.274 (along a gate)
352° 33′ 38″	5.021 (along a fence)
268° 06′ 40″	36.619 (across a road)
293° 29′ 43″	22.275
73° 56′ 58″	0.162
293° 21′ 23″	253.624
203° 14′ 18″	67.524

ZAI • 250, O 2]	Oraci	[1770 Ed. p. 217
	THE SCHEDULE — continued	
	203° 14′ 18″	72.023
	288° 19′ 34″	14.482
	287° 51′ 38″	31.000 (along a fence)
	288° 22′ 21″	87.291 (along a fence)
	289° 50′ 26″	25.084 (along a fence)
	292° 53′ 14″	24.960 (along a fence)
	339° 59′ 47″	33.901 (along a fence)
	340° 13′ 35″	29.967 (along a fence)
	342° 02′ 30″	44.766 (along a fence)
	22° 47′ 53″	37.482 (along a fence)
	23° 14′ 37″	20.723 (along a fence)
	22° 31′ 48″	65.410 (along a fence)
	23° 37′ 50″	41.405 (along a fence)
	23° 12′ 21″	54.027 (along a fence)
	23° 04′ 56″	47.250 (along a fence)
	23° 19′ 49″	25.272 (along a fence)
	23° 58′ 58″	29.830 (along a fence)
	22° 57′ 51″	30.144 (along a fence)

THE SCHEDULE — continued	
23° 21′ 08″	30.146 (along a fence)
23° 11′ 23″	23.916 (along a fence)
22° 42′ 02″	31.135 (along a fence)
23° 19′ 14″	33.332 (along a fence)
23° 26′ 12″	21.889 (along a fence)
23° 15′ 55″	35.648 (along a fence)
23° 27′ 10″	26.135 (along a fence)
23° 02′ 33″	32.528 (along a fence)
23° 06′ 20″	44.420 (along a fence)
113° 10′ 40″	35.786 (along a fence)
113° 05′ 42″	20.855 (along a fence)
112° 57′ 15″	30.801 (along a fence)
113° 06′ 33″	30.733 (along a fence)
113° 26′ 26″	36.251 (along a fence)
62° 10′ 26″	30.644 (along a fence)
22° 47′ 18″	27.033 (along a fence)
22° 39′ 57″	29.932 (along a fence)

THE SCHEDULE — continued	,
23° 34′ 32″	30.597 (along a fence)
23° 05′ 28″	44.295 (along a fence)
22° 51′ 48″	37.725 (along a fence)
23° 10′ 51″	39.659 (along a fence)
22° 37′ 40″	36.296 (along a fence)
23° 10′ 12″	16.789 (along a fence)
28° 28′ 10″	30.272 (along a fence)
46° 33′ 02″	30.712 (along a fence)
66° 02′ 28″	30.678 (along a fence)
82° 39′ 44″	30.784 (along a fence)
103° 18′ 21″	30.404 (along a fence)
112° 06′ 42″	36.428 (along a fence)
85° 20′ 36″	15.143 (along a fence)
89° 09′ 54″	6.387 (along a fence)
111° 54′ 10″	22.156 (along a fence)
74° 09′ 04″	9.164 (along a fence)
77° 01′ 19″	1.066 (along a fence)
74° 15′ 33″	41.553 (along a fence)

	256	\cap	2
CAP.	450 ,	U	

THE SCHEDULE — continued	
74° 16′ 07″	60.392 (along a fence)
74° 15′ 43″	33.687 (along a fence)
112° 23′ 24″	0.377 (along a fence)
74° 18′ 12″	30.276 (along a fence)
74° 31 ′11″	24.721 (along a fence)
74° 27 '57"	37.973 (along a fence)
73° 37′ 43″	2.978 (along a fence)
74° 01′ 30″	16.184 (along a fence)
31° 43′ 50″	36.802 (along a fence)
31° 33′ 36″	47.861 (along a fence)
44° 14′ 40″	29.624
31° 31′ 16″	44.500 (along a fence)
44° 20′ 51″	1.929 (along a fence)
31° 21′ 13″	52.285 (along a fence)
31° 21′ 56″	41.486 (along a fence)
31° 21′ 26″	49.148 (along a fence)
31° 25′ 34″	47.176 (along a fence)
31° 11′ 10″	47.136 (along a fence)
16° 49′ 31″	1.385 (along a fence)

THE SCHEDULE — continued	
23° 41′ 52″	1.404 (along a fence)
31° 36′ 31″	6.275 (along a gate)
39° 31′ 47″	1.286 (along a fence)
42° 46′ 04″	1.799 (along a fence)
31° 25′ 45″	53.510 (along a fence)
31° 21′ 06″	63.885 (along a fence)
31° 17′ 29″	32.871 (along a fence)
31° 23′ 55″	44.659 (along a fence)
31° 23′ 20″	40.775
31° 15′ 14″	45.942 (along a fence)
22° 46′ 42″	26.288 (along a fence)
114° 39′ 49″	3.954 (along a fence)
31° 11′ 36″	22.368 (along a fence)
31° 15′ 59″	36.373 (along a fence)
30° 48′ 20″	22.402 (along a fence)
33° 58′ 17″	4.314 (along a fence)
68° 32′ 22″	2.932 (along a fence)
73° 47′ 00″	26.114 (along a fence)
73° 35′ 16″	8.734 (along a fence)
71° 06′ 43″	18.025 (along a fence)
69° 34′ 58″	26.762 (along a fence)

THE	SCHEDUI	E	continued
THE	SCHEDLI	.H —	CONTINUE

6.050 (along a fence)
9.114 (along a fence)
8.871 (along a fence)
3.264 (along a fence)
8.738 (along a fence)
12.005 (along a fence)
29.693 (along a fence)
33.100 (along a fence)
24.013 (along a fence)
11.889 (along a fence)
20.809 (along a fence)
21.006 (along a fence)
12.593 (along a fence)
2.158 (along a fence)
31.823
24.146 (along a fence)
18.715 (across a road)
38.655 (along a fence)
19.439 (along a fence)
14.656 (along a fence)

<u> </u>	L P
THE SCHEDULE — continued	
21° 23′ 51″	27.594 (along a fence)
28° 30′ 22″	15.531 (along a fence)
26° 04′ 46″	12.647 (along a fence)
23° 42′ 47″	12.546 (along a fence)
21° 20′ 02″	20.005 (along a fence)
21° 02′ 09″	12.547 (along a fence)
20° 54′ 04″	12.592 (along a fence)
20° 42′ 01″	40.037 (along a fence)
20° 40′ 18″	35.786 (along a fence)
20° 59′ 09″	37.603 (along a fence)
21° 33′ 16″	25.065 (along a fence)
24° 25′ 13″	22.501 (along a fence)
21° 28′ 57″	14.828 (along a fence)
13° 43′ 34″	24.104 (along a fence)
14° 26′ 49″	2.513 (along a fence)
0° 31′ ′37″	5.620 (along a fence)
16° 04′ 19″	12.032 (along a fence)
20° 35′ 10″	34.677 (along a fence)

1 roiecieu 1 iuce	s (Consonaunon	•)
Oi	rder	[CAP. 256, O
THE SCHEDU	LE — continued	
	20° 33′ 46″	37.542 (along a fence)
	20° 38′ 22″	35.098 (along a fence)
	20° 36′ 47″	30.001 (along a fence)
	20° 43′ 00″	40.170 (along a fence)
	20° 57′ 49″	45.219 (along a fence)
	22° 06′ 53″	22.453 (along a fence)
	23° 33′ 44″	12.375 (along a fence)
	24° 21′ 01″	14.884 (along a fence)
	29° 30′ 13″	12.536 (along a fence)
	30° 03′ 27″	10.105 (along a fence)
	14° 25′ 38″	13.911 (along a fence)
	17° 48′ 52″	2.623 (along a fence)
	25° 32′ 55″	26.895 (along a fence)
	26° 25′ 11″	16.666 (along a fence)
	30° 59′ 17″	2.138 (along a fence)
	33° 34′ 29″	21.974 (along a fence)
	33° 47′ 25″	17.200 (along a fence)

26° 02′ 36″

12.589 (along a fence)

	L P
THE SCHEDULE — continued	
19° 45′ 00″	14.869 (along a fence)
19° 33′ 12″	9.967 (along a fence)
19° 38′ 10″	12.532 (along a fence)
24° 09′ 38″	12.314 (along a fence)
26° 21′ 29″	62.793 (along a fence)
26° 19′ 43″	24.895 (along a fence)
26° 08′ 11″	29.800 (along a fence)
26° 04′ 51″	20.018 (along a fence)
26° 56′ 35″	12.616 (along a fence)
29° 18′ 44″	25.047 (along a fence)
28° 45′ 35″	12.466 (along a fence)
26° 17′ 17″	19.977 (along a fence)
24° 54′ 18″	15.045 (along a fence)
24° 59′ 18″	30.015 (along a fence)
27° 01′ 09″	2.532 (along a fence)
30° 45′ 53″	24.974 (along a fence)
34° 42′ 00″	24.933 (along a fence)
42° 20′ 46″	2.469 (along a fence)
220 244 6 = "	

33° 34′ 05″

5.994 (along a fence)

l.]	Order	[Cap. 256, O 2
	THE SCHEDULE — continued	
	20° 01′ 09″	29.857 (along a fence)
	17° 59′ 38″	29.815 (along a fence)
	17° 46′ 40″	41.580 (along a fence)
	17° 42′ 19″	38.681 (along a fence)
	15° 19′ 01″	6.436 (along a gate)
	22° 56′ 52″	7.015 (along a fence)
	16° 30′ 18″	1.891 (along a fence)
	21° 28′ 06″	62.745 (along a fence)
	21° 37′ 21″	26.997 (along a fence)
	22° 18′ 05″	30.032 (along a fence)
	23° 21′ 48″	50.205 (along a fence)
	23° 21′ 54″	31.780 (along a fence)
	23° 31′ 08″	45.770 (along a fence)
	23° 14′ 47″	18.464 (along a fence)
	25° 53′ 13″	40.137 (along a fence)
	29° 55′ 53″	12.005 (along a fence)
	35° 46′ 32″	14.294 (along a fence)

40° 21′ 54″ 19.742 (along a

fence)

CAP . 256 , O 2]	Order	[1990 Ed.	p. 229
	THE SCHEDULE — continued		
	48° 24′ 44″	15.165 (alor fence)	ng a
	48° 21′ 57″	2.865 (along a	fence)
	52° 00′ 35″	21.143 (alor fence)	ng a
	51° 32′ 12″	3.024 (along a	fence)
	54° 10′ 01″	12.109 (alor fence)	ng a
	55° 28′ 46″	6.045 (along a	fence)
	55° 46′ 42″	20.905 (alor fence)	ng a
	61° 09′ 07″	26.469 (alor fence)	ng a
	61° 05′ 52″	26.484 (alor fence)	ng a
	61° 04′ 54″	29.734 (alor fence)	ng a
	62° 31′ 25″	19.529 (alor fence)	ng a
	62° 37′ 28″	40.863 (alor fence)	ng a
	65° 41′ 10″	26.901 (alor fence)	ng a
	66° 52′ 12″	6.183 (along a	fence)
	68° 38′ 20″	24.407 (alor fence)	ng a
	71° 03′ 45″	16.424 (alor fence)	ng a
	70° 38′ 10″	18.591 (alor fence)	ng a
	76° 06′ 09″	9.684 (along a	fence)

78° 13′ 00″

81° 46′ 07″

2.998 (along a fence)

3.037 (along a fence)

THE SCHEDULE — continued	
90° 55′ 39″	15.256 (along a fence)
99° 20′ 45″	15.310 (along a fence)
102° 47′ 11″	10.494 (along a fence)
105° 34′ 18″	4.694 (along a fence)
103° 45′ 21″	8.539 (along a fence)
108° 48′ 46″	6.665 (along a fence)
111° 17′ 03″	9.195 (along a fence)
110° 47′ 22″	9.256 (along a fence)
115° 15′ 50″	34.191 (along a fence)
116° 22′ 30″	21.595 (along a fence)
116° 10′ 55″	9.234 (along a fence)
124° 30′ 02″	15.462 (along a fence)
124° 44′ 54″	15.346 (along a fence)
133° 15′ 56″	18.086 (along a fence)
127° 19′ 35″	0.052 (along a fence)
141° 57′ 02″	15.197 (along a fence)
147° 18′ 45″	29.719 (along a fence)
152° 16′ 42″	32.557 (along a fence)
117° 25′ 57″	4.362 (along a fence)
119° 16′ 18″	7.899 (along a fence)
118° 31′ 15″	18.249 (along a fence)

THE SCHEDULE — continued	
174° 21′ 02″	12.319 (along a fence)
165° 01′ 56″	14.287 (along a fence)
169° 36′ 46″	2.760 (along a fence)
171° 31′ 07″	19.136 (along a fence)
172° 22′ 48″	13.490 (along a fence)
173° 54′ 43″	25.142 (along a fence)
174° 24′ 30″	3.558 (along a fence)
176° 28′ 58″	40.447 (along a fence)
176° 14′ 14″	29.525 (along a fence)
177° 18′ 13″	51.361 (across a road)
183° 11′ 51″	24.050 (along a fence)
183° 10′ 40″	23.985 (along a fence)
182° 02′ 06″	11.765 (along a fence)
181° 16′ 22″	7.564 (along a fence)
184° 28′ 21″	16.653 (along a fence)
173° 44′ 35″	12.947 (along a fence)
174° 24′ 43″	6.593 (along a fence)
174° 05′ 19″	1.025 (along a fence)
173° 29′ 37″	20.530 (along a fence)

THE SCHEDULE — continued	
173° 29′ 21″	39.858 (along a fence)
173° 42′ 34″	28.477 (along a fence)
173° 17′ 00″	32.304 (along a fence)
170° 36′ 55″	33.740 (along a fence)
170° 07′ 58″	24.949 (along a fence)
168° 15′ 56″	16.764 (along a fence)
167° 54′ 39″	13.183 (along a fence)
165° 34′ 08″	30.647 (along a fence)
162° 54′ 22″	30.726 (along a fence)
167° 30′ 58″	26.970 (along a fence)
167° 32′ 22″	30.055 (along a fence)
131° 08′ 15″	26.867 (along a fence)
133° 20′ 12″	9.015 (along a fence)
134° 04′ 44″	20.774 (along a fence)
134° 41′ 31″	36.747 (along a fence)
140° 38′ 35″	22.819 (along a fence)
140° 28′ 16″	18.329 (along a fence)

THE SCHEDULE — continued	l
147° 01′ 49″	16.443 (along a fence)
142° 14′ 19″	11.882 (along a fence)
127° 51′ 06″	35.719 (along a fence)
157° 15′ 15″	5.778 (along a fence)
127° 14′ 01″	8.026 (along a fence)
140° 35′ 08″	23.760 (along a fence)
135° 54′ 27″	41.443 (along a fence)
135° 57′ 03″	41.170 (along a fence)
135° 53′ 10″	43.746 (along a fence)
135° 53′ 04″	48.573 (along a fence)
135° 55′ 13″	46.170 (along a fence)
135° 59′ 01″	43.899 (along a fence)
135° 59′ 44″	46.054 (along a fence)
136° 01′ 58″	46.131 (along a fence)
135° 56′ 43″	36.167 (along a fence)
136° 19′ 30″	1.055 (along a fence)
136° 08′ 05″	8.925 (along a fence)
135° 26′ 30″	17.693 (across a road)
135° 41′ 26″	28.044 (along a fence)

135° 46′ 13″	31.046 (along a fence)
135° 46′ 28″	55.227 (along a fence)

to the point of commencement.

Excluding all that area contained in Parcels A, B, C and D as described below:

(1) PARCEL A

All that area comprised in Lot 7415T in Mukim No. 22 containing an area of about 7,175 square metres and bounded approximately as follows:

Commencing at a point which is 36,741.232 metres North and 34,935.746 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
203° 16′ 20″	106.769
293° 20′ 45″	70.443
23° 13′ 43″	72.766
113° 08′ 40″	10.189
23° 18′ 00″	33.849
113° 14′ 15″	60.296

to the point of commencement.

(2) PARCEL B

All that area comprised in Lots 4439K and 4440T in Mukim No. 22 containing an area of about 24,485 square metres and bounded approximately as follows:

Commencing at a point which is 36,937.171 metres North and 35,191.502 metres East of

the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
203° 17′ 40″	160.670
293° 07′ 20″	36.196
293° 07′ 20″	116.204
23° 17′ 40″	160.670
113° 07′ 00″	115.759
113° 07′ 00″	36.627

to the point of commencement.

(3) PARCEL C

All that area comprised in Lot 3428M in Mukim No. 22 containing an area of about 18,697 square metres and bounded approximately as follows:

Commencing at a point which is 37,476.634 metres North and 35,320.895 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
203° 26′ 50″	93.468
112° 37′ 00″	5.308
203° 00′ 10″	59.600
292° 55′ 20″	21.150
203° 06′ 00″	58.396
165° 37′ 00″	3.716
112° 57′ 20″	23.214

THE SCHEDULE — continued	
203° 10′ 00″	63.668
162° 19′ 10″	26.300
293° 11′ 30″	88.534
23° 09′ 30″	297.832
113° 07′ 00″	61.966

(4) PARCEL D


All that area comprised in part of Lot 4392W in Mukim No. 23 containing an area of about 160 square metres and bounded approximately as follows:

Commencing at a point which is 36,361.438 metres North and 35,352.770 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
280° 03′ 13″	12.718 (along a fence)
11° 03′ 53″	16.098 (along a fence)
99° 16′ 17″	8.087 (along a fence)
181° 41′ 10″	11.153 (along a fence)
108° 22′ 31″	1.816 (along a fence)
212° 38′ 04″	0.584 (along a fence)
180° 34′ 55″	3.988 (along a gate)
141° 17′ 44″	0.659 (along a fence)

to the point of commencement.

The boundaries are more particularly delineated on the Survey Print No. Q3010GB filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore.



[S 598/2003 wef 18/12/2003]

(89) S 20/89
[13.1.89]
Director,
Electricity
Department,
Public Utilities Board.

PANDAN TERMINAL BUILDING.

All that area comprised in Telecommunication part of Lot 4959 Mukim No. 5 (PANDAN) occupied by "PANDAN TERMINAL BUILDING" containing an area of about 9382 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "PANDAN TERMINAL BUILDING" which point is 31,314.6 metres North and 18,270.6 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distanc	e in metres
105° 01′	26.6	(partly along a gate)
195° 06′	203.7	
285° 04′	70.1	(partly along a gate)
15° 05′	91.2	
104° 53′	43.7	
15° 01′	112.4	

to the point of commencement.

The boundaries of "PANDAN TERMINAL BUILDING" are more particularly delineated and edged pink on Survey Plan No. 30008 filed in the office of the Chief Surveyor, Singapore.

(90) [Revoked by S 525/91 wef 29/11/91]

(91) Director Military Security, Ministry of Defence MANDAI CAMP II.

All that area comprised in part of State Land Lot 312 Mukim No. 14 (MANDAI), occupied by "MANDAI CAMP II" containing an area of about 94,146 square metres and bounded approximately as follows:

Commencing at a northernmost corner of a fence of the aforesaid "MANDAI CAMP II" which point is 13,543.5 metres North and 8,426.5 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
121° 10′	5.4
168° 52′	83.7
180° 59′	6.1
174° 26′	30.4

Order	[1990 Ed.	p. 239
THE SCHEDULE — continued		
178° 24′	15.2	
181° 52′	84.4	
138° 04′	6.7	
180° 17′	57.8	
192° 26′	55.8	
220° 39′	52.8	
259° 30′	131.6	
177° 57′	12.8	
257° 02′	34.4	
354° 08′	51.9	
345° 15′	314.4	
14° 08′	28.0	
80° 30′	15.4	

thence along a line on a bearing of 45° 21' for a distance of 11.5 metres to meet a point on the corner of a pillar, thence generally along the outer face of the pillars and across gates on a bearing of 90° 17′ for a distance of 9.5 metres to meet a corner of a pillar, thence along successive lines of fence of bearings and distances approximately as under:

Dogwin o	Diatamaa in matuaa
Bearing	Distance in metres
308° 50′	0.5
00° 24′	4.0
132° 47′	6.9
78° 43′	52.8
81° 34′	26.9
83° 19′	9.0
87° 16′	14.9
87° 44′	26.9

thence along a line on a bearing of 32° 53' for a distance of 14.0 metres to meet a point on the

corner of a pillar, thence generally along the outer face of the pillars and across gates on a bearing of 90° 13′ for a distance of 9.7 metres to meet a corner of a pillar, thence eastward along a line on a bearing of 118° 27′ for a distance of 12.1 metres to a point where it meets a fence, thence along the fence on a bearing of 84° 30′ for a distance of 67.5 metres to the point of commencement.

The boundaries of "MANDAI CAMP II" are more particularly delineated and edged pink on Survey Print 10010 filed in the office of the Chief Surveyor, Singapore.

[S 292/2017 wef 09/06/2017]
[S 378/2000 wef 23/08/2000]

(92) S 47/89 [3.2.89] Chief Executive, Telecommunication Authority of Singapore.

BUKIT TIMAH SATELLITE EARTH STATION.

All that area comprised in part of State Land Lot 1416 Mukim No. 16 (BUKIT TIMAH), occupied by "BUKIT TIMAH SATELLITE EARTH STATION", containing an area of about 41,962 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the perimeter fence of the aforesaid "BUKIT TIMAH SATELLITE EARTH STATION" which point is 37,271.8 metres North and 23,321.9 metres East of the Survey Department origin of coordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
171° 42′	72.1 (partly along a wall)
171° 53′	62.0
171° 24′	75.1
171° 42′	58.3
184° 36′	59.6

Order		[1990 Ed.	p. 241
THE SCHEDULE —	continued		

IE SCHED	ULE — continued		
	184° 21′	33.0	
	317° 20′	53.6	
	324° 15′	98.3	
	322° 53′	130.2	
	322° 27′	138.7	
	96° 48′	81.6	
	75° 59′	128.6	
	80° 52′	7.8	(along a gate)
	84° 07′	11.9	(along a wall)

The boundaries of "BUKIT TIMAH SATELLITE EARTH STATION" are more particularly delineated and edged pink on Survey Plan No. 20003 filed in the office of the Chief Surveyor, Singapore.

(93) Assistant Director (Shared Services Centre), Defence Science and Technology Agency

DSO Science Park.

All that area comprised in part of Land Lot 2157T in Mukim No. 3 occupied by "DSO SCIENCE PARK" containing an area of about 19,936 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "DSO SCIENCE PARK" which point is 30,285.040 metres North and 23,064.842 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of coordinates approximately as follows:


Northing	Easting
30,285.040	23,064.842
30,277.589	23,077.395
30,273.920	23,083.552
30,271.399	23,087.673
30,251.224	23,075.093

p. 242	1990 Ed.
--------	----------

Order	[CAP. 256, O 2
THE SCHEDULE — continued	
30,243.303	23,087.795
30,263.240	23,100.457
30,257.395	23,108.567
30,251.014	23,116.269
30,244.038	23,123.437
30,237.090	23,129.402
30,229.643	23,134.745
30,221.746	23,139.369
30,213.455	23,143.269
30,204.854	23,146.407
30,195.996	23,148.762
30,186.139	23,150.454
30,176.177	23,151.323
30,166.186	23,151.559
30,156.187	23,151.329
30,146.205	23,150.802
30,139.055	23,150.341
30,106.281	23,148.176
30,091.823	23,147.559
30,077.361	23,147.605
30,062.928	23,148.314
30,048.518	23,149.687
30,034.262	23,152.038
30,117.058	23,072.006
30,167.968	22,995.627

The boundaries of "DSO SCIENCE PARK" are more particularly delineated in the Survey Plan No. D8825/GAZ filed in the office of the Director, Protective Infrastructure and Estate Programme

Centre, Defence Science and Technology Agency, Singapore.



[S 130/2008 wef 19/03/2008]

(94) S 298/89 [7.7.89] Chief Executive, Telecommunication Authority of Singapore.

TAMPINES TELEPHONE EXCHANGE.

All that area comprised in part of Lot 2018 Mukim No. 28 (ULU BEDOK) occupied by "TAMPINES TELEPHONE EXCHANGE" containing an area of about 7,607 square metres and bounded approximately as follows:

Commencing at the northernmost corner of a fence of the aforesaid "TAMPINES TELEPHONE EXCHANGE" which point is 6,666.8 metres North and 10,204.4 metres East of

the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Currings und unsturn	ous distanti
Bearing	Distance in metres
152° 04′	102.8
186° 04′	9.4
230° 46′	4.9
231° 37′	2.3
234° 45′	3.1
236° 05′	3.0
239° 37′	3.0
242° 50′	3.0
246° 40′	3.0
250° 41′	3.0
253° 18′	2.9
255° 00′	3.0
260° 24′	2.9
264° 45′	3.0
266° 11′	3.0
270° 13′	3.0
273° 11′	3.1
276° 23′	2.9
278° 53′	3.0
282° 16′	3.0
284° 55′	2.9
288° 28′	3.1
292° 03′	2.9
295° 35′	3.1
298° 22′	3.0

THE SCHEDULE — continued				
301° 42′	2.9			
308° 35′	9.6			
318° 14′	8.6			
323° 22′	11.6			
338° 00′	12.2			
330° 51′	34.3			
62° 53′	3.9			
78° 37′	1.6			
125° 00′	1.7			
151° 38′	13.2			
62° 22′	3.1			
332° 01′	15.7	(along outer face of walls)		
332° 43′	9.7	(along a gate and fence)		
62° 03′	65.4			

The boundaries of "TAMPINES TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30011 filed in the office of the Chief Surveyor, Singapore.

(95) [Deleted by S 215/2006 wef 03/04/2006]

(96) [Deleted by S 125/2013 wef 04/03/2013]

(97) S 364/89
[25.8.89]
Singapore Petroleum
Co. Pte. Ltd.,
Singapore.

JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD.

All that area comprised in Lot 1832 Mk. 6 (Jalan Buroh), occupied by "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." containing an area of 32,813.07 square metres and bounded approximately as follows:

Commencing at the northern most corner of the perimeter fence of the aforesaid "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." which point is 129.6 metres south of the point N 1461.468, E 1074.595 along the line bearing 175° 53′ 30", the boundary runs along a line of fence bearing 175° 53′ 30" for a distance of approximately 114.2 metres (across gates) and thence along successive lines of fence of bearings approximately as under:

Bearing	Distance in metres	
265° 56′ 30"	12.5	
175° 53′ 30"	17.9	

to a point on the outer wall of the office building and hence along successive lines of wall, main gate and fence, generally of bearing and distance:

Bearing	Distance in metres	
175° 53′ 30"	33.5	

to a point where it meets a fence and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
85° 49′	12.6
175° 53′ 30"	125.0 (partly across a gate)
86° 08′ 42"	47.0
43° 05′ 29"	54.2 (partly across a gate)
266° 08′ 00"	20.6
356° 12′ 50"	198.1
351° 52′ 50"	128.1
265° 56′ 30"	115.3

to the point of commencement.

The boundaries of "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." are more particularly delineated and edged pink on Survey Plan Drawing No. TTK 325/88-1487 filed in the office of the Chief Surveyor, Singapore.

- (98) [Deleted by S 321/2004 wef 07/06/2004]
- (99) [Deleted by S 410/2015 wef 01/07/2015]
- (100) [Deleted by S 101/99 wef 9/3/1999]
- (101) S 496/89
 [22.12.89]
 Commanding
 Officer,
 New Zealand
 Defence Support
 Unit
 (South East Asia).

All that area comprised in part of State Land lot 1300 Mukim No. 13 (SEMBAWANG) occupied by "NEW ZEALAND DEFENCE SUPPORT UNIT (SOUTH EAST ASIA)" containing an area of about 4,953 square metres and bounded approximately as follows:

Commencing at the northernmost point of the aforesaid "NEW ZEALAND DEFENCE SUPPORT UNIT (SOUTH EAST ASIA)" which point is 49,475.8 metres North and 27,842.4 metres East of the Survey Department origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along a line on a bearing of 119° 43′ for a distance of 16.2 metres to meet a fence and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
29° 43′	0.6
119° 43′	2.5
209° 43′	0.6

thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
119° 43′	46.0
209° 42′	76.6
299° 43′	64.6

THE SCHEDULE — continued	
29° 43′	54.0
299° 43′	0.3
29° 43′	0.5
119° 43′	0.3
29° 43′	22.1

The boundaries of "NEW ZEALAND DEFENCE SUPPORT UNIT (SOUTH EAST ASIA)" are more particularly delineated and edged pink on Survey Plan No. S.P. 20012 filed in the office of the Chief Surveyor, Singapore.

CENTRAL CATCHMENT AMMO DEPOT.

All that area comprised in part of Lot 66 Mukim No. 16 (ULU KALANG) and part of Lot 155 Mukim No. 15 (BUKIT TIMAH) occupied by "CENTRAL CATCHMENT AMMO DEPOT" containing an area of about 40,518.9 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "CENTRAL CATCHMENT AMMO DEPOT" which point is 9,016.6 metres North and 6,559.3 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
97° 00′	14.9
110° 52′	14.8
121° 09′	14.9
132° 22′	14.9
143° 43′	14.9
155° 25′	14.9
163° 32′	9.0
170° 13′	110.7

(102) S 47/90
[2.2.90]
Commanding
Officer,
Singapore Airmed
Forces,
Ammunition Base,
Singapore.

THE SCHEDULE — contin	
THE SCHEDULE — comm	ued
178° 15′	14.9
192° 30′	14.9
194° 02′	17.9
186° 07′	8.9
182° 24′	12.0
176° 17′	12.0
170° 30′	8.9
165° 25′	11.9
158° 49′	11.9
153° 32′	20.9
128° 08′	5.8
97° 00′	5.8
66° 33′	6.0
57° 46′	8.9
38° 59′	8.9
24° 02′	92.7
18° 19′	12.0
9° 06′	12.0
1° 19′	21.0
9° 54′	14.9
20° 45′	14.9
27° 15′	75.2
41° 45′	14.9
60° 44′	14.9
76° 59′	14.9
88° 33′	15.1
98° 40′	15.0
107° 25′	15.1
117° 40′	14.9

p. 250	1990 Ed.]	Order	[Cap. 256, O 2

p. 230	1990 Eu.]	Oruer	[CAF. 230, O
		THE SCHEDULE — con	ntinued
		127° 45′	14.9
		134° 45′	74.9
		151° 57′	14.4
		172° 32′	14.8
		196° 33′	17.9
		223° 32′	29.9
		237° 21′	29.9
		246° 28′	48.0
		241° 54′	6.1
		229° 49′	5.9
		220° 55′	6.0
		207° 52′	9.0
		191° 56′	5.9
		179° 01′	9.0
		164° 55′	6.0
		154° 50′	6.0
		143° 38′	6.0
		134° 11′	5.9
		128° 07′	86.6
		128° 16′	125.8
		123° 29′	6.0
		115° 16′	6.0
		100° 09′	5.9
		90° 53′	5.9
		79° 32′	6.0
		63° 26′	5.9
		55° 26′	6.1
		42° 16′	6.0
		28° 57′	5.9

CAP.	256	\cap	21
CAP.	430 ,	\mathbf{O}	

	Trotected Traces (Con	sonaunon)		
Cap. 256, O 2]	Order		[1990 Ed.	p. 251
	THE SCHEDULE —	continued		
	18° 46′		6.0	
	4° 54′		6.0	
	354° 12′		6.0	
	339° 16′		9.0	
	328° 12′		9.0	
	335° 01′		15.5	
	345° 46′		15.2	
	355° 57′		15.0	
	5° 40′		15.0	
	16° 00′		15.0	
	26° 53′		15.0	
	36° 11′		15.0	
	46° 16′		15.1	
	56° 17′		15.0	
	67° 00′		15.1	
	76° 45′		14.9	
	86° 23′		15.0	
	91° 47′		30.3	
	86° 56′		8.7	
	81° 22′		9.0	
	74° 27′		8.6	
	68° 28′		9.0	
	62° 53′		9.0	
	54° 58′		9.0	
	52° 10′		36.1	
	58° 08′		16.3	
	348° 38′		18.4	
	79° 25′		23.4	
	170° 55′		16.6	

[Cap. 256, O 2

p. 252	1990 Ed.
D. 232	1990 Ea.

THE SCHEDULE — continue	ed
88° 21′	11.9
96° 45′	9.1
106° 31′	15.0
118° 39′	14.9
130° 18′	15.2
142° 58′	14.9
154° 57′	15.0
167° 21′	15.1
178° 43′	15.0
191° 29′	15.0
202° 35′	108.0
205° 56′	12.0
210° 48′	15.0
217° 02′	15.0
221° 07′	120.0
227° 34′	15.0
233° 17′	15.0
239° 59′	15.1
246° 26′	15.0
252° 32′	12.0
254° 57′	69.1
258° 53′	12.0
263° 35′	15.0
269° 15′	14.9
274° 32′	15.0
280° 14′	15.0
286° 10′	15.0
293° 43′	15.0
302° 34′	15.0

CAD	256 ,	\cap	21
CAP.	∠ 50.	v	<i>–</i> ∠ I

Cap 256 () 21	Order	isoitaation)	[1000 E4	n 253
CAP. 256, O 2]		1	[1990 Ed.	p. 253
	THE SCHEDULE —	continued		
	311° 03′		15.0	
	318° 38′		12.0	
	324° 25′		9.0	
	325° 58′		119.9	
	317° 10′		6.0	
	272° 19′		5.9	
	240° 30′		5.9	
	220° 36′		6.0	
	216° 05′		9.0	
	207° 38′		5.9	
	192° 06′		5.9	
	172° 13′		5.9	
	158° 37′		5.9	
	154° 40′		11.9	
	158° 35′		11.9	
	163° 17′		14.8	
	168° 08′		11.9	
	173° 14′		74.4	
	169° 38′		9.0	
	163° 32′		6.0	
	157° 31′		8.9	
	152° 59′		5.9	
	147° 18′		5.9	
	143° 33′		6.0	
	138° 18′		5.9	
	133° 16′		6.0	
	127° 26′		11.9	
	121° 40′		3.0	
	114° 56′		14.9	

Order

[CAP. 256, O 2

<i>7. 23</i> 1	1770 Ed.]	Oraci		[CAI: 250, C
		THE SCHEDULE —	continued	
		110° 40′		71.4
		121° 08′		14.7
		138° 18′		14.8
		156° 55′		14.9
		173° 59′		14.9
		192° 35′		14.8
		208° 43′		14.5
		219° 11′		8.9
		224° 00′		6.0
		231° 39′		14.8
		244° 20′		14.9
		255° 46′		14.8
		264° 06′		14.8
		271° 03′		14.9
		279° 02′		14.8
		286° 00′		14.8
		293° 56′		14.8
		303° 28′		14.9
		314° 34′		17.7
		325° 37′		11.9
		329° 48′		9.0
		326° 14′		8.9
		319° 25′		11.9
		310° 44′		11.9
		302° 28′		11.9
		297° 13′		95.6
		308° 16′		14.9
		317° 27′		15.0
		327° 23′		14.9

CAP. 256, O 2]	Order		[1990 Ed.	p. 255
	THE SCHEDULE —	- continued		
	337° 48′		15.0	
	347° 09′		14.9	
	354° 25′		15.0	
	359° 44′		14.9	
	4° 37′		15.0	
	9° 05′		15.0	
	14° 39′		14.9	
	16° 51′		55.1	
	7° 58′		6.0	
	355° 12′		5.9	
	340° 25′		5.9	
	324° 09′		6.0	
	311° 12′		6.0	
	295° 41′		5.9	
	282° 11′		5.7	
	247° 11′		6.0	
	216° 48′		5.9	
	212° 30′		11.9	
	214° 56′		59.7	
	211° 29′		15.0	
	206° 36′		14.9	
	200° 51′		15.0	
	196° 59′		11.8	
	193° 55′		62.7	
	200° 16′		14.8	
	219° 10′		14.9	
	242° 56′		14.9	
	263° 36′		14.2	
	286° 41′		15.4	

Order	[CAP. 256, O 2
THE SCHEDULE — contin	nued
303° 42′	15.0
298° 10′	14.8
285° 58′	14.9
274° 02′	17.9
261° 45′	11.9
252° 33′	14.9
241° 26′	14.9
232° 08′	9.0
224° 34′	8.9
217° 47′	11.9
208° 28′	12.0
199° 58′	17.9
210° 12′	29.9
211° 45′	38.7
216° 06′	6.0
224° 16′	5.9
233° 16′	238.5
227° 53′	9.0
223° 49′	12.1
217° 18′	21.1
211° 32′	9.2
207° 32′	21.2
213° 25′	18.0
219° 18′	12.1
223° 31′	12.1
229° 45′	17.9
233° 10′	68.0
255° 32′	9.2

8.8

217° 00′

CAR	256 ,	\cap	21
CAP.	∠ 50.	v	<i>–</i> ∠ I

	Protectea Places (Consoliaa	iiion)
Cap. 256, O 2]	Order	[1990 Ed. p. 257
	THE SCHEDULE — contin	nued
	209° 14′	9.3
	194° 25′	8.9
	181° 45′	5.9
	170° 58′	6.1
	158° 16′	6.0
	141° 42′	5.9
	129° 40′	6.0
	121° 54′	6.0
	105° 53′	5.9
	95° 37′	6.0
	92° 04′	6.0
	88° 43′	9.1
	23° 58′	19.9
	76° 30′	74.2
	207° 32′	14.9
	195° 04′	12.2
	183° 55′	12.5
	179° 56′ 2	4.1 (partly along a gate)
	274° 10′	115.7
	260° 30′	17.6
	317° 36′	13.9
	240° 17′	21.3
	249° 56′	24.6
	256° 55′	30.7
	256° 43′	6.1
	256° 04′	5.9
	250° 05′	18.4
	243° 05′	9.1
	239° 05′	9.0

	vd	or	
"	ra	er	

[CAP. 256, O 2

Oraer	[CAF. 230, O
THE SCHEDULE —	continued
235° 34′	188.9
241° 40′	9.1
245° 39′	15.4
252° 37′	15.2
258° 25′	9.2
262° 21′	12.1
266° 47′	9.1
272° 20′	9.1
276° 23′	9.0
281° 11′	12.2
283° 50′	27.4
280° 06′	12.2
276° 39′	18.3
271° 37′	9.2
265° 39′	9.0
261° 17′	9.2
256° 07′	9.3
251° 25′	12.1
244° 37′	15.2
331° 47′	13.4 (partly along a gate)
66° 50′	21.1
71° 28′	8.8
77° 18′	14.9
84° 17′	15.0
91° 14′	15.2
98° 29′	21.2
102° 50′	39.5
99° 16′	9.1
96° 13′	6.1

CAP.	256	\cap	21
CAP.	∠ 50,	\mathbf{O}	41

Cap. 256, O 2]	Order	[1990 Ed.	p. 259
	THE SCHEDULE — continued		
	89° 59′	12.0	
	84° 57′	9.0	
	80° 37′	9.1	
	76° 34′	9.2	
	71° 37′	9.1	
	67° 43′	9.1	
	63° 21′	6.1	
	59° 13′	9.1	
	57° 19′	19.1	
	55° 33′	179.7	
	60° 32′	12.2	
	65° 46′	15.3	
	72° 49′	12.2	
	76° 57′	33.6	
	74° 37′	18.3	
	67° 31′	12.1	
	60° 23′	17.2	
	325° 07′	53.5	
	36° 49′	75.0	
	41° 49′	21.1	
	52° 30′	65.8	
	309° 02′	26.5	
	43° 36′	109.0	
	132° 09′	7.6	
	57° 57′	35.4	
	98° 29′	20.5	
	54° 06′	81.7	
	140° 43′	33.7	
	52° 24′	119.6	

p. 260	1990 Ed.]
--------	-----------

Order	[CAP. 256, O 2
THE SCHEDULE — continued	
22° 32′	27.1
29° 17′	26.7
16° 24′	34.3
300° 19′	44.7
321° 31′	89.9
330° 36′	17.9
344° 06′	54.1
0° 17′	32.8
18° 29′	18.1
35° 33′	27.0
52° 49′	15.1
63° 26′	15.0
74° 41′	11.9
85° 57′	18.0
100° 00′	17.9
114° 13′	20.7
132° 13′	20.7
142° 23′	11.9
148° 16′	93.0
138° 34′	6.0
122° 55′	5.9
104° 37′	5.9
74° 24′	8.9
41° 12′	8.8

21° 43′

0° 40′

346° 16′

341° 17′

251° 16′

5.7

6.3

5.9

197.3

19.6

E SCHED CEE	
340° 13′	22.4
70° 28′	20.7
2° 14′	14.2
25° 24′	14.8
43° 39′	9.0
58° 41′	9.0
61° 12′	16.2
50° 49′	8.9
44° 14′	6.0
38° 57′	8.9
29° 21′	8.9
21° 04′	11.9
10° 53′	11.9
0° 20′	11.9
353° 46′	83.3
2° 06′	11.9
10° 32′	14.8
23° 28′	14.9
31° 46′	15.0
42° 23′	14.9
53° 50′	15.0
63° 05′	14.8
75° 40′	14.9
87° 57′	14.9

to the point of commencement.

The boundaries of "CENTRAL CATCHMENT AMMO DEPOT" are more particularly delineated and edged pink on Survey Plan No. 10014 filed in the office of the Chief Surveyor, Singapore.

(103) [Revoked by S 452/95 wef 06/10/95]

(104) [Revoked by S 330/91 wef 02/08/91; see new order S 330/91]

(105) S 124/90
[23.3.90]
Chief Engineer
Officer,
Jurong Camp
(Extension)
Hq. SCE.

JURONG CAMP (EXTENSION) HQ SCE.

All that area comprised in State Lands Lots 2342PT, 195PT, 96-142PT, 2233PT and 2343 Mukim No. 6 (PENG KANG), Lots 53-86PT, 1509PTS Mukim No. 7 (TUAS) and Lot 413PT Mukim No. 9 (CHUA CHU KANG) occupied by "JURONG CAMP (EXTENSION) HQ SCE" containing an area of approximately 132,641 square metres and bounded approximately as follows:

Commencing at the southern-most corner of the perimeter fence of the aforesaid "JURONG CAMP (EXTENSION) HQ SCE" which point is 35,029.2 metres North and 12,029.2 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
344° 25′	22.4
312° 36′	51.9
329° 29′	58.5
329° 31′	48.2
327° 21′	24.0
301° 59′	14.9
327° 52′	32.2
322° 43′	92.5
338° 51′	18.6 (partly across a concrete drain)
317° 56′	62.5
301° 12′	24.0
30° 34′	9.0 (partly along a gate)

THE SCHEDUL	E — continued
-------------	---------------

305° 06′	28.0
25° 31′	2.6

and thence along successive walls along bearings and distances as under:

Bearing	Distance in metres
293° 00′	0.6
23° 00′	1.8
113° 00′	0.6
24° 44′	7.3
294° 09′	3.1
24° 09′	1.8
114° 09′	3.1

to an inner edge of the wall and thence through the thickness of the wall and fence on a bearing of 24° 25' for a distance of 1.6 metres and thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
322° 19′	18.0
321° 23′	8.0 (along a gate)
322° 14′	22.2
32° 28′	52.2
142° 35′	7.5
140° 58′	6.2
129° 03′	5.9
116° 34′	6.2
102° 53′	6.1
90° 28′	6.0
75° 47′	6.1
59° 51′	6.4

p. 264	1990 Ed.
--------	----------

Order

[CAP. 256, O 2

,		
THE SCHEDULE —	continued	
52° 04′	95.8	
51° 58′	83.7	
60° 38′	3.0	
70° 05′	7.4	(partly along a gate)
136° 27′	4.9	
90° 02′	1.9	
85° 39′	8.1	(along a gate)
68° 11′	1.8	
149° 03′	2.9	
142° 25′	116.5	
142° 19′	164.9	
142° 16′	133.4	
171° 39′	3.2	
231° 38′	11.5	(along two gates)
143° 55′	3.7	
217° 11′	88.9	
223° 15′	42.6	
216° 52′	15.1	
210° 22′	38.9	
216° 18′	11.0	
306° 24′	4.7	
217° 02′	11.5	(partly along two gates)
126° 54′	4.8	
216° 27′	22.3	
306° 42′	34.4	
219° 11′	27.5	
132° 37′	34.7	

THE SCHEDULE — con	tinued	
85° 11′	3.4	
241° 28′	12.2	
218° 55′	18.3 (partly across a concrete drain)	

to the point of commencement.

The boundaries of "JURONG CAMP (EXTENSION) HQ SCE" are more particularly delineated and edged pink on Survey Plan No. LE/89/86/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

(106) S 160/90 [12.4.90] Chief Signal Officer, Stagmont Camp, Singapore.

STAGMONT CAMP, SINGAPORE.

All that area comprised in part of State Lands Lot 169 Mukim No. 11 (KRANJI) occupied by "STAGMONT CAMP" containing an area of approximately 276,564 square metres and bounded approximately as follows:

Commencing at a southernmost corner of the perimeter fence of the aforesaid "STAGMONT CAMP" which point is 40,624.5 metres North and 18,852.5 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences and walls of bearings and distances as under:

Bearing	Distance in metres
356° 45′	11.9
302° 58′	42.7
211° 30′	11.6
299° 42′	241.1 (partly beside a retaining wall)
1° 02′	2.8
11° 13′	2.7
27° 12′	2.4
31° 47′	2.3

THE SCHEDULE — continued	
37° 49′ 2.5	
325° 23′ 9.5	(partly along two gates and across a road)
243° 39′ 12.3	
307° 09′ 19.1	(partly across a drain)
300° 47′ 41.8	(partly across a drain)
310° 48′ 9.2	
347° 56′ 39.1	(partly across a drain)
4° 30′ 48.4	
350° 35′ 4.7	
4° 27′ 123.3	
4° 24′ 89.8	
4° 36′ 70.9	
95° 50′ 55.2	
94° 38′ 8.3	(along two gates)
94° 38′ 6.0	(partly across a drain)
70° 35′ 104.4	
91° 49′ 30.5	
97° 46′ 140.5	
95° 41′ 156.0	(across a drain and partly along a gate)
95° 59′ 36.3	
170° 46′ 17.0	
167° 02′ 16.0	
163° 21′ 14.4	

Ar. 230, O 2]	Oruei		[1990 Ed. p. 207
	THE SCHEDULE —	- continued	
	162° 22′	16.0	
	160° 12′	15.2	
	154° 37′	15.6	
	151° 38′	14.8	
	150° 09′	87.3	
	239° 51′	115.5	
	161° 19′	54.6	
	173° 26′	12.8	
	270° 09′	5.4	
	339° 29′	25.8	
	327° 48′	20.8	
	228° 47′	6.1	(along a gate)
	224° 55′	1.3	(along a gate)
	152° 44′	2.5	
	146° 42′	15.5	
	155° 33′	18.7	
	158° 09′	19.4	
	162° 34′	24.6	
	195° 49′	35.5	
	193° 16′	56.0	
	251° 09′	27.1	
	250° 25′	11.5	(partly through a wall and a pillar and along a gate and then through a pillar and along a gate and through a pillar)
	250° 57′	16.6	
	160° 41′	21.3	
	71° 38′	15.1	

161° 06′ 45.4 252° 08′ 191.9

to the point of commencement.

The boundaries of "STAGMONT CAMP" are more particularly delineated and edged pink on Survey Plan No. LE/89/85/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

SEMBAWANG NAVAL BASIN CAMP.

All those five areas, all comprised in part of Lot 1169 Mukim No. 13 (SEMBAWANG) occupied by the buildings known as "No. 17-4", "No. 16-4", "No. 15-4", "No. 17-2" and "Nos. 10-4, 6-4 and 84-4" containing areas of about 210 square metres, 209 square metres, 209 square metres, 45 square metres and 9,787 square metres respectively and bounded approximately as follows:

Building No. 17-4

Commencing at a point on the western-most corner of the building of the aforesaid "No. 17-4" which point is 49,588.4 metres North and 27,619.5 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9
119° 43′	21.2
209° 43′	9.9
299° 43′	21.2

to the point of commencement, and

Building No. 16-4

Commencing at a point on the westernmost corner of the building of the aforesaid "No.

(107) S 178/90
[27.4.90]
Officer
Commanding,
Medical Supply
Depot.

16-4" which point is 49,571.8 metres North and 27,648.5 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9
119° 43′	21.1
209° 43′	9.9
299° 43′	21.1

to the point of commencement, and

Building No. 15-4

Commencing at a point on the western-most corner of the building of the aforesaid "No. 15-4" which point is 49,555.4 metres North and 27,677.3 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9
119° 43′	21.0
209° 43′	9.9
299° 43′	21.0

to the point of commencement, and

Building No. 17-2

Commencing at a point on the western-most corner of the building of the aforesaid "No. 17-2" which point is 49,547.2 metres North and 27,699.1 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing

Distance in metres

n	270	1000 Ed]	

THE SCHEDULE — continued		
29° 43′	6.2	
119° 43′	7.4	
209° 43′	6.2	
299° 43′	7.4	

to the point of commencement, and

Building Nos. 10-4, 6-4 and 84-4

Commencing at a point on the western-most corner of the perimeter fence of the aforesaid building "Nos. 10-4, 6-4 and 84-4" which point is 49,506,6 metres North and 27,814.8 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of fence and building walls of bearings and distances as under:

[CAP. 256, O 2

Bearing	Distance in metres
29° 43′	19.1
49° 03′	2.9
29° 52′	46.7
10° 59′	2.9
48° 15′	25.3
113° 21′	5.2
21° 46′	60.7
119° 36′	90.7 (along a fence)
209° 42′	1.9
119° 41′	7.9
209° 41′	76.7
299° 41′	64.6
309° 47′	2.7
253° 52′	8.6 (along a gate)
209° 47′	69.0
227° 27′	3.1

299° 47′

29.5

to the point of commencement.

The boundaries of "SEMBAWANG NAVAL BASIN CAMP" comprising the buildings "No. 17-4", "No. 16-4", "No. 15-4", "No. 17-2" and "Nos. 10-4, 6-4 and 84-4" are more particularly delineated and edged pink on Survey Plan No. LE/89/81/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

- (108) S 189/90 [4.5.90] Commander, SAF Transport.
- (a) AYER RAJAH CAMP.
- (b) SAF TRANSPORT BASE.

All those two areas, one comprised in parts of State Land Lots 1427, 1430 and 2151, and Lots 1799 and 1431 Mukim No. 3 (PASIR PANJANG) occupied by "AYER RAJAH CAMP", and the other comprised in part of AYER RAJAH ROAD and part of State Land Lot 2151 Mukim No. 3 (PASIR PANJANG) occupied by "SAF TRANSPORT BASE" ancilliary to "AYER RAJAH CAMP", containing areas of about 247,199 square metres and 26,367 square metres respectively and bounded approximately as follows:

(a) AYER RAJAH CAMP

Commencing at a point on the northernmost corner of the perimeter fence of the aforesaid "AYER RAJAH CAMP" which point is 31,017.0 metres North and 23,479.8 metres East of the Survey Department origin of co-ordinates (N. 30,000 m, E. 30,000 m) the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
97° 41′	18.4
103° 57′	18.6
110° 48′	18.5

. 212	1990 Eu.]	Oruer		[CAF. 230, O 2
		THE SCHEDULE —	- continued	
		119° 48′	18.5	
		126° 12′	18.5	
		132° 36′	18.4	
		140° 03′	18.5	
		148° 33′	18.4	
		154° 40′	1.0	
		110° 18′	23.9	(across Portsdown Road)
		32° 20′	9.9	
		72° 51′	7.6	
		94° 04′	7.6	
		111° 12′	17.3	
		28° 06′	2.2	
		27° 08′	6.3	(along a gate)
		48° 52′	6.5	(across a drain)
		90° 06′	68.0	
		82° 08′	24.4	
		146° 17′	27.6	
		53° 05′	17.9	
		162° 07′	13.6	
		187° 21′	40.5	(partly along a gate)
		91° 38′	12.9	
		175° 52′	82.0	
		198° 03′	23.4	(across Portsdown Road)
		172° 00′	37.9	
		183° 24′	18.2	
		186° 46′	6.1	
		191° 26′	39.5	

		L Pr
THE SCHEDULE —	continued	
206° 37′	10.5	
194° 06′	56.3	(across a drain)
198° 47′	48.2	
203° 37′	59.2	
209° 05′	59.3	
212° 39′	38.8	
230° 55′	11.9	
248° 51′	6.1	
265° 34′	15.1	
285° 28′	21.1	
293° 33′	12.1	
305° 11′	9.0	
348° 43′	15.0	(across a drain)
271° 51′	2.0	(across a drain)
359° 58′	48.1	
270° 39′	2.3	
269° 22′	8.1	(across two successive pillars and along a gate)
267° 22′	4.2	(along a gate and across a drain)
180° 32′	5.3	
182° 31′	19.5	(across two successive drains and across a service road)
181° 09′	26.4	
225° 38′	7.2	
274° 07′	26.7	
264° 12′	20.6	
250° 40′	12.1	

Order

[CAP. 256, O 2

THE SCHEDULE —	- continued	
246° 04′	12.1	
235° 33′	24.0	
226° 38′	20.8	
231° 38′	9.1	
208° 29′	9.4	
231° 18′	3.1	
215° 37′	17.7	(across a drain and a service road)
0° 08′	1.2	
299° 09′	65.0	
24° 38′	5.0	
82° 39′	2.5	(through part of a pillar)
0° 41′	7.4	(through part of two successive pillars and along a gate)
273° 20′	2.6	(through part of a pillar)
359° 10′	47.2	
22° 21′	0.2	(through part of a pillar)
61° 00′	7.3	(along a gate and through part of a pillar)
338° 28′	8.6	(through part of a pillar)
5° 43′	7.8	
5° 05′	13.8	
303° 52′	110.8	
288° 38′	9.3	
325° 57′	6.5	

THE SCHEDULE —	continued	
303° 57′	42.3	
33° 57′	111.8	
304° 03′	130.4	
67° 33′	19.5	
41° 54′	33.9	
25° 48′	7.8	(along a gate)
312° 02′	11.8	
229° 32′	35.9	
319° 01′	3.9	
319° 26′	7.6	(along a gate)
320° 15′	1.7	
318° 51′	24.2	
55° 32′	20.0	
53° 04′	197.2	
35° 35′	29.4	
39° 39′	6.2	(along a gate)
48° 34′	1.5	
53° 28′	46.0	
347° 15′	10.3	(partly along a gate)
76° 55′	18.4	
84° 37′	18.5	

to the point of commencement, and

(b) SAF TRANSPORT BASE

Commencing at a point on the northernmost corner of the perimeter fence of the aforesaid "SAF TRANSPORT BASE" ancilliary to "AYER RAJAH CAMP" which point is 30,415.6 metres North and 23,568.6 metres East of the Survey Department origin of co-ordinates (N. 30,000 m, E. 30,000 m) the boundaries run along

successive lines of fence of bearings and distances as under:

Bearing	Distan	ice in metres
93° 38′	12.0	
102° 34′	8.0	(along a gate)
107° 12′	12.2	
110° 20′	11.5	
112° 29′	5.9	
119° 55′	6.2	
130° 15′	14.7	
129° 39′	3.2	(across a drain)
131° 35′	5.0	
151° 47′	10.5	
141° 55′	10.7	
114° 10′	14.6	
204° 55′	8.3	
216° 43′	9.1	
224° 08′	200.8	
311° 22′	76.2	
315° 39′	6.0	
321° 51′	9.0	
331° 10′	9.0	
342° 32′	9.0	
354° 42′	8.9	
8° 15′	8.9	
20° 26′	9.0	
26° 07′	9.0	
33° 06′	9.0	
41° 36′	57.2	

THE SCHEDULE —	continued	
43° 57′	7.3	(across a pillar and along a gate)
42° 16′	1.6	(across a pillar and along a gate)
42° 04′	19.3	
45° 22′	9.2	
47° 37′	9.2	
54° 04′	12.3	
65° 22′	12.0	
71° 23′	12.2	
71° 17′	1.2	
89° 28′	1.8	
88° 09′	9.2	

to the point of commencement.

The boundaries of "AYER RAJAH CAMP" and the "SAF TRANSPORT BASE" ancilliary to the "AYER RAJAH CAMP" are more particularly delineated and edged pink on Survey Plan No. 10024 filed in the office of the Chief Surveyor, Singapore.

- (109) [Deleted by S 720/2005 wef 18/11/2005]
- (110) [Deleted by S 130/2003 wef 19/03/2003]
- (111) [Deleted by S 466/2014 wef 08/07/2014]
- (112) [Deleted by S 466/2014 wef 08/07/2014]
- (113) S 416/90 [22.11.90] Director-General Civil Aviation.

(1) [Deleted by S 418/2015 wef 06/07/2015]

(2) CHANGI INTERNATIONAL AIRPORT CONTROL TOWER

The entire building known as the "CHANGI INTERNATIONAL AIRPORT CONTROL TOWER" standing on a base

containing an area of approximately 609 square metres, the limits of which base, commencing from a point whose co-ordinates are North 7,934.1 metres and East 15,357.6 metres, are as follows:

	,
Bearing	Distance in metres
158° 00′	6.2
79° 40′	3.2
0° 33′	2.6
93° 05′	0.2
113° 02′	8.6
135° 34′	0.2
225° 22′	2.6
146° 42′	3.2
68° 13′	6.2
160° 45′	0.2
169° 05′	5.7
179° 29′	0.2
191° 47′	5.7
207° 25′	0.2
214° 18′	5.7
224° 56′	0.2
236° 38′	5.7
246° 57′	0.3
259° 23′	5.7
275° 07′	0.4
281° 45′	5.6
292° 32′	0.2
304° 20′	5.7
313° 40′	0.2
326° 39′	5.7

THE SCHEDULE — continued	
336° 39′	0.2
349° 19′	5.7
0° 41′	0.2
11° 43′	5.7
26° 00′	0.2
34° 12′	5.7
47° 29′	0.2
56° 45′	5.7
64° 09′	0.3

to the point of commencement.

The boundaries of "CHANGI INTERNATIONAL AIRPORT CONTROL TOWER" are more particularly delineated and edged pink on Print No. 1158-81 filed in the office of the Chief Surveyor, Singapore.

- (3) [Deleted by S 418/2015 wef 06/07/2015]
- (4) [Deleted by S 418/2015 wef 06/07/2015]
- (5) [Deleted by S 418/2015 wef 06/07/2015]
- (6) [Deleted by S 418/2015 wef 06/07/2015]
- (7) [Deleted by S 418/2015 wef 06/07/2015]
- (8) [Deleted by S 418/2015 wef 06/07/2015]
- (9) [Deleted by S 418/2015 wef 06/07/2015]
- (10) [Deleted by S 418/2015 wef 06/07/2015]
- (11) [Deleted by S 418/2015 wef 06/07/2015]
- (12) [Deleted by S 418/2015 wef 06/07/2015]
- (13) [Deleted by S 418/2015 wef 06/07/2015]
- (14) [Deleted by S 418/2015 wef 06/07/2015]
- (15) [Deleted by S 418/2015 wef 06/07/2015]
- (16) [Deleted by S 418/2015 wef 06/07/2015]
- (17) [Deleted by S 418/2015 wef 06/07/2015]

- (18) [Deleted by S 418/2015 wef 06/07/2015]
- (19) [Deleted by S 418/2015 wef 06/07/2015]

14 and 16 Tuas Avenue 7.

(114) S 256/91
[7.6.91]
General Manager,
Ordnance
Development and
Engineering
Company
of Singapore
(Private) Limited

All that area comprised in part of Lots 1080, 1082, 1083, 1085 and 1086 Mukim No. 7 (TUAS) occupied by "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED", containing an area of about 23,986 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED", which point is 35,103.5 metres North and 7,149.6 metres East of the Survey Department origin of coordinates, (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
133° 27′	70.3
133° 27′	70.3
223° 23′	82.3
223° 25′	88.3
313° 34′	47.3

to meet a point on the corner of a wall, thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
313° 34′	0.2 (along outer face of wall)
43° 19′	0.6 (along outer face of wall)
313° 41′	4.8 (along outer face of wall)
43° 41′	0.2 (along outer face of wall)

THE SCHEDULE —	continued
133° 41′	0.1 (along outer face of wall)
42° 42′	2.7 (along fence)
312° 52′	2.5 (along outer face of wall)
225° 09′	3.7 (along fence)
313° 33′	5.7
313° 15′	7.8 (along gate)
313° 37′	49.3 (along fence)
313° 37′	0.2 (along outer face of wall)
45° 06′	0.6 (along outer face of wall)
313° 49′	4.8 (along outer face of wall)
43° 49′	0.2 (along outer face of wall)
133° 49′	0.1 (along outer face of wall)

to meet a fence, thence along the fence on a line of bearing of 44° 38′ for a distance of 2.7 metres to meet a point on another wall, thence along the outer face of the wall on a line of bearing of 313° 50' for a distance of 2.6 metres to a fence, thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
227° 17′	3.8
313° 20′	5.6
313° 22′	7.8 (along gate)
314° 09′	2.3
43° 33′	21.7
149° 23′	0.3
44° 04′	5.5
43° 22′	50.9
43° 27′	92.7

to the point of commencement.

The boundaries of "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED" are more particularly delineated and edged pink on Survey Plan No. 20006 filed in the office of the Chief Surveyor, Singapore.

[G.N. No. S 187/56]

LEGISLATIVE HISTORY

PROTECTED PLACES (CONSOLIDATION) ORDER (CHAPTER 256, O 2)

This Legislative History is provided for the convenience of users of the Protected Places (Consolidation) Order. It is not part of this Order.

1. G. N. No. S 187/1956 — Protected Places Order 1956

Date of commencement : 23 June 1956

2. G. N. No. S 330/1991 — Protected Places (No. 3) Order 1991

Date of commencement : 2 August 1991

3. G. N. No. S 345/1991 — Protected Places (No. 4) Order 1991

Date of commencement : 8 August 1991

4. G. N. No. S 368/1991 — Protected Places (No. 5) Order 1991

Date of commencement : 23 August 1991

5. G. N. No. S 506/1991 — Protected Places (Miscellaneous Amendments)
Order 1991

Date of commencement : 22 November 1991

6. G. N. No. S 525/1991 — Protected Places (No. 10) Order 1991

Date of commencement : 29 November 1991

7. G. N. No. S 55/1992 — Protected Places (No. 5) (Amendment) Order 1992

Date of commencement : 14 February 1992

8. 1990 Revised Edition — Protected Places (Consolidation) Order

Date of operation : 25 March 1992

9. G. N. No. S 402/1992 — Protected Places (Consolidation) (Amendment)

Order 1992

Date of commencement : 11 September 1992

10. G. N. No. S 21/1993 — Protected Places Order 1993

Date of commencement : 5 February 1993

11. G. N. No. S 270/1993 — Protected Places (Consolidation) (Amendment)
Order 1993

Date of commencement : 30 June 1993

12. G. N. No. S 286/1993 — Protected Places (No. 3) Order 1992

Date of commencement : 2 July 1993

13. G. N. No. S 332/1993 — Protected Places (Consolidation) (Amendment No. 2) Order 1993

Date of commencement : 6 August 1993

14. G. N. No. S 459/1994 — Protected Places (Consolidation) (Amendment)
Order 1994

Date of commencement : 9 December 1994

15. G. N. No. S 457/1996 — Protected Places (Consolidation) (Amendment No. 5) Order 1996

Date of commencement : 1 January 1995

16. G. N. No. S 47/1995 — Protected Places (Consolidation) (Amendment)
Order 1995

Date of commencement : 10 February 1995

17. G. N. No. S 452/1995 — Protected Places (No. 3) Order 1995

Date of commencement : 6 October 1995

18. G. N. No. S 484/1995 — Protected Places (Consolidation) (Amendment No. 2) Order 1995

Date of commencement : 3 November 1995

19. G. N. No. S 500/1995 — Protected Places (Consolidation) (Amendment No. 3) Order 1995

Date of commencement : 17 November 1995

20. G. N. No. S 6/1996 — Protected Places (Consolidation) (Amendment) Order 1996

Date of commencement : 5 January 1996

21. G. N. No. S 150/1996 — Protected Places (No. 2) Order 1996

Date of commencement : 4 April 1996

22. G. N. No. S 290/1996 — Protected Places (Consolidation) (Amendment No. 2) Order 1996

Date of commencement : 28 June 1996

23. G. N. No. S 299/1996 — Protected Places (Consolidation) (Amendment No. 3) Order 1996

Date of commencement : 5 July 1996

24. G. N. No. S 418/1996 — Protected Places (Consolidation) (Amendment No. 4) Order 1996

Date of commencement : 13 September 1996

25. G. N. No. S 474/1996 — Protected Places (Consolidation) (Amendment No. 6) Order 1996

Date of commencement : 1 November 1996

26. G. N. No. S 62/1997 — Protected Places (Consolidation) (Amendment)
Order 1997

Date of commencement : 14 February 1997

27. G. N. No. S 294/1997 — Protected Places (Consolidation) (Amendment No. 2) Order 1997

Date of commencement : 20 June 1997

28. G. N. No. S 41/1998 — Protected Places (Consolidation) (Amendment)
Order 1998

Date of commencement : 23 January 1998

29. G. N. No. S 280/1998 — Protected Places (Consolidation) (Amendment No. 2) Order 1998

Date of commencement : 8 May 1998

30. G. N. No. S 428/1998 — Protected Places (Consolidation) (Amendment No. 3) Order 1998

Date of commencement : 14 August 1998

31. G. N. No. S 442/1998 — Protected Places (Consolidation) (Amendment No. 4) Order 1998

Date of commencement : 24 August 1998

32. G. N. No. S 101/1999 — Protected Places (Consolidation) (Amendment)
Order 1999

Date of commencement : 9 March 1999

33. G. N. No. S 378/2000 — Protected Places (Consolidation) (Amendment)
Order 2000

Date of commencement : 23 August 2000

34. G. N. No. S 521/2000 — Protected Places (Consolidation) (Amendment No. 2) Order 2000

Date of commencement : 14 November 2000

35. G. N. No. S 81/2001 — Protected Places (Consolidation) (Amendment)
Order 2001

Date of commencement : 14 February 2001

36. G. N. No. S 666/2001 — Protected Places (No. 13) Order 2001

Date of commencement : 26 December 2001

37. G. N. No. S 131/2002 — Protected Places (Consolidation) (Amendment)
Order 2002

Date of commencement : 22 March 2002

38. G. N. No. S 547/2002 — Protected Places (Consolidation) (Amendment No. 2) Order 2002

Date of commencement : 14 October 2002

39. G. N. No. S 130/2003 — Protected Places (Consolidation) (Amendment)
Order 2003

Date of commencement : 19 March 2003

40. G. N. No. S 444/2003 — Protected Places (Consolidation) (Amendment No. 2) Order 2003

Date of commencement : 18 September 2003

41. G. N. No. S 598/2003 — Protected Places (Consolidation) (Amendment) (No. 3) Order 2003

Date of commencement : 18 December 2003

42. G. N. No. S 263/2004 — Protected Places (Consolidation) (Amendment) Order 2004

Date of commencement : 10 May 2004

43. G. N. No. S 321/2004 — Protected Places (Consolidation) (Amendment No. 2) Order 2004

Date of commencement : 7 June 2004

44. G. N. No. S 342/2005 — Protected Places (Consolidation) (Amendment) Order 2005

Date of commencement : 3 June 2005

45. G. N. No. S 527/2005 — Protected Places (Consolidation) (Amendment No. 2) Order 2005

Date of commencement : 5 August 2005

46. G. N. No. S 576/2005 — Protected Places (Consolidation) (Amendment No. 3) Order 2005

Date of commencement : 5 September 2005

47. G. N. No. S 720/2005 — Protected Places (Consolidation) (Amendment No. 4) Order 2005

Date of commencement : 18 November 2005

48. G. N. No. S 215/2006 — Protected Places (Consolidation) (Amendment) Order 2006

Date of commencement : 3 April 2006

49. G. N. No. S 225/2006 — Protected Places (Consolidation) (Amendment No. 2) Order 2006

Date of commencement : 13 April 2006

50. G. N. No. S 299/2006 — Protected Places (Consolidation) (Amendment No. 3) Order 2006

Date of commencement : 8 June 2006

51. G. N. No. S 545/2007 — Protected Places (Consolidation) (Amendment)
Order 2007

Date of commencement : 17 October 2007

52. G. N. No. S 130/2008 — Protected Places (Consolidation) (Amendment)
Order 2008

Date of commencement : 19 March 2008

53. G. N. No. S 131/2008 — Protected Places (Consolidation) (Amendment No. 2) Order 2008

Date of commencement : 19 March 2008

54. G. N. No. S 378/2011 — Protected Places (Consolidation) (Amendment)
Order 2011

Date of commencement : 1 July 2011

55. G. N. No. S 613/2011 — Protected Places (No. 7) Order 2011

Date of commencement : 15 November 2011

56. G. N. No. S 94/2012 — Protected Places (Consolidation) (Amendment No. 3) Order 2012

Date of commencement : 9 March 2012

57. G.N. No. S 243/2012 — Protected Places (Amendment) Order 2012

Date of commencement : 30 May 2012

58. G.N. No. S 290/2012 — Protected Places Order 2012

Date of commencement : 26 June 2012

59. G.N. No. S 291/2012 — Protected Places (Consolidation) (Amendment No. 4) Order 2012

Date of commencement : 26 June 2012

60. G.N. No. S 351/2012 — Protected Places (No. 3) Order 2012

Date of commencement : 25 July 2012

61. G.N. No. S 454/2012 — Protected Places (No. 9) Order 2012

Date of commencement : 13 September 2012

62. G.N. No. S 125/2013 — Protected Places (No. 2) Order 2013

Date of commencement : 4 March 2013

63. G.N. No. S 60/2014 — Protected Places (Consolidation) (Amendment)
Order 2014

Date of commencement : 3 February 2014

64. G.N. No. S 397/2014 — Protected Places (Consolidation) (Amendment No. 2) Order 2014

Date of commencement : 4 June 2014

65. G.N. No. S 466/2014 — Protected Places (Consolidation) (Amendment No. 3) Order 2014

Date of commencement : 8 July 2014

66. G.N. No. S 490/2014 — Protected Places (Miscellaneous Amendments)
Order 2014

Date of commencement : 25 July 2014

67. G.N. No. S 612/2014 — Protected Places (Consolidation) (Amendment No. 5) Order 2014

Date of commencement : 19 September 2014

68. G.N. No. S 756/2014 — Protected Places (Consolidation) (Amendment No. 6) Order 2014

Date of commencement : 18 November 2014

69. G.N. No. S 410/2015 — Protected Places (Consolidation) (Amendment No. 2) Order 2015

Date of commencement : 1 July 2015

70. G.N. No. S 418/2015 — Protected Places (Miscellaneous Amendments)
Order 2015

Date of commencement : 6 July 2015

71. G.N. No. S 637/2015 — Protected Places (Miscellaneous Amendments) (No. 2) Order 2015

Date of commencement : 4 November 2015

72. G.N. No. S 292/2017 — Protected Places (Consolidation) (Amendment) Order 2017

Date of commencement : 9 June 2017

73. G.N. No. S 399/2017 — Protected Places (Miscellaneous Amendments)
Order 2017

Date of commencement : 19 July 2017