PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256, SECTION 4(1))

PROTECTED PLACES (CONSOLIDATION) ORDER

ARRANGEMENT OF PARAGRAPHS

Paragraph

1. Citation

2. Protected places, permits and authorised officers The Schedule

Citation

1. This Order may be cited as the Protected Places (Consolidation) Order.

Protected places, permits and authorised officers

2. The premises described in the second column of the Schedule are declared to be protected places for the purposes of the Protected Areas and Protected Places Act, and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of the Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

THE SCHEDULE

First column	Second column
The Authority	Protected Place
 (1) S 183/57 [12.7.57] Chief Executive, Telecommunication Authority of Singapore. 	1. TELEPHONE HOUSE AND CENTRAL EXCHANGE, HILL STREET. The area known as the Telephone House and Central Exchange comprised in Lot 9K, TS10 containing an area of approximately 2,324.5 square metres and Lot 99, TS10 containing an area of approximately 1,367.3 square metres and bounded by Hill Street at the front, separated by a perimeter wall facing Stamford House to the right,

THE SCHEDULE — continued

First column

Second column

another perimeter wall facing Burhani Mosque to the left and a back lane running parallel with the rear of the Capitol Theatre.

[S 756/2014 wef 18/11/2014]

Chief Executive, Telecommunication Authority of Singapore.

2. "CHANGI EXCHANGE" UPPER CHANGI ROAD, SINGAPORE.

All that area comprised in Lot 408, Mukim No. XXXI, Changi, occupied by "Changi Exchange" containing an area of 10,000 square feet and bounded as follows:

Commencing at a concrete boundary mark No. 94/345 on the south-western corner of Lot 408, Mukim No. XXXI, which is 39,342 links North and 65,660 links East of the Survey Department origin of co-ordinates, the boundary runs northwards along the boundary of the aforesaid Lot 408, Mukim No. XXXI on a bearing of 15° 06' for a distance of 100 feet (approximately following the perimeter fence of the "Changi Exchange" and thence along successive lines following the boundaries of the aforesaid Lot 408, Mukim XXXI (approximately parallel and close to the aforesaid perimeter fence) of bearings and distances as under:

Bearing	Distance
105° 06'	100 feet
195° 06'	100 feet
285° 06'	100 feet

to the point of commencement.

- 3. [Deleted by S 418/96 wef 13/9/1996]
- 4. [Deleted by S 506/91 wef 22/11/1991]

Chief Executive, Telecommunication 5. "NORTH EXCHANGE" THOMSON ROAD, SINGAPORE.

Informal Consolidation - version in force from 28/8/2019 to 30/5/2020

THE SCHEDULE — continued

Authority ofAll that area comprised in Lots 503-36, 107-2,Singapore.107-4, parts of Lots 105-4 (C.L.) and 105-5 (C.L.)Mukim No. XVII, Toa Payoh, occupied by "NorthExchange" containing an area of approximately22,000 square feet and bounded approximately asfollows:

Commencing at a concrete boundary mark No. R/416 on the eastern most corner of Lot 107-2. Mukim No. XVII, which is 21,473 links North and 5,408 links West of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the perimeter fence of the aforesaid "North Exchange" on a bearing of approximately 156° for a distance of 16 feet. thence generally westwards following the aforesaid perimeter fence on a bearing of approximately 260° for a distance of 142 feet to a boundary spike on the southern boundary of Lot 503-36, Mukim No. XVII, thence following in succession the boundaries of Lots 503-36, 107-4 and 107-2, Mukim No. XVII (approximately parallel and close to the aforesaid perimeter fence) along successive lines of bearings and distances as under:

Bearing	Distance
256° 13' 00"	99.1 feet
346° 38' 30"	36.0 feet
76° 12′ 30″	55.0 feet
346° 12′ 30″	106.2 feet
96° 38' 00″	86.8 feet
96° 37′ 30″	62.2 feet

to a concrete boundary mark No. P/958 on the Northern boundary of Lot 107-2, Mukim No. XVII, thence following the arc boundaries of the aforesaid Lot 107-2, Mukim No. XVII for a distance of 50 feet to a concrete boundary mark No. P/964 on the eastern boundary of the aforesaid Lot 107-2, Mukim No. XVII and thence following

THE SCHEDULE — continued

the boundary of the aforesaid Lot 107-2, Mukim No. XVII on a bearing of 153° 51′ for a distance of 48.6 feet (approximately following the aforesaid perimeter fence) to the point of commencement.

Chief Executive, Telecommunication Authority of Singapore.

6. "QUEENSTOWN EXCHANGE" NO. 2 STIRLING ROAD, SINGAPORE.

All that area comprised in part of Lot 243, Mukim No. 1, Telok Blangah and occupied by "Queenstown Exchange" containing an area of approximately 28,000 square feet and bounded approximately as follows:

Commencing at a point of the western most corner of the perimeter fence of the aforesaid "Queenstown Exchange" along Stirling Road frontage, which is 2,498 links North and 24,404 links West of the Survey Department origin of coordinates, the boundary runs along a fence on a bearing of approximately 40° for a distance of 178 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
85°	7 feet
131°	135 feet
142°	50 feet
163°	31 feet
167°	21 feet
174°	41 feet
282°	60 feet
319°	38 feet
282°	193 feet (partly across the main gate)

to the point of commencement.

Chief Executive,	7. "PAYA LEBAR EXCHANGE" NO.	832
Telecommunication	PAYA LEBAR ROAD, SINGAPORE.	

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

THE SCHEDULE — continued

Authority ofAll that area comprised in part of Lot 485 MukimSingapore.No. XXII, Sarangong, occupied by "Paya LebarExchange" containing an area of approximately25,300 square feet and bounded approximately as
follows:

Commencing at a point of the northern most corner of the perimeter fence of the aforesaid "Paya Lebar Exchange" which is 35,825 links North and 14,555 links East of the Survey Department origin of co-ordinates, the boundary runs along a fence on a bearing of approximately 135° for a distance of 95 feet; thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
221°	9 feet
216°	9 feet
205°	127 feet

to a point approximately 21 feet north-east of the southern most corner of the main building of the aforesaid "Paya Lebar Exchange"; thence along a line on a bearing of approximately 205° for a distance of 44 feet to a point where it meets the south-western boundary of Lot 485, Mukim No. XXII; thence generally north-westwards following the boundary of the aforesaid Lot 485, Mukim No. XXII on a bearing of 289° 44′ for a distance of 92 feet; thence along a line on a bearing of approximately 20° for a distance of 3 feet to a point on the southern end of a wall, thence along successive lines following the aforesaid wall of bearings and distances approximately as under:

Bearing	Distance
20°	46 feet
304°	19 feet

to a point on the outer wall of a building; thence generally south-westwards; north-westwards and

north-eastwards in succession following the aforesaid outer walls of bearings and distances approximately as under:

Bearing	Distance
229°	5 feet
319°	35 feet
49°	9 feet

to a point where it meets a fence; and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
318°	8 feet
48°	172 feet

to the point of commencement.

Chief Executive, Telecommunication Authority of Singapore.

8. "TANJONG KATONG EXCHANGE" NO. 375 TANJONG KATONG ROAD, SINGAPORE.

All that area comprised in Lots 1078, 1414, 51-3, 615 (C.L.) and part of the Reserve for Tanjong Katong Road, Mukim No. XXV, Geylang, occupied by "Tanjong Katong Exchange" containing an area of approximately 21,900 square feet and bounded approximately as follows:

Commencing at a concrete boundary mark No. 88/462 along the eastern boundary of Lot 1078, Mukim No. XXV which is 8,436 links North and 25,684 links East of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the eastern boundary of Lot 1078, Mukim No. XXV on a bearing of 168° 39' for a distance of 18.4 feet (approximately following the perimeter fence of the aforesaid "Tanjong Katong Exchange"); thence generally southwards, westwards in succession following the boundaries of Lots 1078 and 1414, Mukim No. XXV (approximately following the aforesaid

perimeter fence) of bearings and the distances approximately as under:

Bearing	Distance
166° 39' 00"	11.2 feet
166° 21' 00″	23.3 feet
262° 30′ 30″	261.5 feet

to a concrete boundary mark No. 123/309 at the southern most corner of Lot 1414, Mukim No. XXV thence following the western boundary of the aforesaid Lot 1414, Mukim No. XXV on a bearing of 251° 04′ for a distance of 9 feet (approximately following the aforesaid perimeter fence); thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
338°	9 feet
352°	72 feet
83°	1 foot

to a boundary mark at the western most corner of Lot 51-3, Mukim No. XXV and thence following the northern boundaries of Lots 51-3 and 1078, Mukim No. XXV (approximately following the aforesaid perimeter fence and the outer wall of the Post Office Quarters) along successive lines of bearings and distances as under:

Bearing	Distance
83° 27′ 00″	200 feet
113° 10′ 00″	16.6 feet

to the point of commencement.

9. [Deleted by S 756/2014 wef 18/11/2014]

- (2) [Deleted by S 428/98 wef 14/08/1998]
- (3) [Deleted by S 756/2014 wef 18/11/2014]

(4) [Deleted by S 299/96 wef 05/07/1996]

(7) S 310/62

Protected Places (Consolidation) Order

THE SCHEDULE — continued

- (5) S (N.S.) 84/59 CABLE AND WIRELESS CABLE DEPÔT,
 [4.9.59] BUKIT CHERMIN.
 (Omitted)
- (6) [Deleted by S 299/2006 wef 08/06/2006]
 - VHF RADIO STATION, BUKIT TIMAH.

[21.9.62] The Director, Telecommunication Authority of Singapore.

All that area comprised in Lot 67-31 (Crown Land) Mukim No. XVI Bukit Timah, occupied by VHF Radio Station containing an area of 2.005 acres and bounded as follows:

Commencing at a concrete boundary mark No. 21/200 along the eastern boundary of Lot 67-31 Mukim No. XVI, which is 35597 links North and 40837 links West of the Survey Department origin of co-ordinates, the boundary runs generally southwards along the boundary of the aforesaid Lot 67-31 Mukim No. XVI on a bearing of 170° 25′ 30″ for a distance of 183.2 feet, and thence following the boundaries of the aforesaid Lot 67-31 Mukim No. XVI along successive lines of bearings and distances as under:

Bearing	Distance
199° 11' 00″	136.4 feet
285° 27′ 30″	136.5 feet
302° 51′ 00″	106 feet
303° 00′ 30″	79.1 feet
348° 10′ 00″	66.8 feet
41° 08′ 30″	68.4 feet
54° 30′ 00″	86.9 feet
49° 27′ 30″	110.7 feet
55° 56′ 30″	59.9 feet
146° 50′ 30″	119.9 feet

to the point of commencement.

(8) [Deleted by S 637/2015 wef 04/11/2015]

	Protected Places
Сар. 256, О 2]	(Consolidation) Order [1990 Ed. p. 9
	THE SCHEDULE — continued
(9) L.N. 297/64	1. PAYA LEBAR EXCHANGE.
[1.10.64] Authorised officer.	All the buildings and installations contained within a chain link fence and situated on lot No. 485 along Paya Lebar Road commonly known as Paya Lebar Exchange.
	2. JURONG EXCHANGE.
	All the buildings and installations contained within a chain link fence situated on Lot No. 7 along Jalan Ahmad Ibrahim, Jurong Industrial Estate commonly known as Jurong Exchange.
(10) L.N. 206/65 [27.5.65] Authorised officer.	UPPER AIR OBSERVATORY, SINGAPORE METEOROLOGICAL SERVICE, KIM CHUAN ROAD, SINGAPORE.
	The premises bounded by a chain link fence situated in Lot No. 308, Mukim No. XXIII, Paya Lebar, Singapore.
(11) L.N. 318/65 [19.8.65] Authorised officer.	1. SEACOM TERMINAL BUILDING, TANJONG KATONG ROAD, SINGAPORE.
	All the buildings and installations contained within fenced area on lot Nos. 1,410, 1,412 and 1,414, in Mukim No. XXV, City District 212-8-1.
	2. CHIA KENG II, RADIO STATION, 7 M.S., YIO CHU KANG ROAD, SINGAPORE.
	All the buildings and installations bounded by a chain link fence situated in part of lot No. 264, in Mukim XVIII, Singapore.
	3. RADAR STATION, TANJONG BEDOK, SINGAPORE.
	All the buildings and installations bounded by a chain link fence situated in Mukim 27, lot No. 160, Singapore.
	4. RADAR STATION, ST. JOHN'S ISLAND, SINGAPORE.
	All the buildings and installations bounded by a security chain link fence situated in St. John's Island (Grid: 5113c), Singapore.

5. RADAR STATION, RAFFLES LIGHTHOUSE, SINGAPORE.

All the buildings and installations bounded by a security chain link fence situated in Raffles Lighthouse (Grid: 4509A/B), Singapore.

6. RADAR STATION, PULAU SAKRA, SINGAPORE.

All the buildings and installations bounded by a security chain link fence situated in Pulau Sakra (Grid: 4155B), Singapore.

(12) [Deleted by S 399/2017 wef 19/07/2017]

(13) Camp

Commandant, Pasir Laba Camp PASIR LABA CAMP.

All that area comprised in Land Lots 3417V and 3421P and part of Land Lots 3119V, 3123P, 3177L and 99931A in Mukim No. 7, and part of Land Lots 44K, 231W, 240N, 252A, 99972V and 99973P in Mukim No. 8 occupied by "PASIR LABA CAMP" containing an area of about 406,474.9 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "PASIR LABA CAMP" which point is 34,766.420 metres North and 10,186.899 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of compiled coordinates approximately as follows:

Northing	Easting
34,766.420	10,186.899
34,780.123	10,165.918
34,786.957	10,155.558
34,794.586	10,145.587
34,795.265	10,144.016
34,798.068	10,140.173
34,807.496	10,129.519

C	Protected Places	[1000 E 1	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed.	p. 11
	THE SCHEDULE — continued		
	34,818.008	10,118.920	
	34,828.976	10,110.204	
	34,831.740	10,108.008	
	34,840.362	10,101.935	
	34,851.968	10,094.637	
	34,863.401	10,089.453	
	34,884.924	10,080.127	
	34,902.402	10,072.501	
	34,913.583	10,066.911	
	34,917.461	10,065.645	
	34,922.455	10,064.854	
	34,926.000	10,065.146	
	34,926.766	10,065.308	
	34,941.004	10,054.167	
	34,935.057	10,045.273	
	34,935.426	10,045.225	
	34,939.603	10,041.890	
	34,946.108	10,034.188	
	34,952.827	10,022.348	
	34,957.673	10,011.839	
	34,960.184	10,006.290	
	34,964.865	9,995.357	
	34,999.966	9,914.903	
	35,003.697	9,906.054	
	35,007.657	9,898.109	
	35,023.199	9,865.290	
	35,029.892	9,849.958	
	35,030.894	9,847.724	
	35,033.556	9,841.211	

		Protected Places	
<u>p. 12</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		35,059.576	9,784.375
		35,083.559	9,730.529
		35,090.324	9,713.129
		35,093.145	9,696.111
		35,092.480	9,680.875
		35,091.091	9,670.695
		35,171.964	9,677.980
		35,204.544	9,679.734
		35,221.335	9,680.517
		35,236.348	9,679.281
		35,246.124	9,678.204
		35,257.869	9,708.240
		35,275.460	9,750.732
		35,283.261	9,768.896
		35,287.933	9,774.992
		35,303.090	9,788.028
		35,328.639	9,809.983
		35,351.615	9,828.513
		35,377.287	9,849.634
		35,403.705	9,871.329
		35,413.617	9,879.499
		35,418.680	9,883.126
		35,451.347	9,901.416
		35,443.299	9,918.398
		35,446.803	9,945.655
		35,449.348	9,967.329
		35,448.218	9,991.362
		35,446.215	10,012.483
		35,443.639	10,037.352

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 13
	THE SCHEDULE — continued	L	<u> </u>
	35,442.372	10,059.282	
	35,443.522	10,080.430	
	35,443.945	10,086.457	
	35,454.605	10,118.159	
	35,461.558	10,140.122	
	35,467.430	10,172.114	
	35,467.730	10,173.373	
	35,452.847	10,174.312	
	35,453.808	10,187.711	
	35,455.842	10,215.643	
	35,459.001	10,259.029	
	35,476.926	10,280.360	
	35,483.147	10,344.623	
	35,479.972	10,380.849	
	35,481.788	10,423.317	
	35,483.257	10,458.805	
	35,485.869	10,521.727	
	35,486.707	10,542.793	
	35,474.386	10,544.394	
	35,471.883	10,575.139	
	35,460.289	10,574.088	
	35,438.281	10,567.973	
	35,398.570	10,556.939	
	35,382.711	10,552.536	
	35,350.747	10,543.662	
	35,291.642	10,527.380	
	35,215.893	10,504.948	
	35,177.903	10,492.442	
	35,063.651	10,456.024	


<u>p. 14</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		34,971.919	10,424.886
		34,948.215	10,415.001
		34,900.419	10,385.774
		34,849.549	10,342.033
		34,828.975	10,312.000
		34,808.487	10,273.535
		34,799.470	10,248.224
		34,793.177	10,236.007
		34,776.011	10,210.191
		to the point of common common	

to the point of commencement.

The boundaries of "PASIR LABA CAMP" are more particularly delineated on the Survey Plan No. D8939/GAZ filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore, a copy of which is set out below.

[S 399/2017 wef 19/07/2017]

THE SCHEDULE — continued



[[]S 94/2012 wef 09/03/2012]

- (14) [Deleted by S 428/98 wef 14/08/1998]
- (15) [Deleted by S 286/93 wef 02/07/1993]
- (16) S 9/67TRANSMITTER SITE, UPPER CHANGI[11.1.67]ROAD, R.A.F., CHANGI, SINGAPORE.

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

THE SCHEDULE — continued

Commanding Officer,
19th Signal Regiment,
R.A.F.,All that area comprised in parts of Lot Nos.
341-1, 341-2, Mukim XXXI, Changi,
occupied by 19th Signals Regiment,
Transmitter Site, off Upper Changi Road,
containing an area of approximately 0a. 1r.
07p. and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid Transmitter Site which point is 44,910 links North and 72,100 links East of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 46° 00' for a distance of 79 feet, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
87° 00′	105 feet
141° 00′	54 feet
215° 00′	71 feet
233° 00′	74 feet
281° 00′	43 feet
323° 00′	92 feet

to the point of commencement.

(17) S 203/67 [6.10.67]

> The Officer Commanding, No. 5 People's Defence Force (Training Depôt), Haig Road, Singapore.

NO. 5 PEOPLE'S DEFENCE FORCE (TRAINING DEPÔT), HAIG ROAD, SINGAPORE.

All that area comprised in Lot No. 55-31 (S.L.), parts of Lot Nos. 55-30 (S.L.), 55-32 (S.L.), Mukim No. XXV, GEYLANG, occupied by No. 5 People's Defence Force (Training Depôt), containing an area of approximately 3.5 acres and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid No. 5

THE SCHEDULE — continued

People's Defence Force (Training Depôt), which point is approximately 10,709 links North and 25,257 links East of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 65° 06' for a distance of 594 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
156° 37′	265 feet (partly across a gate)
246° 33′	383 feet
247° 07'	210 feet
336° 32'	248 feet

to the point of commencement.

2. The Officer-in-charge, Police Reserve Unit No. 2 Base, Queensway, Singapore. POLICE RESERVE UNIT NO. 2 BASE, QUEENSWAY, SINGAPORE.

All that area comprised in parts of Lot Nos. 243 (S.L.), 244 (H.D.B.), 558 (H.D.B.), Mukim No. III Pasir Panjang, occupied by Police Reserve Unit No. 2 Base, containing an area of approximately 15.3 acres and bounded approximately as follows:

Commencing at the western most corner of the perimeter fence of the aforesaid Police Reserve Unit No. 2 Base which point is approximately 4,075 links North and 28,699 links West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 17° 17' for a distance of 59 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
20° 38′	199 feet

<u>p. 18</u>	1990 Ed.]	Protected Places (Consolidation) Order		[Cap. 256, O 2
		THE SCHEDULE — continued		
		16° 59′ 1	16 feet	
		30° 35′ 1	51 feet	
		27° 52′ 14	19 feet	
		126° 29′	51 feet	
		35° 17′	54 feet	(partly across a gate)
		124° 27′ 2	18 feet	
		57° 34′	50 feet	
		142° 53′ 1.	38 feet	
		142° 55′ 1	97 feet	
		157° 53′	30 feet	
		139° 51′	59 feet	
		156° 05′	32 feet	
		136° 43′ 1	98 feet	
		126° 27′	22 feet	
		212° 26′ 4	11 feet	
		204° 22′ 2	16 feet	
		309° 38′ 3	16 feet	
		309° 34′ 2.	68 feet	
		309° 38′ 2	77 feet	
		310° 05′	50 feet	
		to the point of comm		ant.

to the point of commencement.

(18) [Deleted by S 41/98 wef 23/01/1998]

(19) S 303/71 [3.12.71]	SATELLITE EARTH STATION, SENTOSA ISLAND.
Chief Executive, Telecommunication Authority of Singapore.	All that area comprised in part of lot 135, Mukim No. XXXIV, OTHER ISLANDS, at SENTOSA within the territorial waters of the Republic of Singapore occupied by "Satellite Earth Station" containing an approximate

area of 304,800 sq. ft. and bounded approximately as follows:

Commencing at the south-eastern corner of the perimeter fence of the aforesaid "Satellite Earth Station" which point is 22330 links south and 7935 links west of the Survey Department origin of co-ordinates the boundary runs along a line of fence on a bearing of 304° 16' for a distance of approximately 187 feet and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
229° 19′	52 feet
304° 08′	22 feet
330° 19′	18 feet
307° 59'	138 feet
265° 35′	18 feet
304° 10′	75 feet
211° 03′	119 feet
225° 18′	146 feet
208° 55'	47 feet
252° 44′	85 feet
213° 17′	36 feet
300° 49′	63 feet
294° 52′	70 feet
8° 49′	19 feet (along gate)
277° 56'	25 feet
288° 04'	48 feet
61° 59′	66 feet
62° 36′	50 feet
56° 31'	49 feet

		Protected Places	
<u>p. 20</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
	THE SCHEDULE — continued		
		73° 11′	2 feet
		37° 19′	40 feet
		18° 21′	158 feet
		24° 47′	30 feet
		33° 57′	63 feet
		23° 41′	90 feet
		15° 29′	11 feet
		25° 52′	22 feet
		6° 52′	30 feet
		357° 18′	11 feet
		339° 06′	20 feet
		352° 39′	60 feet
		17° 25′	40 feet
		54° 32'	19 feet
		88° 55′	10 feet
		95° 34′	19 feet
		102° 14′	30 feet
		84° 56′	50 feet
		100° 38′	60 feet
		120° 50′	30 feet
		136° 42′	10 feet
		143° 05′	30 feet
		153° 36′	30 feet
		157° 51′	70 feet
		155° 30′	30 feet
		147° 37′	60 feet
		136° 26′	40 feet
		122° 31′	116 feet
		126° 01′	271 feet

THE SCHEDULE — continued

137° 09′	20 feet
144° 57′	13 feet
169° 09′	20 feet
194° 16′	18 feet
212° 19′	30 feet

to the point of commencement.

The boundaries are more particularly delineated and edged pink on Survey Print No. 1504-71 filed in the office of the Chief Surveyor.

(20) S 36/73
[19.1.73]
The General Manager,
Chartered Industries of
Singapore,
Ltd.,
Singapore.

CHARTERED INDUSTRIES OF SINGAPORE, LTD., OFF JALAN BOON LAY, SINGAPORE.

All that area comprised in part of lot 251, Mukim No. VI, PENG KANG, occupied by "Chartered Industries of Singapore Limited" containing an area of approximately 59 acres and bounded approximately as follows:

Commencing at a point on the northeastern corner of the perimeter fence of the aforesaid "Chartered Industries of Singapore Limited" which point is 30017 links North and 75173 links West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 169° 04' for a distance of 105 feet, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
167° 29′	100 feet
166° 03′	100 feet
164° 32′	100 feet
162° 28′	200 feet

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

<u>p. 22</u>	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continu	ed
		160° 30′	69 feet
		157° 38′	33 feet (along gate)
		159° 26′	108 feet
		156° 24′	203 feet
		230° 59′	538 feet
		233° 45′	100 feet
		240° 25′	99 feet
		242° 47′	98 feet
		249° 39′	103 feet
		257° 21′	100 feet
		260° 22′	100 feet
		266° 12′	82 feet
		267° 26′	20 feet
		271° 11′	100 feet
		275° 07′	386 feet
		275° 09′	385 feet
		275° 00′	310 feet
		to a point where it	meets a wall thence along

to a point where it meets a wall thence along successive lines of bearings and distances approximately as under:

Bearing	Distance
275° 00′	20 feet
1° 05′	85 feet
359° 03′	100 feet
356° 34′	100 feet
353° 52′	100 feet
351° 12′	100 feet
348° 25′	100 feet
346° 00′	100 feet

26° 45′	146 feet
69° 39′	70 feet

to a point where it meets the corner of the perimeter fence and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
69° 39′	495 feet
69° 45′	95 feet
69° 38′	1,325 feet
119° 46′	124 feet

to the point of commencement.

The boundaries of Chartered Industries of Singapore Limited are more particularly delineated and edged pink on Survey Print No. 1594-71 filed in the office of the Chief Surveyor, Singapore.

(21) S 126/73 [6.4.73] Personnel Director, Sembawang Shipyard (Pte.) Ltd.

SEMBAWANG SHIPYARD SLOP FACILITIES.

All that area comprised in part of Lot No. 774 Mukim No. XIII (SEMBAWANG) and all that foreshore and seabed within the territorial waters of the Republic of Singapore known as the "SLOP RECEPTION FACILITIES" containing an area of approximately 84,000 sq. m (20A 3R 01P) the boundaries of which are more particularly delineated and edged pink on Survey Print No. 1394-72.

(22) [Deleted by S 351/2012 wef 25/07/2012]

(23) [Deleted by S 612/2014 wef 19/09/2014]

(24) S 292/73	1. RIFLE RANGE ROAD CAMP I,	
[31.8.73]	SINGAPORE.	
Commanding Officer,	All that area comprised in parts of lots	
Singapore Armed Force	Nos. 66 (PUB Catchment Area), 87 (PUB	

THE SCHEDULE — *continued*

Ammunition Base, Singapore.	and parts of lot Area) Mukim N Republic of Sin Range Road Ca approximately	No. XVI (BUKIT TIMAH) No. 155 (PUB Catchment No. XV (Ulu Kalang) in the gapore occupied by the "Rifle amp I" containing an area of 293,647 sq. m. (72A 2R 10P) oproximately as follows:	
	Commencing at a corner point of the perimeter fence northeast of the aforesaid "Rifle Range Road Camp I" which point is 7680.6 metres North (38180 links) and 6554.3 metres West (32581 links) of the Survey Department origin of co-ordinates the boundary runs along a line of fence on a bearing of 119° 30' for a distance of 33.6 metres (110 feet) thence along successive lines of fence of bearings and distances as under:		
	Bearing	Distance	
	202° 49′	21.4 metres (70 feet)	
	157° 44′	6.2 metres (20 feet)	
	thence generall and south-west distance of app (1,004 feet) to perimeter fence on a bearing of metres (30 feet eastwards follo for a distance o (468.3 feet) to perimeter fence	corner of the perimeter fence y south-eastwards, eastwards wards in succession for a roximately 306.1 metres a point at the corner of the thence along a line of fence 168° 55' for a distance of 9.2) thence generally south- wing the curves of the fence f approximately 142.7 metres a point at the corner of the thence along successive lines rings and distances as under:	
	Bearing	Distance	
	209° 04'	17.3 metres (57 feet) (across gate)	

263° 52′	69.6 metres	(228 feet)
200 02	07.0 11101105	(220 1000)

	Protected Pla	ces	
Сар. 256, О 2]	(Consolidation)	Order	[1990 Ed. p. 25
	THE SCHEDULE —	continued	
	259° 46′	24.3 metres	(80 feet)
	257° 09′	40.9 metres	(134 feet)
	262° 34′	47.2 metres	(155 feet)
	253° 25′	21.3 metres	(70 feet)
	263° 37'	35.6 metres	(117 feet)
	256° 54'	76.4 metres	(251 feet)
	259° 57'	102.6 metres	(337 feet)
	255° 21′	14.1 metres	(46 feet)
	322° 16′	50.6 metres	(166 feet)
	333° 10′	33.3 metres	(109 feet)
	231° 18′	30.5 metres	(100 feet)
	233° 17′	39.9 metres	(131 feet)
	232° 06′	50.1 metres	(164 feet)
	231° 10′	49.5 metres	(162 feet)
	265° 15'	51.1 metres	(168 feet)
	260° 16′	12.2 metres	(40 feet)
	277° 48′	64.7 metres	(212 feet)
	346° 42′	3.3 metres	(11 feet)
	25° 09′	9.0 metres	(30 feet)
	291° 30′	10.9 metres	(36 feet) (across gate)
	206° 47′	15.2 metres	(50 feet)
	278° 33′	37.3 metres	(122 feet)
	278° 09′	32.3 metres	(106 feet)
	278° 56'	16.3 metres	(54 feet)
	36° 45'	75.2 metres	(247 feet)
	90° 40′	12.3 metres	(40 feet)
	23° 38′	18.1 metres	(59 feet)
	344° 48′	13.7 metres	(45 feet)

p. 26	1990 Ed.]	Protected Plac (Consolidation)		[Cap. 256, O 2
<u> </u>		THE SCHEDULE —		
		25° 49′	48.7 metres	(160 feet)
		69° 53′	45.7 metres	
		28° 28′	24.4 metres	· /
		102° 01′	22.9 metres	
		20° 15′	39.5 metres	· · · ·
		11° 40′	6.1 metres	
		358° 44′	6.1 metres	
		339° 43′	6.1 metres	
		328° 17′	6.1 metres	
		324° 34′	6.1 metres	(20 feet)
		319° 11′	6.1 metres	
		311° 36′	21.3 metres	(70 feet)
		310° 19′	12.2 metres	(40 feet)
		318° 52′	6.1 metres	(20 feet)
		326° 28′	6.1 metres	(20 feet)
		333° 19′	6.1 metres	(20 feet)
		336° 30′	24.3 metres	(80 feet)
		40° 28′	14.6 metres	(48 feet)
		358° 33′	179.5 metres	(589 feet)
		2° 53′	22.3 metres	(73 feet)
		3° 15′	20.1 metres	
		1° 00′	40.2 metres	(132 feet)
		359° 31′	60.4 metres	
		-	t the corner of the t is 7936.4 metre	-

to a point at the corner of the perimeter fence which point is 7936.4 metres North (39451 links) and 6976.2 metres West (34679 links) of the Survey Department origin of coordinates thence generally north-eastwards, south-eastwards and south-westwards in succession along the curves of the perimeter fence for a distance of approximately 1044.5

THE SCHEDULE — continued

metres (3427 feet) to a point at the corner of the perimeter fence thence along a line of fence on bearing of 237° 06' for a distance of 9.1 metres (30 feet) thence generally southwest following the curves of the fence for a distance of approximately 147.9 metres (485 feet) to a point at the corner of the perimeter fence thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
79° 14′	13.2 metres (44 feet)
75° 45′	53.5 metres (176 feet)
166° 02′	67.1 metres (220 feet)
255° 42′	53.4 metres (175 feet)
280° 20′	22.9 metres (75 feet)

to a point at the corner of the perimeter fence thence generally south-westwards, southwards, north-eastwards and southeastwards in succession following the curves of the fence for a distance of approximately 1046.1 metres (3432 feet) to a point at the corner of the perimeter fence and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
26° 17′	7.9 metres (26 feet)
318° 02′	3.1 metres (10 feet)
29° 35′	21.4 metres (70 feet)

to the point of commencement.

The boundaries of the "Rifle Range Road Camp I" are more particularly delineated and edged pink on Print No. 1586/72 filed in the office of the Chief Surveyor, Singapore.

Commanding Officer, Singapore Armed Forces	2. RIFLE RANGE ROAD CAMP I (ACCOMMODATION), SINGAPORE.		
Ammunition Base, Singapore.	All that area comprised in parts of lot Nos. 66 (PUB Catchment Area) and 87 (PUB Land), Mukim No. XVI (BUKIT TIMAH) in the Republic of Singapore occupied by "Rifle Range Road Camp I (Accommodation)" containing an area of 11556.2 sq. m. (2A 3R 16.9P) and bounded as follows:		
	perimeter fer "Rifle Range (Accommoda metres North metres West Department of boundary run bearing of 31 metres (111 f	nencing at a corner point of the ace south-east of the aforesaid Road Camp I ation)" which point is 7279.9 (36189 links) and 7358.3 (36571 links) of the Survey origin of co-ordinates the as along a line of fence on a 1° 08' for a distance of 33.8 eet) and thence along successive e of bearings and distances as	
	Bearing	Distance	
	296° 10'	27.4 metres (90 feet)	
	293° 23′	51.8 metres (170 feet)	
	311° 59′	39.7 metres (130 feet)	
	16° 02′	12.3 metres (40 feet)	
	43° 03′	24.2 metres (79 feet)	
	47° 03′	12.3 metres (40 feet)	
	48° 20'	15.6 metres (51 feet)	
	54° 44′	6.5 metres (21 feet)	
	63° 54′	5.7 metres (19 feet)	
	67° 33′	5.7 metres (19 feet)	
	70° 28'	15.3 metres (50 feet)	
	151° 32′	51.9 metres (170 feet)	
	65° 10′	14.6 metres (48 feet)	

	Protected Plac	es		
Сар. 256, О 2]	(Consolidation) C	Irder	[1990 Ed.	p. 29
	THE SCHEDULE —	continued		
	123° 19′	27.3 metres	(90 feet)	
	127° 42′	3.0 metres	(10 feet)	
	132° 38′	24.6 metres	(81 feet)	
	139° 21′	3.0 metres	(10 feet)	
	144° 03′	3.3 metres	(11 feet)	
	153° 15′	2.8 metres	(9 feet)	
	155° 58′	3.0 metres	(10 feet)	
	163° 28′	3.3 metres	(11 feet)	
	189° 35′	33.6 metres	(110 feet)
	227° 52'	35.8 metres	(117 feet (across g	

to the point of commencement.

The boundaries of the "Rifle Range Road Camp I (Accommodation)" are more particularly delineated and edged pink on Print No. 1585/72 filed in the office of the Chief Surveyor, Singapore.

(25) [Deleted by S 21/93 wef 05/02/93]

(26) [Deleted by S 402/92 wef 11/09/92]

(27) S 99/74 [29.3.74] Chief Executive, Telecommunication Authority of Singapore.

ORCHARD EXCHANGE AND ENGINEERING CENTRE.

All that area comprised in parts of lots 76-5, 77-1, 78-1, 78-2, 79-1 (S.L.), 79-2, 80-1 and 80-2 T.S. No. XXI, occupied by "Orchard Exchange and Engineering Centre" containing an area of approximately 29,700 square feet and bounded approximately as follows:

Commencing at the north-western corner of the perimeter wall of the aforesaid Orchard Exchange and Engineering Centre, the boundary runs along the outer perimeter wall on a bearing of 102° 04' for a distance of 45 feet, thence along successive lines of wall

of bearings and distances approximately as under:

Bearing	Distance	
161° 48′	25 feet (across gate)	
71° 48′	5 feet	
341° 48′	2 feet	

to a point at the corner of the perimeter wall, thence following a line on a bearing of 72° 35' for a distance of 22 feet to a point at the corner of the perimeter wall, thence following the perimeter wall on a bearing of 162° 50' for a distance of 7 feet to a point on the wall, thence following a line on a bearing of 72° 50' for a distance of 16 feet, and thence along successive lines of perimeter wall of bearing and distances approximately as under:

Bearing	Distance
73° 00′	9 feet
164° 20′	3 feet
74° 20′	5 feet
102° 42′	11 feet
162° 12′	3 feet
73° 10′	5 feet
163° 10′	3 feet
72° 21′	4 feet
103° 14′	12 feet
159° 42′	2 feet
72° 56′	3 feet
162° 26′	15 feet
73° 54′	16 feet (across gate)
67° 10′	16 feet

	Protected Places	
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 31
	THE SCHEDULE — continued	
	101° 32′	88 feet
	183° 00′	107 feet
	283° 19′	29 feet
	267° 31′	138 feet
	306° 17′	2 feet
	343° 14′	4 feet
	254° 30′	3 feet
	209° 24′	3 feet
	252° 55′	6 feet
	300° 05′	3 feet
	341° 30′	2 feet
	251° 30′	3 feet
	161° 30′	2 feet
	214° 45′	2 feet
	267° 08′	27 feet
	342° 20′	10 feet
	252° 57′	3 feet
	162° 57′	1 foot
	252° 57′	1 foot
	342° 57′	153 feet
	42° 58′	1 foot
	162° 57′	4 feet
	72° 57′	3 feet
	342° 57′	6 feet
	42° 58′	6 feet
	to the point of commen boundaries are more pa and edged pink on Surv	rticularly delineated
(28) S 277/74 [20.9.74]	CHARTERED INDUS SINGAPORE PTE. LT	

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

> Commencing at the eastern-most corner of the perimeter fence of the aforesaid "Bukit Timah Plant, Chartered Industries of Singapore Pte. Ltd." which point is 7692.0 metres (38237 links) North and 5212.0 metres (25909 links) West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 255° 23' for a distance of 179.1 metres (588 feet) and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance	
261° 51'	9.1 metres (30 feet)	
206° 27′	14.3 metres (47 feet)	
256° 57′	13.7 metres (45 feet)	
274° 24′	13.6 metres (45 feet)	
257° 55'	67.5 metres (221 feet)	
254° 34'	145.1 metres (476 feet)	
255° 35'	138.1 metres (453 feet)	
240° 48'	38.2 metres (125 feet)	
299° 10′	14.8 metres (49 feet)	
254° 46′	52.8 metres (173 feet)	
214° 50'	5.4 metres (18 feet)	
236° 34'	15.5 metres (51 feet)	

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

300° 49′	11.5 metres (38 feet)
254° 48′	134.3 metres (441 feet)
8° 00′	16.1 metres (53 feet)

to a point where it meets the outer wall of a Security Guard Room, thence along successive lines of wall of bearings and distances as under:

Bearing	Dist	ance
277° 42′	6.1 metres	(20 feet)
7° 42′	1.2 metres	(4 feet)
277° 42′	13.8 metres	(45 feet) (partly across a gate)
187° 42′	1.2 metres	(4 feet)
277° 42′	3.0 metres	(10 feet)

to a point where it meets a fence and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance
278° 32′	11.0 metres (36 feet)
271° 17′	6.0 metres (20 feet)
278° 54'	44.8 metres (147 feet)
7° 17′	15.1 metres (50 feet)
19° 48′	6.4 metres (21 feet)
6° 16′	63.9 metres (210 feet)
63° 52′	4.6 metres (15 feet)
99° 09′	40.4 metres (132 feet)
6° 50′	37.5 metres (123 feet)
99° 30′	16.0 metres (53 feet)
7° 05′	53.0 metres (174 feet)
346° 30′	54.3 metres (178 feet)

p. 34	1990 Ed.]	Protected Plac (Consolidation)		[Cap. 256, O 2
		THE SCHEDULE —		
		23° 41′	23.6 metres	(77 feet)
		114° 51′	9.8 metres	(32 feet)
		23° 33′	60.6 metres	(199 feet)
		26° 46′	24.6 metres	(81 feet)
		356° 56'	31.6 metres	(104 feet)
		30° 47′	32.2 metres	(106 feet)
		54° 29′	15.2 metres	(50 feet)
		337° 42′	6.0 metres	(20 feet)
		36° 31′	28.4 metres	(93 feet)
		127° 21′	27.0 metres	(89 feet)
		44° 41′	28.6 metres	(94 feet)
		52° 09′	46.9 metres	(154 feet)
		46° 01′	76.5 metres	(251 feet)
		4° 56′	49.1 metres	(161 feet)
		351° 38′	19.2 metres	(63 feet)
		37° 59′	8.5 metres	(28 feet)
		288° 03′	17.6 metres	(58 feet)
		308° 51'	41.1 metres	(135 feet)
		38° 53′	39.9 metres	(131 feet)
		128° 35′	30.5 metres	(100 feet)
		111° 04′	26.9 metres	(88 feet)
		98° 58′	21.3 metres	(70 feet)
		140° 09′	8.6 metres	(28 feet)
		98° 34′	21.1 metres	(69 feet)
		185° 40′	8.0 metres	(26 feet)
		70° 53′	26.1 metres	(86 feet)
		159° 33′	7.2 metres	(24 feet) (partly across a gate)

	Protected Plac		
Сар. 256, О 2]	(Consolidation) C	Drder	[1990 Ed. p. 35
	THE SCHEDULE —	continued	
	105° 28′	21.5 metres	(71 feet)
	19° 47′	9.0 metres	(30 feet) (partly across a gate)
	113° 23′	37.9 metres	(124 feet)
	197° 04′	8.3 metres	(27 feet)
	113° 08′	32.5 metres	(107 feet)
	102° 40′	42.4 metres	(139 feet)
	99° 41′	92.6 metres	(304 feet)
	77° 24′	14.8 metres	(49 feet)
	46° 20′	49.7 metres	(163 feet)
	57° 41′	22.2 metres	(73 feet)
	145° 24′	19.5 metres	(64 feet) (partly across a gate)
	70° 42′	5.0 metres	(16 feet)
	104° 19′	24.2 metres	(80 feet)
	154° 16′	38.2 metres	(125 feet)
	116° 26′	23.5 metres	(77 feet)
	145° 42′	18.0 metres	(59 feet)
	165° 03′	47.2 metres	(155 feet)
	155° 12′	116.1 metres	(381 feet)
	145° 08′	34.2 metres	(112 feet)
	159° 24′	41.8 metres	(137 feet)
	166° 46′	45.8 metres	(150 feet)
	174° 28′	47.5 metres	(156 feet)
	to the point of commencement.		

The boundaries of "Bukit Timah Plant, Chartered Industries of Singapore Pte. Ltd." are more particularly delineated and edged pink on Survey Print No. 1388-74 filed

in the office of the Chief Surveyor, Singapore.

1. JURONG POWER STATION.

All that area comprised in parts of Lots 484, 762 and 781 Mukim No. VI (PENG KANG) occupied by "JURONG POWER STATION" containing an area of approximately 75278.4 square metres (810290 square feet) and bounded approximately as follows:

Commencing at the north-eastern most corner of the perimeter fence of the aforesaid "JURONG POWER STATION" which point is 2772.3 metres (13781 links) North and 15265.7 metres (75886 links) West of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of approximately 180° 40' for a distance of 36.8 metres (121 feet), and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance		
180° 37'	190.6 metres	(625 feet)	
270° 42′	36.3 metres	(119 feet)	
270° 30′	33.6 metres	(110 feet) (partly across a gate)	
178° 23′	4.2 metres	(14 feet)	
263° 14′	156.4 metres	(513 feet) (partly across gates)	
270° 38′	91.6 metres	(301 feet) (partly across a gate)	

(29) S 288/74
[11.10.74]
Director,
Electricity Department,
Public Utilities Board,

Singapore.

CAP. 2		rotected Place. Isolidation) Or	_	[1990 Ed. p. 37
	THE SCI	HEDULE — co	ontinued	
		356° 11′	197.6 metres	(648 feet) (partly across a gate)
		356° 49′	12.5 metres	(41 feet)
		86° 47′	3.7 metres	(12 feet)
		356° 23′	19.2 metres	(63 feet) (across Guard House and partly across main gate)
		86° 10′	147.0 metres	(482 feet)
		86° 09′	147.8 metres	(485 feet) (partly across a gate)
		91° 11′	7.9 metres	(26 feet)
		118° 11′	8.3 metres	(27 feet) (across a gate)
		24° 48′	4.3 metres	(14 feet)
		90° 27′	19.3 metres	(63 feet)
		to the point o	f commenceme	nt.
		Station" are n edged pink or		v delineated and o. 1386-74 filed
(30)	S 333/74 [2.11.74]	SINGAPORE SHIPBUILDING AND ENGINEERING LIMITED.		
	The Deputy General Manager,	PROTECTED PLACE "A"		
	Singapore Shipbuilding and Engineering Limited, Singapore.	All that area comprised in part of Lot 84 reclaimed land Mukim No. VII (TUAS) and occupied by "Singapore Shipbuilding and Engineering Limited" containing an area of approximately 101050.6 square metres and bounded approximately as follows:		

THE SCHEDULE — continued

Commencing at the northernmost corner of the perimeter fence of the aforesaid "Singapore Shipbuilding and Engineering Limited" which point is 1843.1 metres North and 19137.7 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of 113° 01' for a distance of approximately 43.6 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
113° 05′	56.7 metres
113° 02′	88.9 metres
113° 18′	36.2 metres
203° 13′	0.3 metre
113° 13′	21.2 metres

to a point which it meets a sea-wall along Benoi Channel and thence along successive lines of sea-wall along Benoi Channel of bearings and distances approximately as under:

Bearing	Distance
172° 46′	16.8 metres
262° 27′	0.9 metre
172° 27′	2.4 metres

to a point where it meets the north-eastern wall of the Syncrolift, thence southwards across the aforesaid Syncrolift along Benoi Channel to a point on the sea-wall on a bearing of 172° 27' for a distance of approximately 20.4 metres, thence southwards along the sea-wall on a bearing of 172° 45' for a distance of approximately 156.2 metres to a point where it meets the north-eastern corner wall of the Slipway,

THE SCHEDULE — continued

thence southwards along Benoi Channel following a line of bearing of 176° 00' for a distance of approximately 52.3 metres to a point on the 2.515 m. (8' 3") High Water Mark along Benoi Channel, thence generally southwards following the 2.515 m. (8' 3") High Water Mark along Benoi Channel to a point where it meets the production of the perimeter fence on a bearing of approximately 113° 07', thence westwards along the aforesaid production of the perimeter fence on a bearing of approximately 293° 07' for a distance of 3.6 metres and thence along successive lines of fence and wall of bearings and distances approximately as under:

Bearing	Distance		
293° 07′	228.4 metres		
352° 53′	220.5 metres	(partly across gates and partly along wall)	
82° 46′	0.6 metre	(along wall)	
352° 46′	21.4 metres	(along wall and partly across gate)	
262° 46′	0.6 metre	(along wall)	
352° 46′	11.6 metres	(along wall and partly across main gate)	
19° 39′	0.4 metre		
352° 47′	217.1 metres	(partly across gate)	
317° 36'	0.3 metre		
353° 06'	12.8 metres	(partly across gate)	

THE SCHEDULE — continued

to the point of commencement.

The boundaries of "Singapore Shipbuilding and Engineering Limited" are more particularly delineated and edged pink on Survey Print No. 1559-74 filed in the office of the Chief Surveyor, Singapore.

PROTECTED PLACE "B"

All that area comprised in part of Lot 84 Mukim No. VII (TUAS), occupied by "Singapore Shipbuilding and Engineering Limited" containing an area of approximately 19715.9 square metres and bounded approximately as follows:

Commencing at the westernmost corner of the perimeter fence of the aforesaid "Singapore Shipbuilding and Engineering Limited" which point is 1596.3 metres North and 19343.4 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of 82° 47' for a distance of approximately 203.1 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance		
173° 00′	118.2 metres	(partly across a gate)	
217° 28′	16.0 metres		
262° 44′	90.9 metres		
315° 01′	164.0 metres		

to the point of commencement.

The boundaries of "Singapore Shipbuilding and Engineering Limited" are more particularly delineated and edged pink on Survey Print No. 1560-74 filed in the office of the Chief Surveyor, Singapore.

(31) [Deleted by S 286/93 wef 02/07/93]

THE SCHEDULE — continued

- (32) [Deleted by S 568/2019 wef 28/08/2019]
- (33) S 150/76 [23.7.76] Base Commander, Changi Air Base, Singapore.

1. WESTERN DISPERSAL AREA, CHANGI AIR BASE, SINGAPORE.

All that area known as Western Dispersal Area including all premises, roads, runway, hardstanding, offices, machinery installations, stores and fences within the boundary demarcated by the junction of Upper Changi Road and right side of Calshot Road thence along the right side of Calshot Road to the junction of Cranwell Road and Loyang Road and thence along the right side of Loyang Road for a distance of approximately 429.8 metres and thence along successive lines of bearings and distances approximately as under:

Bearing	Distance
N 30° E	527.3 metres
S 60° E	923.5 metres

and thence along the right side of Upper Changi Road to the point of commencement.

The boundaries of Western Dispersal Area, Changi Air Base, are more particularly delineated and edged in orange on Plant No. 61/1/B dated 8th April 1975 filed in the office of the Base Commander, Changi Air Base.

Commanding Officer, Guillemard Camp, Singapore.

2. GUILLEMARD CAMP, SINGAPORE.

All that area comprised in State Land Lots 964, 968, 970, part of State Land Lots 966, 79-24, 94-11, 95-3, 95-1, 95-5, 2325, 1298 and part of State Land, Mukim No. XXV (GEYLANG) occupied by "GUILLEMARD CAMP" containing an area of 79874.3 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid

THE SCHEDULE — continued

"GUILLEMARD CAMP" which point is 2348.7 metres North and 4287.4 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence of bearing 345° 05' for a distance of approximately 80.0 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
345° 05'	107.7 metres	
344° 58′	72.8 metres	
345° 07′	74.9 metres	
78° 37'	97.7 metres	
167° 38'	3.9 metres	
77° 54′	16.5 metres	(partly across gates)
168° 49′	89.1 metres	
81° 24′	65.0 metres	
45° 52′	12.4 metres	
125° 27′	65.8 metres	
119° 58′	52.4 metres	
197° 00′	7.7 metres	
123° 14′	69.9 metres	
87° 34′	28.0 metres	
189° 42′	20.2 metres	
95° 10′	36.3 metres	
177° 20′	74.1 metres	
258° 33'	166.7 metres	
344° 34′	12.0 metres	
254° 58′	37.6 metres	(partly across gates)
169° 57′	9.6 metres	

THE SCHEDULE — continued

258° 34′ 137.7 metres

to the point of commencement.

The boundaries of "GUILLEMARD CAMP" are more particularly delineated and edged pink on Survey Print No. 1162-75 filed in the office of the Chief Surveyor, Singapore.

3. BEDOK CAMPS I AND II, SINGAPORE.

All that area comprised in part of State Land Lots 1992 and 3399 Mukim No. XXVII (BEDOK), occupied by "BEDOK CAMPS I and II" containing an area of 180380.5 square metres and bounded approximately as follows:

Commencing at the southern-most corner of the perimeter fence of the aforesaid "BEDOK CAMPS I and II" which point is 2818.7 metres North and 11160.0 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of 346° 21' for a distance of approximately 7.9 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dista	nce
50° 22′	111.6 metres	
38° 40′	5.6 metres	
21° 27′	5.9 metres	
10° 46′	2.9 metres	
10° 23′	292.6 metres	
100° 19′	21.6 metres (partly across gate)
10° 26′	28.5 metres	
282° 26′	11.0 metres (partly across gate)

Commanding Officer, Bedok Camps I and II, Singapore.

		Pre	otected Place	S	
<u>p. 44</u>	1990 Ed.]	(Cons	olidation) Oi	rder	[CAP. 256, O 2
		THE SCH	EDULE — co	ontinued	
			10° 26′	211.8 metre	s
			99° 38′	1.6 metre	s
			8° 23′	4.6 metre	s (partly across gate)
			324° 14′	2.0 metre	s
			10° 35′	6.9 metre	s
			66° 04′	109.8 metre	s
			159° 47′	10.6 metre	s
			65° 53′	21.3 metre	s
			40° 48′	4.2 metre	S
			99° 04′	14.0 metre	s (partly across gate)
			11° 08′	16.9 metre	s
			40° 10′	2.8 metre	s
			37° 33′	2.8 metre	s
			66° 18′	183.8 metre	S
			190° 06'	618.0 metre	s
			248° 49′	435.5 metre	S
			to the point c	of commencem	ent.
			The boundaries of "BEDOK CAMPS I and II" are more particularly delineated and edged pink on Survey Print No. 1034-75 filed in the office of the Chief Surveyor, Singapore.		
			4. [Deleted l	by S 547/2002	wef 14/10/2002]
			5. [Deleted l	by S 290/2012	wef 26/06/2012]
			6. [Deleted l	by S 547/2002	wef 14/10/2002]
(34)	S 180/76 [3.9.76]		MOBIL OIL PESEK.	TANK FARM	— PULAU
	Director-Ma Mobil Oil S Pte. Ltd.	anufacturing, Singapore	PULAU PES	at area compri EK, Mukim N ANDS, occupi	-

THE SCHEDULE — continued

OIL TANK FARM — PULAU PESEK", containing an area of 126000.2 square metres and bounded approximately as follows:

Commencing at the western-most corner of the perimeter fence of the aforesaid "MOBIL OIL TANK FARM — PULAU PESEK" which point is 69.2 metres North and 18328.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of 72° 14' for a distance of approximately 119.4 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
72° 17′	157.7 metres	
18° 43′	72.4 metres	
108° 55'	119.2 metres	
108° 55'	111.8 metres	
198° 51′	114.5 metres	(partly across a gate)
198° 45′	60.1 metres	
231° 21′	127.9 metres	
231° 21′	84.0 metres	(partly across a gate)
252° 14′	97.9 metres	
252° 14′	105.7 metres	
342° 19′	118.9 metres	
342° 16′	176.8 metres	

to the point of commencement.

The boundaries of "MOBIL OIL TANK FARM — PULAU PESEK" are more particularly delineated and edged pink on Survey Print No. 1776-76 filed in the office of the Chief Surveyor, Singapore.

THE SCHEDULE — continued

(35) [Deleted by S 280/98 wef 08/05/98]

(36) S 58/77

[25.3.77] Commanding Officer, Jalan Kambing Camp, Singapore.

Commander, 9th Singapore Division, Singapore. 1. [Deleted by S 547/2002 wef 14/10/2002]

2. SELARANG BARRACKS, SINGAPORE.

All that area comprised in part of State Land Lot 289-38, parts of State Land Lot 289-19, parts of State Land Lot 290, part of State Land Lot 935 and parts of State Reserves, Mukim No. XXXI (CHANGI) occupied by "SELARANG BARRACKS" containing an area of 279511.6 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "SELARANG BARRACKS" which point is 9361.4 metres North and 13768.7 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence of bearing 136° 07' for a distance of approximately 36.5 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
136° 39'	6.2 metres (across gate)
136° 10′	54.0 metres
131° 19′	1.7 metres
182° 38′	12.2 metres
189° 46'	12.2 metres
193° 55'	12.2 metres
198° 34'	12.4 metres
209° 46'	86.8 metres
209° 47′	89.2 metres

Сар. 256, О 2]	Protected Pla (Consolidation)		[1990 Ed.	p. 47
	THE SCHEDULE —	continued		
	205° 38′	9.2 metres		
	188° 43′	9.0 metres		
	185° 56'	9.1 metres		
	180° 15′	9.1 metres		
	174° 24′	9.1 metres		
	158° 18′	9.2 metres		
	150° 53′	8.9 metres		
	146° 46′	44.2 metres		
	117° 16′	40.2 metres		
	85° 48′	19.5 metres		
	344° 41′	59.4 metres		
	85° 42′	49.2 metres		
	169° 25′	10.1 metres		
	98° 52′	86.7 metres		
	176° 09′	59.5 metres		
	108° 42′	64.9 metres		
	216° 45′	18.9 metres		
	127° 52′	0.2 metre	(along pi	illar)
	216° 22′	6.4 metres	(partly a pillars ar across m gate)	nd
	126° 04′	0.2 metre		
	220° 20′	2.9 metres		
	142° 03′	5.6 metres		
	153° 48′	5.9 metres		
	175° 11′	8.2 metres		
	198° 56′	3.0 metres		
	218° 21′	2.7 metres		
	233° 49′	58.1 metres		

	Protected Places			
<u>p. 48</u>	1990 Ed.]	(Consolidation)	Order	[Cap. 256, O 2
		THE SCHEDULE —	continued	
		246° 09′	11.2 metres	
		233° 58′	7.1 metres	
		142° 20′	0.1 metre	(along pillar)
		232° 20′	4.7 metres	(partly along pillars and across gate)
		322° 20′	0.1 metre	(partly along pillar)
		232° 56′	6.2 metres	
		288° 27′	39.1 metres	
		272° 26′	5.7 metres	
		251° 47′	7.6 metres	
		167° 05′	19.0 metres	
		185° 09′	16.4 metres	
		166° 25′	3.7 metres	
		261° 05′	19.1 metres	
		200° 29′	20.1 metres	
		309° 53′	9.2 metres	(partly across gate)
		223° 50′	8.2 metres	(partly across gate)
		307° 31′	22.0 metres	
		307° 28′	23.0 metres	
		319° 13′	3.1 metres	
		237° 08′	69.4 metres	
		209° 53′	1.9 metres	
		211° 12′	63.6 metres	
		211° 23′	8.6 metres	
		263° 59′	55.8 metres	
		259° 04′	1.6 metres	

Сар. 256, О 2]	Protected Plac (Consolidation)		[1990 Ed.	p. 49
CAT 250, 0 2]	THE SCHEDULE —		[1770 Ed.	<u>p. 19</u>
	258° 37′	56.1 metres		
	255° 44'	48.7 metres		
	280° 32′	3.0 metres		
	256° 40′	57.8 metres		
	259° 50′	33.4 metres		
	255° 49′	21.9 metres		
	265° 43′	8.7 metres		
	258° 50'	11.7 metres		
	258° 04'	91.8 metres		
	340° 18′	12.0 metres		
	10° 08′	21.3 metres		
	10° 22′	29.4 metres		
	10° 13′	48.5 metres		
	10° 14′	32.9 metres		
	10° 27′	25.6 metres		
	9° 53′	33.0 metres		
	9° 47′	30.2 metres		
	9° 49′	27.9 metres		
	14° 19′	38.0 metres		
	19° 35′	92.6 metres		
	17° 20′	38.8 metres		
	17° 12′	48.5 metres		
	17° 08′	75.3 metres		
	17° 14′	53.7 metres		
	37° 32′	30.5 metres		
	22° 06′	85.2 metres		
	83° 26′	105.6 metres		
	83° 22′	62.1 metres	(partly a gate)	cross

THE SCHEDULE — continued			
82°	45'	85.9 metres	(partly across gate)
to the	point of c	commenceme	nt.
delinea No. 10	ACKS" a ated and e	ed in the offic	
3. [<i>De</i>	eleted by	S 444/2003 w	vef 18/09/2003]
4. [<i>De</i>	eleted by	S 291/2012 w	vef 26/06/2012]
5. [De	eleted by	S 547/2002 w	vef 14/10/2002]
[Dele	eted S 342	2/2005 wef 03	3/06/2005]
[Dele	eted by S	378/2011 wej	f 01/07/2011]
KHAL	SA CRE	SCENT PRIS	SON.
(SEMI CRES) about	Land Lot BAWANC CENT PR 9478.2 sq	· ·	No. XIII by "KHALSA ining an area of

Commencing at the northern-most corner of the perimeter fence of the aforesaid "KHALSA CRESCENT PRISON" which point is 18259.9 metres North and 7584.3 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 160° 44' for a distance of 47.4 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
166° 19′	37.4 metres
166° 22′	49.4 metres
272° 57′	25.0 metres

(37)

THE SCHEDULE — continued

256° 32′	21.2 metres
233° 09′	12.2 metres
318° 53'	5.6 metres
297° 03′	9.7 metres
322° 07′	22.7 metres
324° 03′	2.6 metres

to a gate, thence along the gate on a bearing of approximately 323° 27′ for a distance of 3.8 metres to a point at the corner of the gate where it meets a line, thence along the aforesaid line on a bearing of approximately 287° 46′ for a distance of 2.9 metres to a point on a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
231° 07′	6.1 metres	(partly along a gate)
321° 06′	6.0 metres	
50° 28′	6.1 metres	(partly along a gate)

to a point where it meets a line, thence along the aforesaid line on a bearing of approximately 9° 12' for a distance of 2.6 metres to a point on a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
0° 25′	31.1 metres
349° 59'	22.2 metres
357° 21′	36.1 metres
79° 34′	61.7 metres

to the point of commencement.

THE SCHEDULE — continued

The boundaries of "KHALSA CRESCENT PRISON" are more particularly delineated and edged pink on Survey Print No. 1278-77 filed in the office of the Chief Surveyor, Singapore.

CHIA KENG PRISON.

All that area comprised in parts of State Land Lots 5006 and 4720 Mukim No. XVIII (ANG MO KIO), occupied by "CHIA KENG PRISON" containing an area of about 9388.9 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "CHIA KENG PRISON" which point is 9372.6 metres North and 2711.4 metres East of the Survey Department origin of coordinates, the boundary runs along a line of fence on a bearing of approximately 93° 22' for a distance of 15.7 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
139° 13′	94.0 metres	
109° 53′	9.0 metres	
177° 40'	31.1 metres	(partly along gates)
273° 21′	57.5 metres	
272° 35′	38.8 metres	
297° 25′	5.0 metres	
300° 05′	33.8 metres	
357° 15′	46.7 metres	
52° 08′	57.4 metres	

to the point of commencement.

THE SCHEDULE — continued

The boundaries of "CHIA KENG PRISON" are more particularly delineated and edged pink on Survey Print No. 1263-77 filed in the office of the Chief Surveyor, Singapore.

[Deleted by S 214/2018 wef 18/04/2018]

[S 568/2019 wef 28/08/2019] [S 214/2018 wef 18/04/2018] [S 342/2005 wef 03/06/2005]

(38) S 284/77
[11.11.77]
The General Manager,
Ordnance Development
and
Engineering Company of
Singapore (Pte.) Ltd.

ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD.

All that area comprised in parts of State Land Lots 205 and 1083 Mukim No. VI (PENG KANG), occupied by "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." containing an area of about 38250.8 square metres and bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." which point is approximately 5714.1 metres North and 15015.3 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of fence on a bearing of approximately 154° 45' for a distance of 35.7 metres and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
155° 00′	40.0 metres
154° 49′	80.1 metres
150° 17'	24.3 metres

p. 54	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		147° 48′	20.5 metres
		144° 47′	22.8 metres
		190° 02′	11.5 metres
		234° 18′	14.6 metres
		237° 52′	19.3 metres
		242° 01′	19.2 metres
		244° 04′	19.3 metres
		248° 16′	19.3 metres
		251° 25′	13.3 metres
		up to one end of a brick-wall, thence along	

up to one end of a brick-wall, thence along the brick-wall on a bearing of approximately 253° 34′ for a distance of 21.0 metres to its other end, thence along a line on a bearing of approximately 253° 34′ for a distance of 0.1 metre, thence along a brick-wall on a bearing of approximately 343° 37′ for a distance of 19.8 metres, thence along gates and pillars, the outer surfaces of the wall and staircase of a guardroom-cum-substation and a brickwall all of which front a car park and run generally on a west-south-westerly direction for a distance of about 50.3 metres, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
253° 15′	12.7 metres
164° 07'	17.2 metres
253° 45′	3.1 metres
343° 45′	2.6 metres

to the bin centre, thence along its frontage on an approximate bearing of $253^{\circ} 45'$ of length 6.1 metres to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

THE SCHEDULE — continued

Bearing	Distance
163° 45′	2.6 metres
253° 45′	4.2 metres
343° 26′	47.5 metres
343° 40′	50.0 metres
343° 37′	49.5 metres
343° 47′	35.0 metres
54° 13′	19.0 metres
50° 59′	157.1 metres

to the point of commencement.

The boundaries of "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PTE.) LTD." are more particularly delineated and edged pink on Survey Print No. 1416-77 filed in the office of the Chief Surveyor, Singapore.

(39) [Deleted by S 225/2006 wef 13/04/2006]

(40) S 35/78	SELARANG PARK CENTRE I.
[24.12.78] Director of Prisons.	All that area of about 39490.6 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE I" and bounded approximately as follows:
	Commencing at the southernmost

corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE I" which point is approximately 9337.7 metres North and 14307.2 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
309° 46'	12.2 metres

<u>p. 56</u>	1990 Ed.]	Protected Place (Consolidation)		[Cap. 256, O 2
		THE SCHEDULE —	continued	
		321° 00′	54.5 metres	
		219° 38′	6.0 metres	
		318° 53′	12.4 metres	(partly along a gate)
		266° 43′	9.3 metres	
		309° 02′	4.8 metres	
		317° 59'	2.3 metres	(along a gate)
		343° 21′	10.0 metres	
		244° 16′	10.6 metres	(partly along a gate)
		333° 40′	2.2 metres	
		238° 09′	3.8 metres	
		276° 16′	5.8 metres	
		279° 33′	13.5 metres	
		282° 11′	19.1 metres	
		its wall of l	of building No. 10 bearings and dista ely as under:	
		Bearing	Dist	tance
		195° 03′	2.4 r	netres
		283° 06'	10.3	metres
		13° 06′	0.6	metre
		fence of be	thence along succ arings and distand ely as under:	

Bearing	Distance
287° 48′	3.0 metres
316° 57′	21.4 metres
280° 54'	12.2 metres
16° 04′	48.8 metres
10° 31′	34.3 metres

	Pr	otected Place	es		
Cap. 256 , O 2]	(Cons	solidation) C	Drder	[1990 Ed.	p. 57
	THE SCH	EDULE —	continued		
		56° 32'	77.0 metres	gate)	long a
		124° 02′	9.9 metres	3	
		123° 53'	26.8 metres	3	
		152° 51′	6.6 metres	5	
		119° 31′	33.6 metres	5	
		122° 35′	27.2 metres	3	
		85° 18′	51.0 metres	3	
		80° 29′	6.1 metres	3	
		93° 14′	3.0 metres	5	
		101° 45′	3.0 metres	5	
		106° 52′	5.8 metres	5	
		108° 53'	36.7 metres	5	
		56° 19′	12.6 metres	5	
		97° 47′	12.5 metres	5	
		134° 08'	25.4 metres	5	
		92° 13′	9.0 metres	5	
		185° 22'	57.9 metres	5	
		271° 58′	33.2 metres	5	
		173° 41′	36.2 metres	5	
		261° 14′	45.2 metres	5	
		166° 13′	15.8 metres	5	
		257° 02′	84.8 metres	5	
		to the point	of commencem	ent.	
		PARK CEN delineated a	boundaries of " TRE I" are mor nd edged pink of filed in the off ingapore.	e particula on Survey	rly Print
Director	of Prisons.	SELARANO	G PARK CENT	RE II.	

THE SCHEDULE — continued

All that area of about 22314.3 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE II" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE II" which point is approximately 9702.0 metres North and 13999.3 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
149° 48′	40.0 metres
75° 12′	21.8 metres (partly along a gate)
97° 37′	15.3 metres
106° 35'	54.8 metres
116° 16′	8.6 metres
128° 51′	9.6 metres
132° 13′	140.2 metres (partly along a gate)
236° 32′	77.6 metres (partly along a gate)
331° 36'	63.2 metres
320° 22′	3.0 metres
311° 19′	9.3 metres
303° 51′	18.0 metres
298° 17'	18.2 metres
290° 57'	21.5 metres
255° 26'	18.3 metres
200° 46′	44.8 metres

Cup 256 0.21		otected Places			5 0
Cap. 256, O 2]	× ×	solidation) Or IEDULE — co		[1990 Ed.	p. 59
	THE SCI	296° 57′	3.3 metres		
		290° 37' 202° 36'	10.0 metres		
		202 30 293° 40'	37.0 metres		
		342° 48'	9.0 metres		
		346° 20'	9.3 metres		
		355° 36'	6.2 metres		
		58° 39'	11.6 metres		
		342° 46′	45.6 metres		
		215° 55′	20.7 metres	5	
		236° 17′	33.8 metres	5	
		319° 33′	45.4 metres	5	
		48° 38'	106.3 metres	5	
		to the point of	f commencem	ent.	
		The bo PARK CENT delineated and No. 1033-78 f Surveyor, Sin	d edged pink of filed in the off	re particul on Survey	larly Print
Director of	Prisons.	SELARANG	PARK CENT	RE III.	
		All that metres comprise 289-19 and 29 (CHANGI) of PARK CENT approximately	90 Mukim No. ecupied by "S RE III" and bo	f State Lar . XXXI ELARAN(nd Lots
		Comm corner of the p "SELARANG point is appro and 13933.4 r Department of boundaries ru fence of beari approximately	PARK CENT ximately 9432 netres East of rigin of co-orc n along succes ngs and distar	e of the afo FRE III" v 2.4 metres the Surve linates, tho ssive lines	oresaid vhich North y e

<i>a</i> (0			tected Places		[Com 25(0 2
<u>p. 60</u>	1990 Ed.]	Υ.	olidation) Ord		[Cap. 256, O 2
		THE SCH	EDULE — con		
			Bearing		ance
			110° 11′	29.3 metres	
			124° 56′	9.8 metres	
			142° 35′	8.2 metres	
			150° 19′	63.5 metres	
			102° 46′	31.9 metres	
			113° 08′	20.0 metres	
			115° 30'	86.8 metres	(
			203° 05′	6.4 metres	(partly along a gate)
			186° 02′	8.8 metres	
			204° 19′	45.6 metres	
			265° 19'	38.7 metres	
			295° 09'	85.1 metres	(partly along a gate)
			313° 55′	27.2 metres	
			301° 39′	51.7 metres	
			311° 23′	45.9 metres	
			10° 49′	41.7 metres	(partly along a gate)
			38° 18′	45.5 metres	
			to the point of	commenceme	nt.
			PARK CENTE delineated and	l edged pink on iled in the offi	re particularly
	Director	of Prisons.	SELARANG I	PARK CENTR	E IV.
				sed in part of	1625.7 square State Land Lot CHANGI)

THE SCHEDULE — continued

occupied by "SELARANG PARK CENTRE IV" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELARANG PARK CENTRE IV" which point is approximately 9125.0 metres North and 14158.0 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Dist	ance
140° 02′	42.5 metres	(partly along a gate)
225° 42′	21.3 metres	
135° 00′	9.2 metres	
226° 36′	9.7 metres	
315° 54′	9.1 metres	
225° 58′	3.1 metres	
315° 54′	44.1 metres	
48° 39′	37.1 metres	

to the point of commencement.

The boundaries of "SELARANG PARK CENTRE IV" are more particularly delineated and edged pink on Survey Print No. 1033-78 filed in the office of the Chief Surveyor, Singapore.

SELARANG PARK CENTRE V.

All that area of about 21449.3 square metres comprised in part of State Land Lot 289-19 Mukim No. XXXI (CHANGI) occupied by "SELARANG PARK CENTRE V" and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid

(41) S 143/78 [23.6.78] Director of Prisons.

THE SCHEDULE — continued

"SELARANG PARK CENTRE V" which point is approximately 9361.4 metres North and 14232.9 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

-
Distance in metres
11.9
6.9
7.7
4.8 (along a gate)
7.6
7.3
7.3
7.4
7.6 (partly along a
gate)
7.4
23.3
40.5
18.4
48.0
4.8
10.5
22.5
12.9
16.7
14.3 (partly along a gate)
22.3 (partly along a gate)

	otected Places solidation) Order		[1990 Ed. p. 63
THE SCH	EDULE — continued	d	
	173° 46′	4.7	
	164° 26′	10.5	
	228° 12′	16.0	(partly along a gate)
	320° 30′	81.7	
	334° 25′	22.5	
	65° 22′	33.6	
	24° 19′	49.2	
	6° 02′	8.8	
	23° 05′	6.4	(partly along a gate)
	295° 30′	3.3	
	39° 04′	16.5	
	102° 38′	21.0	
	53° 26′	37.6	
	46° 05′	37.5	
	87° 37′	14.7	
	to the point of comm	nenceme	nt.
	The boundari PARK CENTRE V" delineated and shown Print No. 1177-78 fil Chief Surveyor, Sing	are mor n edged led in th	e particularly pink on Survey
(42) S 172/78 [28.7.78] Commanding Officer,	21ST SINGAPORE WOODLANDS CAN SINGAPORE.		
21st Singapore Artillery, Woodlands Camp, Kranji Road,	All that area of metres comprised in 151-68, 151-70, 195-	parts of	State Land Lots

metres comprised in parts of State Land Lots 151-68, 151-70, 195-2 Mukim No. XIII (SEMBAWANG) and part of KRANJI ROAD, occupied by "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" and bounded approximately as follows:

Singapore.

THE SCHEDULE — continued

Commencing at the easternmost corner of the perimeter fence of the aforesaid "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" which point is 15875.9 metres North and 10423.0 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
223° 03′	64.5 metres
234° 54′	3.6 metres
222° 50′	179.8 metres
347° 11′	6.2 metres
348° 04'	1.1 metres
348° 45′	49.6 metres
78° 36'	0.5 metre (to a gate)
348° 57'	7.9 metres (along a gate)
258° 36′	0.5 metre
349° 17′	26.5 metres (to a gate)
348° 36′	6.3 metres (along a gate)
348° 40′	35.8 metres
358° 49′	3.6 metres
74° 40′	0.7 metre (to a gate)
348° 32′	8.3 metres (along a gate)
268° 07'	0.7 metre
338° 51′	3.5 metres
348° 45′	16.5 metres (to a gate)
347° 27′	6.3 metres (along a gate)
347° 33′	24.9 metres
106° 02′	29.9 metres

Informal Consolidation - version in force from 28/8/2019 to 30/5/2020

THE SCHEDULE — continued

77° 12′	27.5 metres
86° 12′	3.7 metres
92° 06′	21.9 metres
84° 21′	62.4 metres
72° 02′	34.9 metres
77° 46′	3.8 metres
133° 06′	38.7 metres

to the point of commencement.

The boundaries of "WOODLANDS CAMP, 21ST SINGAPORE ARTILLERY" are more particularly delineated and shown edged pink on Survey Print No. 1092-78 filed in the office of the Chief Surveyor, Singapore.

(43) S 222/78

[15.9.78]
Commanding Officer,
Singapore Armed
Forces,
Ammunition Base,
Rifle Range Road,
Singapore.

QUALITY CONTROL COMPANY, PROOF CENTRE, SEMBAWANG AMMUNITION DEPOT, ATTAP VALLEY ROAD, SINGAPORE.

All that area of about 6720.8 square metres comprised in part of State Land Lot1043, Mukim No. XX (SELETAR) occupied by "QUALITY CONTROL COMPANY PROOF CENTRE" are bounded approximately as follows:

Commencing at the northern-most corner of the perimeter fence of the aforesaid "QUALITY CONTROL COMPANY PROOF CENTRE" which point is 13146.7 metres North and 2820.0 metres East of the Survey Department origin of co-ordinates, the boundary runs along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
105° 18′	69.6 metres
144° 49′	0.7 metre

"QUALITY C PROOF CENT

		Protected Plac		
<u>p. 66</u>	1990 Ed.]	(Consolidation) ([Cap. 256, O 2
		THE SCHEDULE —	continued	
		102° 46′	4.3 metres	(along an outer gate)
		53° 04′	0.6 metre	
		106° 33′	17.2 metres	
		195° 18′	73.5 metres	(partly along a gate)
		291° 41′	12.4 metres	
		walls of bea	a Firing Range, arings and distand ely as under:	
		Bearing	Dist	ance
		195° 18′	0.3 1	netre
		285° 25'	55.8	metres
		195° 25′	1.3 n	netres
		285° 25'	0.4 1	netre
		15° 25′	1.3 n	netres
		285° 25'	4.5 n	netres
		195° 25′	1.8 n	netres
		285° 25'	0.4 1	netre
		16° 24′	1.1 n	netres
		fence of bea	thence along succ arings and distand ely as under:	
		Bearing	Dist	ance
		285° 46'	8.8 n	netres
		320° 31′	12.2	metres
		16° 01′	7.2 n	netres
		286° 50'	5.2 r	netres
		16° 04′	14.1	metres
		100° 36′	5.0 n	netres
		15° 23′	44.2	metres

THE SCHEDULE — continued

to the point of commencement.

The boundaries of "QUALITY CONTROL COMPANY PROOF CENTRE" are more particularly delineated and shown edged pink on Survey Print No. 1539-77 filed in the office of the Chief Surveyor, Singapore.

(44) [Deleted by S 613/2011 wef 15/11/2011]

(44A) Permanent Secretary, Ministry of Home Affairs The extended boundaries of the Ministry of Home Affairs Complex containing an area of about 9,476 square metres in part of State Land Lot 5501 Mukim No. 17 (Toa Payoh) and bounded approximately as follows:

Commencing at the north-west corner of the perimeter fence of the said Ministry of Home Affairs Complex which point is 34,697.2 metres North and 27,873.3 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
59° 30'	7.2
59° 30'	3.9 (along a gate)
146° 31′	26.4
142° 47′	15.0
140° 08'	3.0
135° 01′	2.3
49° 53'	28.4
136° 55'	55.4
228° 40′	23.5
317° 17′	24.5
228° 24′	4.4
228° 24′	5.8 (along a gate)

		Protected Places	
<u>p. 68</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continu	ed
		317° 00′	17.6
		225° 10′	17.8
		167° 55′	8.9
		158° 36′	6.0
		157° 10′	3.0
		154° 09′	3.0
		152° 14′	2.8
		150° 07′	2.7
		144° 17′	35.7
		144° 20′	51.1
		228° 25′	12.4
		161° 34′	79.5
		214° 06′	15.0
		258° 02′	14.5
		340° 06′	50.5
		340° 27′	17.0
		258° 46′	5.1
		259° 19′	5.3 (along a gate)
		258° 35′	7.2
		18° 30′	11.0
		341° 40′	34.7
		339° 26′	33.3
		337° 08′	24.7
		341° 13′	27.5
		22° 04′	25.0
		4° 11′	3.8
		346° 51′	4.0 (along a gate)
		349° 30'	4.0
		65° 03′	8.5

THE SCHEDULE — continued

326° 03′	16.3
316° 32′	7.2
337° 56'	4.0 (along a gate)
327° 56′	9.8

to the point of commencement.

The extended boundaries of the said Ministry of Home Affairs are more particularly delineated and edged in yellow in the Plan filed in the office of the Commissioner of Lands.

[Ref. LO (SEC)/004/85 Vol. 2]

[S 294/97 wef 20/06/97]

(45) S 108/79 [11.5.79] Director of Prisons.

LLOYD LEAS COMMUNITY SUPERVISION CENTRE.

All that area comprised in parts of State Land Lots 149-3, 150, 152-2, 153-2, 154 and 341-2 Mukim No. XXXI (CHANGI) occupied by "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" containing an area of about 53036.6 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" which point is 8743.8 metres North and 14001.9 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
144° 47′	36.8
53° 13′	47.1
140° 31'	43.0

p. 70	1990 Ed.]	Protected Places (Consolidation) Or	
<u>+</u>		THE SCHEDULE — co	
		50° 35′	38.1
		143° 19′	79.0
		229° 58′	9.4
		144° 11′	13.0
		228° 20′	9.5
		160° 44′	35.0
		156° 21′	16.9
		245° 54'	8.7
		174° 40′	9.1
		176° 00′	6.5
		271° 39′	15.3
		183° 49′	6.5 (partly along gate)
		271° 23′	31.9
		262° 52′	3.1
		249° 24′	3.0
		233° 10′	2.7
		222° 50′	3.1
		205° 55'	3.0
		189° 36'	3.1
		181° 31′	45.5
		181° 00′	30.3
		178° 25′	3.1
		177° 23′	6.2
		173° 54′	2.9
		173° 23′	3.1
		172° 22′	3.0
		262° 40′	10.0 (partly along gate)
		263° 33′	6.5 (to the wall of Block No. 147)

Сар. 256, О 2]	Protected Place (Consolidation) C		n 71
CAP. 230, 0 2]	THE SCHEDULE — a		p. /1
			- NT -
	354° 21′	0.2 (to the corner of Block 147)	K NO.
	264° 21′	6.3 (along the wall to the corner of Block No. 14	
	174° 21′	0.3 (along the wall)	
	264° 47′	9.5	
	353° 48′	20.5	
	353° 19′	26.9	
	265° 17′	2.8	
	277° 14′	30.6	
	296° 49′	87.8 (partly along gate	e)
	233° 44′	15.4	
	222° 21′	14.5	
	272° 01′	5.5	
	313° 51′	22.1	
	227° 27′	15.0	
	270° 56′	17.5 (partly along gate	e)
	242° 01′	21.5	
	332° 55′	26.5	
	60° 31′	19.7	
	35° 23′	2.7	
	333° 16'	20.2	
	334° 48′	14.5	
	332° 15′	40.3	
	337° 21′	3.0	
	344° 01′	25.9	
	38° 04′	6.0	
	93° 01′	14.1	
	120° 59′	34.9	

		Protected Places	
<u>p</u> . 72	1990 Ed.]	(Consolidation) Orde	er [CAP. 256, O 2
		THE SCHEDULE — cont	inued
		141° 24′	2.6
		148° 47′	8.7
		42° 49′	24.5 (partly along gate)
		344° 21′	14.3
		356° 04′	11.6
		21° 10′	5.8
		77° 41′	13.8
		96° 14′	37.5
		347° 17'	15.6
		30° 03′	29.6
		40° 27′	21.6
		128° 18′	12.1
		131° 13′	2.8
		127° 32′	2.9
		27° 54′	15.4

to the point of commencement.

The boundaries of "LLOYD LEAS COMMUNITY SUPERVISION CENTRE" are more particularly delineated and edged pink on Survey Print No. 1067-79 filed in the office of the Chief Surveyor, Singapore.

[S 60/2014 wef 03/02/2014]

(46) [Deleted by S 378/2011 wef 01/07/2011]

(47)	[27.6.80] Commander,	RESERVE ARMOUR TRAINING CENTRE, SUNGEI GEDONG CAMP, SINGAPORE 2471.
	Reserve Armour Training Centre, Sungei Gedong Camp, Singapore 2471.	All that area comprised in part of State Reserve and parts of State Land Lots 659, 159-102 and 32 Mukim No. XII (LIM CHU KANG) occupied by the "SUNGEI GEDONG CAMP (RESERVE ARMOUR TRAINING CENTRE)" containing an area

of about 110783.4 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SUNGEI GEDONG CAMP (RESERVE ARMOUR TRAINING CENTRE)" which point is 14548.4 metres North and 17588.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance
188° 13'	228.7 metres
178° 00′	53.9 metres
265° 44'	93.7 metres
222° 59′	3.2 metres
239° 54′	37.9 metres
246° 08'	98.5 metres
250° 39′	15.3 metres
312° 11′	55.8 metres
294° 54′	9.4 metres
321° 30′	24.6 metres
325° 04′	33.6 metres
301° 54'	14.2 metres
230° 29′	55.8 metres
229° 71′	36.1 metres
299° 20'	154.5 metres (partly along a gate)
328° 40′	14.7 metres
44° 58′	37.0 metres
2° 52′	9.1 metres

		Protected Place	es
<u>p. 74</u>	1990 Ed.]	(Consolidation) C	Order [CAP. 256, O 2
		THE SCHEDULE —	continued
		333° 50'	21.2 metres
		51° 35′	36.4 metres
		59° 18′	19.6 metres
		128° 29′	13.2 metres (partly along a gate)
		56° 02′	21.3 metres
		77° 22′	175.9 metres
		26° 55′	6.7 metres
		70° 44′	4.9 metres
		90° 42′	9.4 metres (partly along a gate)
		118° 38′	5.7 metres
		76° 38′	46.0 metres
		80° 17′	21.4 metres
		71° 55′	34.1 metres
		65° 10′	17.9 metres
		54° 18′	12.8 metres
		70° 37′	11.0 metres (along gate)
		108° 04'	4.4 metres
		90° 15′	6.0 metres
		72° 50′	17.7 metres
		68° 23′	21.2 metres
		91° 00′	21.0 metres
		76° 46′	19.4 metres
		97° 36′	23.4 metres (partly along a gate)
		13° 37′	12.9 metres
		57° 05′	48.2 metres

to the point of commencement.

THE SCHEDULE — continued

The boundaries of "SUNGEI GEDONG CAMP (RESERVE ARMOUR TRAINING CENTRE)" are more particularly delineated and edged pink on Survey Print No. 1214-79 filed in the office of the Chief Surveyor, Singapore.

(48) S 331/80[19.12.80]1. General Manager, Telecommunication Authority of Singapore.

AYER RAJAH EXCHANGE.

All that area comprised in part of Lot 1232, Mukim No.III (PASIR PANJANG), occupied by the "AYER RAJAH EXCHANGE" containing an area of approximately 5582 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "AYER RAJAH EXCHANGE" which point is 2336.8 metres North and 8279.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
114° 21′	60.6
172° 37′	0.4
183° 19′	64.8
193° 24′	5.1
204° 45′	2.0 (along a wall)
294° 29′	3.7 (along a wall)
294° 58′	6.0 (along a gate)
290° 53'	0.2 (along a wall)
204° 38′	8.1
294° 25′	68.8
306° 03′	6.3
17° 40′	0.8

24° 21′ 73.6

to the point of commencement.

The boundaries of "AYER RAJAH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1512-79 filed in the office of the Chief Surveyor, Singapore.

2. General Manager, Telecommunication Authority of Singapore. CITY SOUTH EXCHANGE.

All that building known as "CITY SOUTH EXCHANGE", excluding its footway at the ground level fronting Choon Guan Street, standing within Lot 378, TS No. III, containing an area of approximately 2135 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "CITY SOUTH EXCHANGE" which point is 1264.9 metres South and 647.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along a line of bearing 173° 20' and distance of 69.8 metres, partly cutting across a footway and partly following the outer face of an adjacent wall of House No. 10, to a point where it meets a garden wall, thence along a line following the outer edge of the garden wall of bearing 263° 33' and distance of 31.3 metres and thence along successive lines following the remaining building walls of bearings and distances approximately as under:

Bearing	Distance in metres
353° 17′	11.0
353° 44′	8.9
359° 24'	9.6
352° 18′	6.9
348° 01′	0.6

THE SCHEDULE — *continued*

78° 16′	0.1
354° 24′	4.6
265° 31'	0.1
354° 14′	28.3

to a point where it meets another corner of the building and thence along a line of bearing 83° 21' and distance of 30.0 metres, following the limits of the upper floors of the building, to the point of commencement.

The boundaries of "CITY SOUTH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1536-79 filed in the office of the Chief Surveyor, Singapore.

TELOK BLANGAH EXCHANGE. Telecommunication All that area comprised in part of Authority of Lot 1301, Mukim No. I (TELOK Singapore.

BLANGAH) occupied by the "TELOK BLANGAH EXCHANGE" containing an area of approximately 4739 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TELOK BLANGAH EXCHANGE" which point is 987.7 metres South and 3716.2 metres West of the Survey Department origin of co-ordinates, the boundary runs along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
161° 49′	55.4
161° 47′	40.1

to a point where it meets a line, thence along the line of bearing 251 ° 53' and distance of 5.9 metres across a drive-way to a fence,

3. General Manager,

thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
251° 46′	16.7
290° 08'	14.0
325° 50'	22.0
319° 47′	18.2
317° 17′	12.1
307° 25′	22.8
303° 31′	18.7
296° 09'	5.7
71° 38′	80.2

to the point of commencement.

The boundaries of "TELOK BLANGAH EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1618-80 filed in the office of the Chief Surveyor, Singapore.

- (49) [Deleted by S 150/96 wef 04/04/96]
- (50) [Note: Deleted by S 345/91 wef 08/08/91; see new order S 345/91]
- (51) [Deleted by S 459/94 wef 09/12/.94]
- (52) [Deleted by S 290/96 wef 28/06/96]
- (53) [Deleted by S 576/2005 wef 05/09/2005]
- (54) S 304/81

1. AMA KENG EXCHANGE.

[18.9.81] General Manager, Telecommunication Authority of Singapore.

All that area comprised in part of Lot 704 Mukim No. XII (LIM CHU KANG) occupied by "AMA KENG EXCHANGE" containing an area of about 4156 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "AMA KENG EXCHANGE" which point is 11961.4 metres North and 16628.5 metres West of the Survey

THE SCHEDULE — continued

Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
157° 52′	46.3
241° 16'	21.8 (partly along a gate)
338° 00′	1.5

to a point where it meets the wall of a store, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
247° 26′	0.1
337° 26'	0.2
247° 26′	2.7
157° 26′	0.2
247° 26′	0.1

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
159° 05′	1.9
241° 09′	57.0
337° 05′	55.6
67° 43′	82.0

to the point of commencement.

The boundaries of "AMA KENG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1505-70 filed in the office of the Chief Surveyor, Singapore.

2. YIO CHU KANG EXCHANGE.

All that area comprised in parts of Lots 4523 and 6026, Mukim No. XVIII (ANG MO KIO),

occupied by "YIO CHU KANG EXCHANGE" containing an area of about 2500 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "YIO CHU KANG EXCHANGE" which point is 10909.3 metres North and 1953.1 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
97° 05′	31.0
52° 55′	3.1
98° 47′	9.0
143° 59′	2.6
97° 30′	3.2
189° 04′	47.2
188° 13'	8.8
195° 13′	1.8
278° 55′	38.3
9° 06′	4.2
8° 25′	21.3
324° 13′	4.3
281° 22′	7.1
11° 39′	19.9
11° 08′	6.4 (along a gate)
36° 51′	1.36

to the point of commencement.

The boundaries of "YIO CHU KANG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1535-79 filed in the office of the Chief Surveyor, Singapore.

3. ANG MO KIO EXCHANGE.

All that area comprised in part of Lot 5679, Mukim No. XVIII (ANG MO KIO), occupied by "ANG MO KIO EXCHANGE" containing an area of about 2768 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "ANG MO KIO EXCHANGE" which point is 8936.5 metres North and 2389.2 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
108° 41′	5.6
96° 35′	52.4
186° 03′	35.3
274° 42′	1.1
3° 44′	0.1
274° 34′	6.7 (along a gate)
186° 55′	0.1
276° 56′	67.5
3° 38′	0.1
277° 08′	7.1 (along a gate)
178° 45′	0.1

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
275° 36'	0.5
7° 31′	2.3 (partly along a gate)
277° 46'	2.3
6° 19′	0.4

THE SCHEDULE — continued

277° 04′ 3.5

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
236° 08′	4.1
275° 46′	6.6
54° 44′	54.2

to the point of commencement.

The boundaries of "ANG MO KIO EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1671-79 filed in the office of the Chief Surveyor, Singapore.

4. EAST EXCHANGE.

All that area comprised in parts of State Land Lots 644 and 645, TS No. XVII occupied by the "EAST EXCHANGE" containing an area of about 2553 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "EAST EXCHANGE" which point is 2081.2 metres North and 990.3 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
314° 06′	31.0
352° 34′	3.7
43° 26′	47.7

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing Distance in metres

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 83
THE SCHEDULE — continued		
	312° 46′	0.1
	41° 44′	2.2
	131° 19′	5.9
	221° 19′	0.2
	131° 32′	4.0 (along a gate)
	41° 11′	0.2
	131° 11′	24.5
	133° 00′	3.4
	223° 00′	0.2
	131° 56′	4.0 (along a gate)
	41° 08′	0.2
	131° 08′	11.7
	221° 42′	0.1

to a point where it meets a fence, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
181° 24′	5.1
210° 35'	6.1
251° 52′	50.9

to a point of commencement.

The boundaries of the "EAST EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1672-79 filed in the office of the Chief Surveyor, Singapore.

5. SEMBAWANG EXCHANGE.

All that area comprised in part of Lot 472, Mukim No. XIII (SEMBAWANG) occupied by the "SEMBAWANG EXCHANGE" containing an area of about 5922 square metres and bounded approximately as follows:

THE SCHEDULE — continued

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SEMBAWANG EXCHANGE" which point is 16579.9 metres North and 2928.9 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
97° 11′	36.5
178° 39'	78.4
284° 52′	16.2
281° 06'	11.1
285° 05'	20.0
283° 57′	25.0
284° 39′	27.5
11° 33′	42.4
71° 10′	18.2 (partly across a wall)

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
159° 32'	0.3
119° 06′	3.8
71° 05′	7.5 (partly across a gate)
25° 12′	3.9
339° 55'	0.3

to a point where it meets a fence, thence along a line following the fence of bearing 71° 32' and distance of 22.1 metres to the point of commencement.

The boundaries of "SEMBAWANG EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1673-79 filed in the office of the Chief Surveyor, Singapore.

6. WOODLANDS EXCHANGE.

All that area comprised in part of Lot 812, Mukim No. XIII (SEMBAWANG) occupied by "WOODLANDS EXCHANGE" containing an area of about 3136 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "WOODLANDS EXCHANGE" which point is 15980.5 metres North and 9953.4 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
90° 56′	89.1
201° 01′	21.9
180° 14′	16.0
270° 55′	84.0

to a point where it meets a wall, thence along successive lines of walls of bearings and distances approximately as under:

Bearing	Distance in metres
1° 07′	35.3 (partly across two gates)
90° 45′	1.5

to a point where it meets a fence of bearing $19^{\circ} 22'$ and distance of 1.8 metres to the point of commencement.

The boundaries of the "WOODLANDS EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1675-79 filed in the office of the Chief Surveyor, Singapore.

7. BEDOK EXCHANGE.

All that area comprised in parts of Lots 3389 and 4955, Mukim No. XVII (BEDOK), occupied by the "BEDOK EXCHANGE" containing an area of

about 4063 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "BEDOK EXCHANGE" which point is 3020.6 metres North and 9119.6 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
173° 50′	47.4 (across two gates)
208° 55'	22.4
176° 15′	11.5
264° 33'	49.2 (across a gate and two pillars)
354° 30'	21.5
9° 33′	58.8
90° 44′	36.5
67° 16′	10.6

to the point of commencement.

The boundaries of "BEDOK EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 1609-81 filed in the office of the Chief Surveyor, Singapore.

1. [Deleted by S 527/2005 wef 05/08/2005]

(55) S 53/82 [5.3.82] Commanding Officer, 2 PLTC

2 KLIC.	
Assistant Director	2. DSO MARINA HILL.
(Shared Services Centre), Defence Science and Technology Agency	HILL containing an area of about 29,005 square
0, 0, 1	metres and bounded approximately as follows:

THE SCHEDULE — continued

Commencing at a point of the aforesaid "DSO MARINA HILL" which point is 30,273.243 metres North and 22,622.045 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of co-ordinates approximately as follows:

Northing	Easting
30,273.243	22,622.045
30,267.423	22,631.660
30,256.422	22,651.281
30,250.415	22,664.531
30,248.272	22,674.862
30,248.262	22,685.321
30,249.122	22,708.931
30,249.545	22,723.770
30,249.605	22,725.814
30,245.874	22,733.914
30,231.477	22,745.935
30,206.961	22,761.379
30,165.190	22,790.227
30,129.261	22,817.070
30,099.914	22,833.844
30,100.860	22,835.636
30,097.192	22,837.683
30,088.960	22,840.923
30,081.443	22,843.355
30,069.328	22,856.184
30,067.081	22,858.328
30,046.635	22,875.490
30,039.132	22,883.945


		Protected Places	
<u>p. 88</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		30,033.857	22,886.228
		30,022.745	22,896.249
		30,018.574	22,915.471
		30,015.362	22,923.728
		29,998.142	22,942.352
		29,992.260	22,944.826
		29,962.283	22,947.491
		29,957.088	22,949.371
		29,953.954	22,949.280
		29,935.991	22,953.175
		29,930.849	22,935.652
		29,933.029	22,927.668
		29,925.953	22,843.461
		29,985.981	22,837.968
		29,993.663	22,826.899
		30,008.179	22,827.129
		30,013.048	22,835.555
		30,033.789	22,833.720
		30,036.158	22,829.332
		30,052.502	22,816.406
		30,058.528	22,814.726
		30,114.129	22,775.939
		30,115.885	22,775.515
		30,123.813	22,769.852
		30,127.908	22,764.909
		30,133.711	22,754.401
		30,139.572	22,736.159
		30,140.909	22,724.718
		30,141.139	22,718.351

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 89
	THE SCHEDULE — continued	d
	30,141.158	22,700.505
	30,140.433	22,691.550
	30,142.725	22,686.830
	30,144.735	22,684.529
	30,153.310	22,676.465
	30,160.109	22,666.275
	30,165.526	22,666.285
	30,168.384	22,666.238
	30,173.788	22,665.860
	30,179.500	22,665.260
	30,191.598	22,663.470
	30,203.251	22,660.285
	30,210.159	22,654.163
	30,220.175	22,631.507
	30,223.035	22,632.361
	30,232.832	22,610.463
	30,246.111	22,594.295
	30,252.575	22,601.698
	30,253.362	22,601.364
	30,256.650	22,605.413
	30,259.552	22,612.608
	to the point of commonsor	nont

to the point of commencement.

The boundaries of "DSO MARINA HILL" are more particularly delineated on the Survey Plan No. D8826/GAZ filed in the office of the Director, Protective Infrastructure and Estate Programme Centre, Defence Science and Technology Agency, Singapore.





(56) S 161/82 [11.6.82] S 346/88 S 454/90 (Training), 1. NEE SOON RANGE.

All that area comprised in part of Lot 187 in Mukim No. XIV (MANDAI) occupied by "NEE SOON RANGE" together with the corridor that surrounds Assistant Chief it, containing an area of about 874230 square of General Staff metres and bounded approximately as follows: Ministry of Defence, Commencing at the northernmost corner of the aforesaid corridor of "NEE SOON RANGE" which Tanglin, point is 12550.1 metres North and 4656.2 metres Singapore 1024. West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
149° 19′	805.0

THE SCHEDULE — continued

230° 19′	1086.0
320° 19′	805.9
50° 19′	1086.0

to the point of commencement.

The boundaries of the corridor of "NEE SOON RANGE" are more particularly delineated and edged pink on Survey Print No. 1327-82 filed in the office of the Chief Surveyor, Singapore.

Assistant Chief	2. MAJU RANGE.
of General Staff (Training), Ministry of Defence, Tanglin, Singapore 1024.	All that area comprised in part of State Land Lots 115-3, 115-4, 115-6 and 1963 in Mukim No. V (PANDAN) occupied by "MAJU RANGE" together with the corridor that surrounds it, containing an area of about 70380 square metres and bounded approximately as follows:
	The second se

Commencing at the northernmost corner of the aforesaid corridor of "MAJU RANGE" which point is 4789.0 metres North and 8776.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
157° 11′	391.0
247° 11′	180.0
337° 11′	391.0
67° 11′	180.0

to the point of commencement.

The boundaries of the corridor of "MAJU RANGE" are more particularly delineated and edged pink on Survey Print No. 2121-81 filed in the office of the Chief Surveyor, Singapore.

Assistant Chief 3. TAMPINES RANGE.

of General Stall	All that area comprised in part of State Land Lot
(Training),	1 1
C	91-9 in Mukim No. XXIX (TAMPINES) occupied
Ministry of	by "TAMPINES RANGE" together with the
	by TAIMI INES RANGE together with the

THE SCHEDULE — continued

Defence,	corridor that surrounds it, containing an area of
Tanglin,	about 62339 square metres and bounded
Singapore 1024	approximately as follows:

Commencing at the northernmost corner of the aforesaid corridor of "TAMPINES RANGE" which point is 9034.8 metres North and 11033.1 metres East of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
140° 16′	361.5
166° 37′	8.6
179° 39′	51.5
230° 16′	74.9
303° 50'	9.5
301° 28′	61.5
304° 02′	94.7
311° 21′	24.2
307° 24′	8.3
320° 16′	218.8
50° 16′	166.0

to the point of commencement.

The boundaries of the corridor of "TAMPINES RANGE" are more particularly delineated and edged pink on Survey Print No. 1004-82 filed in the office of the Chief Surveyor, Singapore.

(57) Commander,	SEMBAWANG	AIR	BASE/DIEPPE
Sembawang Air	BARRACKS.		
Base	All that area comp	rised in Sta	ate Land Lots 122N
	and 99950K, and L	ots D4020,	511L, 514W, 515V,
	516P, 4128A, 4131	A, 99287M	, 99288W, 99290M,
	99291W, 99292V,	99293P,	99294T, 99295A,
	99296K, 99297N,	99298X,	99299L, 99306K,
	99307N, 99308X,	99309L,	99310N, 99311X,

THE SCHEDULE — continued

99341N, 99366T, 99367A, 99368K. 99312L. 99371K, 99373X, 99374L, 99376M, 99377W, 99379P. 33980W, 99381V, 99382P, 99383T, 99384A, 99385K, 99386N, 99387X, 99388L, 99390X, 99391L, 99392C, 99393M, 99394W, 99463L, 99464C, 99465M, 99395V. 99396P. 99466W, 99467V and 99468P, and part of Resurvey Lot 99960V, and part of State Land Lots 12P, 518A, 2730W and 4002C, and part of Lots D4019, 509C, 566A, 875V, 3034V, 3931A, 99285L, 99286C, 99300M, 99301W, 99302V, 99304T, 99313C, 99314M, 99317P, 99303P. 99318T, 99321T. 99369N, 99447C, 99865C, 99866M, 99883M, 99884W, 99900T and 99948N in MUKIM No. 13 (SEMBAWANG), and in part of State Land Lot 1926V in MUKIM No. 19 (NORTH SELETAR) occupied by "SEMBAWANG AIR BASE/DIEPPE BARRACKS" containing an area of about 6,815,792 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "SEMBAWANG AIR BASE/DIEPPE BARRACKS" which point is 45,607.701 metres North and 26,971.434 metres East of the Land Survey Department, Singapore Land Authority origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
71° 02′ 40″	65.198
192° 53′ 00″	7.844
192° 53′ 00″	12.215
192° 53′ 00″	12.213
192° 53′ 00″	11.215
192° 53′ 00″	14.136

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$192^{\circ} 53' 00''$ 22.404 $192^{\circ} 53' 00''$ 19.882 $192^{\circ} 52' 00''$ 10.950 $192^{\circ} 52' 00''$ 10.428 $192^{\circ} 52' 00''$ 34.870 $266^{\circ} 04' 30''$ 34.334 $266^{\circ} 04' 30''$ 1.900 $191^{\circ} 49' 00''$ 143.912 $170^{\circ} 36' 52''$ 21.941 $201^{\circ} 37' 30''$ 23.758 $201^{\circ} 37' 30''$ 10.898 $201^{\circ} 37' 30''$ 10.951
$192^{\circ} 53' 00''$ 19.882 $192^{\circ} 52' 00''$ 10.950 $192^{\circ} 52' 00''$ 10.428 $192^{\circ} 52' 00''$ 34.870 $266^{\circ} 04' 30''$ 34.334 $266^{\circ} 04' 30''$ 1.900 $191^{\circ} 49' 00''$ 143.912 $170^{\circ} 36' 52''$ 21.941 $201^{\circ} 37' 30''$ 23.758 $201^{\circ} 37' 30''$ 10.898 $201^{\circ} 37' 30''$ 10.951
$192^{\circ} 52' 00''$ 10.950 $192^{\circ} 52' 00''$ 10.428 $192^{\circ} 52' 00''$ 34.870 $266^{\circ} 04' 30''$ 34.334 $266^{\circ} 04' 30''$ 1.900 $191^{\circ} 49' 00''$ 143.912 $170^{\circ} 36' 52''$ 21.941 $201^{\circ} 37' 30''$ 23.758 $201^{\circ} 37' 30''$ 10.898 $201^{\circ} 37' 30''$ 10.951
$192^{\circ} 52' 00''$ 10.428 $192^{\circ} 52' 00''$ 34.870 $266^{\circ} 04' 30''$ 34.334 $266^{\circ} 04' 30''$ 1.900 $191^{\circ} 49' 00''$ 143.912 $170^{\circ} 36' 52''$ 21.941 $201^{\circ} 37' 30''$ 23.758 $201^{\circ} 37' 30''$ 10.898 $201^{\circ} 37' 30''$ 10.951
$192^{\circ} 52' 00''$ 34.870 $266^{\circ} 04' 30''$ 34.334 $266^{\circ} 04' 30''$ 1.900 $191^{\circ} 49' 00''$ 143.912 $170^{\circ} 36' 52''$ 21.941 $201^{\circ} 37' 30''$ 23.758 $201^{\circ} 37' 30''$ 10.898 $201^{\circ} 37' 30''$ 10.951
266° 04' 30"34.334266° 04' 30"1.900191° 49' 00"143.912170° 36' 52"21.941201° 37' 30"23.758201° 37' 30"10.898201° 37' 30"10.951
266° 04' 30"1.900191° 49' 00"143.912170° 36' 52"21.941201° 37' 30"23.758201° 37' 30"10.898201° 37' 30"10.951
191° 49' 00"143.912170° 36' 52"21.941201° 37' 30"23.758201° 37' 30"10.898201° 37' 30"10.951
170° 36' 52"21.941201° 37' 30"23.758201° 37' 30"10.898201° 37' 30"10.951
201° 37' 30"23.758201° 37' 30"10.898201° 37' 30"10.951
201° 37' 30"10.898201° 37' 30"10.951
201° 37′ 30″ 10.951
201° 37′ 30″ 11.469
201° 37′ 30″ 10.814
201° 37′ 30″ 21.581
201° 37′ 30″ 9.095
201° 37′ 30″ 9.115
201° 37′ 30″ 8.718
201° 37′ 30″ 8.506
201° 37′ 30″ 0.799
201° 37′ 30″ 1.500
201° 37′ 30″ 19.862
203° 04′ 00″ 10.537
203° 04′ 00″ 14.409
203° 04′ 00″ 16.396
105° 17′ 30″ 33.877
105° 17′ 30″ 5.524
105° 17′ 30″ 10.992
105° 17′ 30″ 39.115

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p.	95
<u>enii 200, 0 2</u>]	THE SCHEDULE — continued	[1770 Eu. p.	<u> </u>
	105° 17′ 30″	155.426	
	190° 54′ 48″	31.877	
	192° 46′ 25″	12.297	
	194° 26′ 20″	12.948	
	196° 58' 26"	17.173	
	195° 39′ 30″	33.404	
	190° 18′ 13″	14.268	
	190° 32′ 48″	28.324	
	189° 27′ 45″	29.832	
	188° 52′ 59″	8.955	
	182° 57′ 42″	2.556	
	191° 52′ 07″	21.200	
	189° 35′ 55″	28.633	
	190° 33′ 25″	14.690	
	188° 19′ 37″	47.384	
	185° 49′ 50″	60.826	
	189° 48′ 03″	48.542	
	176° 32′ 05″	4.263	
	183° 20′ 25″	4.944	
	200° 13′ 26″	4.249	
	212° 17′ 22″	1.994	
	197° 41′ 16″	11.365	
	284° 50′ 01″	0.717	
	194° 34′ 08″	7.438	
	100° 02′ 48″	0.313	
	197° 35′ 43″	0.717	
	193° 44′ 57″	92.278	
	193° 44′ 57″	14.102	
	193° 44′ 57″	21.284	

		Protected Places	
<u>p. 96</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		193° 54′ 05″	177.965
		193° 55′ 15″	20.957
		193° 55′ 15″	8.042
		193° 55′ 16″	226.831
		193° 55′ 16″	22.036
		193° 55′ 16″	60.107
		193° 55′ 16″	14.763
		198° 36′ 38″	7.353
		198° 36′ 38″	9.198
		206° 38′ 57″	3.960
		216° 21′ 03″	3.960
		226° 03′ 09″	3.960
		235° 45′ 15″	3.960
		245° 27′ 21″	3.960
		255° 09′ 27″	3.960
		264° 51′ 33″	3.960
		274° 33′ 40″	3.960
		284° 15′ 46″	3.960
		293° 57′ 52″	3.960
		297° 22′ 22″	13.842
		294° 39′ 01″	13.842
		291° 55′ 40″	13.842
		289° 12′ 19″	13.842
		287° 47′ 48″	45.793
		286° 19′ 37″	18.924
		284° 14′ 20″	18.924
		282° 09′ 02″	18.924
		280° 03′ 45″	18.924
		277° 58′ 28″	18.924

CAP. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 97
CAI: 230, 0 2]	THE SCHEDULE — continued	[1990 Ed.	<u>p. 77</u>
		10.024	
	275° 53′ 10″	18.924	
	273° 47′ 53″	18.924	
	271° 42′ 35″	18.924	
	269° 37′ 18″	18.924	
	267° 32′ 00″	18.924	
	265° 26′ 43″	18.924	
	263° 21′ 25″	18.924	
	261° 16′ 08″	18.924	
	260° 13′ 29″	352.731	
	261° 21′ 06″	18.846	
	263° 35′ 51″	18.846	
	265° 50′ 36″	18.846	
	268° 05′ 21″	18.846	
	270° 20′ 06″	18.846	
	272° 34′ 51″	18.846	
	274° 49′ 36″	18.846	
	277° 04′ 21″	18.846	
	279° 19′ 06″	18.846	
	281° 33′ 51″	18.846	
	283° 48′ 36″	18.846	
	286° 03′ 21″	18.846	
	288° 18′ 06″	18.846	
	290° 32′ 51″	18.846	
	292° 47′ 36″	18.846	
	293° 55′ 16″	80.083	
	293° 55′ 16″	11.799	
	293° 55′ 16″	105.258	
	293° 55′ 16″	27.047	
	293° 55′ 16″	19.133	

		Protected Places	
<u>p. 98</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		293° 55′ 16″	52.901
		293° 55′ 16″	11.083
		292° 50′ 12″	16.259
		290° 57′ 16″	16.259
		289° 04′ 20″	16.259
		287° 11′ 23″	16.259
		285° 18′ 27″	16.259
		283° 35′ 47″	17.308
		281° 16′ 24″	17.308
		278° 57′ 00″	17.308
		276° 37′ 37″	17.308
		271° 18′ 14″	17.308
		271° 58′ 50″	17.308
		270° 02′ 08″	18.834
		267° 45′ 37″	18.834
		265° 29' 07"	18.834
		263° 12′ 36″	18.834
		260° 56' 05"	18.834
		258° 39' 34"	18.834
		256° 23′ 04″	18.834
		254° 00′ 53″	19.284
		251° 46′ 22″	19.284
		249° 31′ 50″	19.284
		247° 17′ 19″	19.284
		245° 02′ 48″	19.284
		242° 48′ 17″	19.284
		240° 33′ 46″	19.284
		237° 41′ 14″	15.237
		239° 04′ 05″	26.660

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 99
CAI: 200, 0 2]	THE SCHEDULE — continued	[1990 Ed.	<u>p. </u>
	240° 44′ 59″	26.660	
	244° 19′ 55″	12.884	
	246° 26′ 11″	12.884	
	248° 32′ 27″	12.884	
	250° 38′ 44″	12.884	
	262° 13′ 32″	6.926	
	266° 55′ 38″	6.926	
	271° 37′ 45″	6.926	
	276° 19′ 51″	6.926	
	281° 01′ 58″	6.926	
	285° 44' 04″	6.926	
	292° 44′ 14″	8.672	
	297° 53′ 02″	8.672	
	303° 01′ 50″	8.672	
	308° 10′ 38″	8.672	
	313° 19′ 26″	8.672	
	318° 28′ 15″	8.672	
	318° 17′ 57″	43.341	
	317° 37′ 31″	22.973	
	316° 13′ 07″	22.973	
	314° 48′ 44″	22.973	
	313° 24′ 20″	22.973	
	311° 59′ 56″	22.973	
	310° 35′ 32″	22.973	
	306° 00′ 41″	138.843	
	309° 57′ 25″	197.752	
	309° 57′ 23″	30.355	
	309° 06′ 46″	30.348	
	310° 15′ 59″	15.816	

		Protected Places	
<u>p. 100</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		309° 08′ 14″	11.140
		309° 43′ 33″	93.279
		308° 28′ 56″	41.859
		307° 49′ 19″	19.155
		306° 30′ 22″	74.829
		305° 55′ 21″	60.528
		304° 46′ 37″	60.528
		303° 37′ 51″	60.528
		302° 29′ 06″	60.528
		301° 28′ 58″	45.397
		300° 37′ 24″	45.397
		302° 00′ 18″	115.043
		303° 37′ 58″	28.048
		306° 53′ 30″	28.050
		308° 31′ 10″	39.388
		308° 31′ 10″	12.174
		311° 36′ 16″	6.820
		317° 46′ 10″	6.820
		323° 56′ 04″	6.820
		330° 05′ 58″	6.820
		336° 15′ 52″	6.820
		342° 25′ 46″	6.820
		348° 35′ 40″	6.820
		354° 45′ 34″	6.820
		0° 55′ 28″	6.820
		7° 05′ 22″	6.820
		13° 15′ 16″	6.820
		19° 25′ 10″	6.820
		25° 35′ 04″	6.820

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 101
	THE SCHEDULE — continued	
	31° 44′ 58″	6.820
	37° 54′ 52″	6.820
	41° 00′ 05″	48.660
	29° 41′ 25″	32.892
	41° 00′ 00″	454.900
	41° 00′ 00″	333.301
	41° 00′ 00″	138.736
	41° 00′ 00″	30.478
	41° 00′ 00″	38.809
	41° 00′ 00″	69.247
	41° 00′ 00″	69.351
	41° 00′ 00″	69.416
	41° 00′ 00″	26.891
	41° 00′ 00″	132.364
	41° 00′ 00″	20.753
	41° 00′ 00″	123.397
	41° 00′ 00″	247.893
	41° 00′ 00″	16.991
	41° 00′ 00″	281.262
	41° 00′ 00″	15.826
	41° 00′ 00″	15.426
	41° 00′ 00″	209.398
	41° 00′ 00″	88.606
	40° 00′ 49″	19.913
	38° 00′ 11″	19.913
	35° 59′ 33″	19.913
	33° 58′ 55″	19.913
	31° 58′ 17″	19.913
	29° 57′ 40″	19.913

		Protected Places	
<u>p. 102</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		27° 57′ 02″	19.913
		25° 56′ 24″	19.913
		23° 55′ 46″	19.913
		21° 55′ 08″	19.913
		19° 58′ 15″	20.592
		17° 53′ 14″	20.592
		15° 48′ 13″	20.592
		13° 43′ 12″	20.592
		11° 38′ 11″	20.592
		9° 33′ 10″	20.592
		7° 28′ 10″	20.592
		6° 26′ 56″	83.190
		10° 49′ 33″	4.346
		19° 34′ 19″	4.346
		28° 19′ 05″	4.346
		37° 03′ 51″	4.346
		45° 48′ 36″	4.346
		54° 33′ 22″	4.346
		63° 18′ 08″	4.346
		72° 02′ 54″	4.346
		80° 47′ 40″	4.346
		89° 32′ 26″	4.346
		98° 17′ 11″	4.346
		107° 01′ 57″	4.346
		111° 24′ 12″	49.998
		105° 41′ 45″	30.150
		111° 44′ 39″	29.756
		120° 07′ 04″	40.201
		113° 35′ 10″	14.741

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	n 103
	THE SCHEDULE — continued	[1990 Ed.	<u>p. 105</u>
	116° 02′ 50″	14.011	
	113° 39′ 24″	14.011	
	115 39 24 107° 21′ 35″	40.088	
	107 21 35 115° 43' 22″	38.352	
	115° 43° 22 116° 38' 55″	38.352	
	117° 34′ 28″	38.352	
	118° 30′ 01″	38.352	
	119° 25′ 34″	38.352	
	120° 21′ 07″	38.352	
	121° 16′ 40″	38.352	
	129° 32′ 43″	39.910	
	122° 56′ 56″	14.659	
	116° 41′ 58″	39.514	
	124° 53′ 38″	36.368	
	125° 49′ 07″	36.368	
	126° 44′ 36″	36.368	
	127° 40′ 05″	36.368	
	128° 35′ 34″	36.368	
	129° 31′ 03″	36.368	
	130° 26′ 32″	36.368	
	137° 57′ 55″	35.400	
	133° 14′ 32″	19.540	
	125° 46′ 52″	38.956	
	132° 45′ 28″	10.662	
	133° 23′ 29″	40.247	
	134° 29′ 14″	40.247	
	135° 34′ 59″	40.247	
	136° 40′ 43″	40.247	
	137° 46′ 28″	40.247	

		Protected Places	
<u>p. 104</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		138° 52′ 13″	40.247
		146° 24′ 21″	39.444
		140° 27′ 00″	15.122
		133° 50′ 52″	32.344
		148° 26′ 07″	10.969
		148° 26′ 07″	10.355
		148° 26′ 07″	33.658
		149° 51′ 10″	54.663
		151° 51′ 42″	17.369
		152° 03′ 53″	18.044
		147° 37′ 30″	13.992
		144° 53′ 02″	13.992
		142° 08′ 35″	13.992
		139° 29′ 45″	13.033
		136° 56′ 34″	13.033
		134° 23′ 24″	13.033
		131° 40′ 32″	15.915
		128° 57′ 44″	15.915
		126° 14′ 56″	15.915
		123° 32′ 09″	15.915
		120° 49′ 21″	15.915
		118° 06′ 33″	15.915
		115° 23′ 45″	15.915
		112° 40′ 58″	15.915
		109° 58′ 10″	15.915
		107° 15′ 22″	15.915
		104° 32′ 34″	15.915
		100° 09′ 32″	8.736
		95° 17′ 02″	8.736

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 105
	THE SCHEDULE — continued	
	90° 24′ 31″	8.736
	85° 32′ 01″	8.736
	80° 39′ 31″	8.736
	75° 47′ 00″	8.736
	181° 45′ 30″	13.049
	181° 45′ 30″	189.934
	183° 11′ 20″	61.617
	276° 29′ 00″	75.320
	180° 05′ 09″	185.336
	180° 05′ 09″	137.744
	162° 03′ 44″	26.661
	154° 52′ 57″	14.825
	142° 20′ 01″	62.803
	183° 11′ 20″	6.383
	to the point of commencemen	t.

The boundaries of "SEMBAWANG AIR BASE/DIEPPE BARRACKS" are more particularly delineated and edged pink on the Survey Plan No. 5909/SBAB/GAZ filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore.

[S 547/2002 wef 14/10/2002]

(58) S 211/82	38 SCE VEHICLE PARK.
[23.7.82] Commanding Officer, 38 SCE, Singapore 2471	All that area comprised in part of State Land Lots 159-84 and 32, Mukim No. XII (LIM CHU KANG) occupied by the "38 SCE VEHICLE PARK" containing an area of about 10,004 square metres and bounded approximately as follows:
	Commencing at the northernmost corner of the perimeter fence of the aforesaid "38 SCE VEHICLE PARK" which point is 14645.0 metres North and 17682.2 metres West of the Survey

THE SCHEDULE — continued

Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
163° 40′	99.9
253° 39'	120.0 (partly along gates)
343° 42′	33.6
25° 48′	89.5
73° 42′	60.0

to the point of commencement.

The boundaries of the "38 SCE VEHICLE PARK" are more particularly delineated and edged pink on the Survey Print No. 1410-82 filed in the office of the Chief Surveyor, Singapore.

(59) S 339/82 [17.12.82] General Manager, Bukit Batok FM/TV Transmitting Station.	BUKIT BATOK FM/TV TRANSMITTING STATION.		
	All that area comprised in parts of State Land Lots 1759 and 454, Mukim No. X (JURONG) occupied by "BUKIT BATOK FM/TV TRANSMITTING STATION" containing an area of about 13810 square metres and bounded approximately as follows:		
	Commencing at the northernmost corner of the perimeter fence of the aforesaid "BUKIT BATOK FM/TV TRANSMITTING STATION" which point is 7214.9 metres North and 9468 metres West of the survey Department origin co-ordinates, the boundary runs along successive lines of fence of bearings and distances as under:		
	Bearing	Distance in metres	
	96° 11′	2.5	
	118° 50′	2.7	
	134° 14′	3.0	
	146° 43′	3.0	

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 107
	THE SCHEDULE — continu	ued
	158° 17′	3.0
	161° 32′	3.1
	166° 05'	3.0
	174° 05′	23.8
	176° 16′	30.1
	177° 08′	52.1
	223° 53′	48.3
	305° 28′	5.6
	215° 30'	12.2 (partly along a gate)
	263° 51′	37.6
	287° 45′	21.1
	310° 19′	13.9
	328° 56′	16.9
	309° 57′	13.7
	297° 56'	16.4
	338° 45'	11.5
	17° 31′	16.5
	32° 15′	13.7 (partly along a gate)
	50° 29′	13.7
	68° 28′	16.3
	79° 11′	14.6
	124° 45′	13.5
	96° 55′	2.7
	125° 08′	11.6
	153° 04′	2.9
	125° 46′	7.7
	74° 42′	20.7
	352° 01′	15.1
	355° 58'	9.0

p. 108	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continue	ed
		1° 00′	8.7
		7° 06′	8.5
		12° 43′	5.5
		18° 19′	5.3
		40° 07′	1.9
		23° 09′	21.3
		27° 32′	5.5 (To a pillar)
		295° 53′	0.1 (Along a pillar)
		25° 53′	0.5 (Along a pillar)
		115° 53′	6.5 (Along a gate and pillars)
		42° 03′	2.9
		51° 54′	2.8
		65° 13′	3.0
		85° 51′	3.1

to the point of commencement.

The boundaries of "BUKIT BATOK FM/TV TRANSMITTING SATION" are more particularly delineated and edged pink on survey Print No. 1560-82 filed in the office of the Chief Surveyor, Singapore.

- (60) [Deleted by S 547/2002 wef 14/10/2002]
- (61) [Deleted by S 474/1996 wef 01/11/1996]
- (62) [Deleted by S 130/2003 wef 19/03/2003]
- (63) [Deleted by S 454/2012 wef 13/09/2012]
- (64) [Deleted by S 270/93 wef 30/06/1993]
- (65) [Deleted by S 521/2000 wef 14/11/2000]
- (66) S 8/84 KRANJI CAMP.

THE SCHEDULE — continued

"KRANJI CAMP" containing an area of about 1,307,014 square metres and bounded approximately as follows:

Commencing at the point northeast of Lot 172 Mukim No. XI of the aforesaid "KRANJI CAMP" which point is 14,175.4 metres North and 12,270.6 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
170° 45′	68.9
180° 36′	60.3
141° 58′	55.0
199° 50′	55.8
205° 48′	80.3
172° 06′	61.8
195° 35'	117.9
200° 01′	131.1
201° 33′	101.4
291° 46′	86.8

and thence along its production of a line on a bearing of 291° 46′ for a distance of 0.7 metre to a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
164° 24′	7.4
138° 34′	227.8
215° 24′	121.4

to the corner of a gate, fronting Stagmont Ring Road, thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
116° 56′	50.4

THE SCHEDULE — continued

205° 57'	12.1
20(0.2(1	50 4 (mantless 1 and 5

296° 36'50.4 (partly along a gate)

to fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
206° 33′	176.5
202° 39′	13.1 (to a gate)
158° 45'	7.0 (along a gate)
186° 18′	23.9
152° 27′	84.3
243° 32′	15.2 (party along a gate)
170° 33′	63.9
252° 06′	9.9
171° 48′	13.4
80° 55′	10.3
170° 27′	150.2
170° 31′	238.3
183° 30′	194.1
183° 30'	149.4
236° 08′	101.8

thence along a line across a road on a bearing of 235° 00′ for a distance of 19.5 metres to the corner of a fence, thence along successive lines of fence of bearings and distances as under::

Bearing	Distance in metres
236° 04′	198.3
304° 38′	163.1
352° 11′	82.8
352° 31′	170.8
10° 10′	429.3

THE SCHEDULE — continued

10° 14′	253.0
254° 33′	86.3
318° 08′	38.3

to a point on an arc of a circle of radius 150.0 metres the centre point of which is 13,038.8 metres North and 12953.8 metres West of the Survey Department origin of co-ordinates, thence along the said arc for a distance of 291.4 metres to a point where it intersects the western boundary of Lot 173pt. (S.L.), thence along the boundaries of Lot 173pt. of bearings and distances as under:

Bearing	Distance in metres
255° 07′	24.0
2° 46′	29.7

to a point on an arc of the aforesaid circle, thence along the said arc for a distance of 204.7 metres to a point where it meets a fence, thence along the fence on a bearing of 2° 15' for a distance of 77.3 metres, thence along the north western boundaries of Lot 173, western and northern boundaries of Lot 172, Mukim No. XI of bearings and distances as under:

Bearing	Distance in metres
276° 59′	76.9
6° 01′	111.8
320° 44′	42.0
326° 49′	78.5
334° 01′	77.2
358° 19′	67.6
32° 53′	122.2
67° 57′	62.1
314° 18′	41.2
299° 28′	117.5
7° 55′	68.2

p. 112	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		30° 43′	137.7
		72° 44′	92.5
		82° 49′	91.1
		154° 06′	55.9
		14° 22′	109.0
		34° 15′	125.1
		90° 21′	128.9
		91° 21′	119.6
		86° 24′	81.3
		90° 37′	212.3
		79° 37′	49.1

to the point of commencement.

The boundaries of "KRANJI CAMP" are more particularly delineated and edged pink on Survey Print No. 1823-83 filed in the office of the Chief Surveyor, Singapore.

[S 131/2002 wef 22/03/2002]

- (67) [Deleted by S 41/1998 wef 23/01/1998]
- (68) [Deleted by S 666/2001 wef 26/12/2001]

(69) S 176/84 [29.6.84]
Commanding
Officer,
46th Battalion,
Singapore
Armour Regiment.

1. SUNGEI GEDONG CAMP II.

All that area comprised in State Land Lots 159-58, 159-59 and 159-60, parts of State Land Lots 139, 159-61, 159-64, 159-65, 159-66, 159-67, 159-104, 159-106, 598, 599, 617, 618, 633, 634, 635 and 729 and parts of Lot 159-105 (S.R. for Road), being part of Sungei Gedong Road, Jalan Kedidi and Sarimbun Avenue in Mukim XII (LIM CHU KANG), occupied by "SUNGEI GEDONG CAMP II" containing an area of about 246,279 square metres and bounded approximately as follows:

Commencing at the southernmost corner of the perimeter fence of the aforesaid "SUNGEI

THE SCHEDULE — continued

GEDONG CAMP II" which point is 14,503.8 metres North and 17,149.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
306° 53'	96.6
296° 15'	82.4 (across a concrete drain)
291° 42′	57.8
347° 07′	10.5

to a point where it meets the corner of a brick pillar, thence along a line of bearing $287 \circ 32'$ and distance 10.6 metres following consecutively that and two other brick pillars along a gate to a point where it meets a fence, thence along that and other successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
240° 30′	9.2
286° 02′	194.9
195° 55′	14.0 (partly along a gate)
283° 29′	21.2
292° 20′	24.4
318° 06'	18.2
326° 06′	27.3
338° 53′	65.6
7° 37′	18.2
15° 26′	21.3
22° 42′	18.3
33° 21′	72.8
39° 07′	30.4

<u>p. 114</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continue	ed
		46° 38′	21.1
		48° 35′	21.3
		57° 03′	30.4
		66° 28′	21.4
		67° 36′	30.7
		77° 06′	30.4
		78° 55′	65.6
		39° 08′	12.1
		16° 41′	70.1
		20° 30′	89.6 (across a concrete drain)
		124° 12′	30.4
		115° 27′	30.5
		104° 43′	41.7
		165° 18′	3.7
	to a point where it meets the corner of a brick pillar		

to a point where it meets the corner of a brick pillar, thence along successive lines following that and other brick pillars along a gate of bearings and distances as under:

Bearing	Distance in metres
105° 13′	10.6
195° 23′	0.4

to a point where it meets a fence, thence along that and other successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
104° 54′	8.2
18° 43′	6.7
106° 59′	129.2
109° 43′	90.4
194° 36′	198.0

THE SCHEDULE — continued

194° 47′	205.2
194° 45′	165.9

to a point of commencement.

The boundaries of the "SUNGEI GEDONG CAMP II" are more particularly delineated and edged pink on Survey Print 1344-82 filed in the office of the Chief Surveyor, Singapore.

Commanding	2. MAGAZINE, SUNGEI GEDONG CAMP.
Officer, School of Armour, Sungei Gedong Camp.	All that area comprised in part of State Land Lots 159-76 and 159-77 in Mukim XII (LIM CHU KANG), occupied by "MAGAZINE, SUNGEI GEDONG CAMP (SCHOOL OF ARMOUR)" containing an area of about 5,532 square metres and bounded approximately as follows:
	containing an area of about 5,532 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "MAGAZINE, SUNGEI GEDONG CAMP II (SCHOOL OF ARMOUR)" which point is 14,884.3 metres North and 17,829.4 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
100° 20′	62.1
194° 29′	98.1
296° 27′	36.7
297° 09′	26.8 (partly along a gate)
14° 32′	80.2

to the point of commencement.

The boundaries of the "MAGAZINE, SUNGEI GEDONG CAMP (SCHOOL OF ARMOUR)" are more particularly delineated and edged pink on Survey Print No. 1345-82 filed in the office of the Chief Surveyor, Singapore.

THE SCHEDULE — continued

(70) S 177/84 [29.6.84] Camp Commandant, Nee Soon Camp. NEE SOON CAMP.

All that area comprised in parts of State Land Lots 212, Mukim No. XIII (SEMBAWANG), and 16^1 and 16^2 Mukim No. XIX (NORTH 3 SELETAR); parts of Lots 13^3 (Nature Reserve), 14, 15^2 and 15^3 ; part of State Reserve for Road, Mukim No. XIII (SEMBAWANG) occupied by the "NEE SOON CAMP" containing an area of about 1,265,352.1 square metres and bounded approximately as follows:

Commencing at the northernmost corner of Lot No. 212 which point is 14,110.7 metres North and 4,644.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of adjacent lot boundaries of bearings and distances approximately as under:

Bearing	Distance in metres
106° 29′	65.1
88° 40′	50.2
89° 12′	45.4
85° 08′	53.0
82° 42′	28.9
104° 47′	13.6
122° 24′	0.2

thence along a line of bearing and distance of about 180° 07′ and 0.7 metre respectively to a fence, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
123° 00′	51.4
85° 50′	30.5
87° 41′	51.8
100° 20′	12.2
114° 17′	27.1

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 117
	THE SCHEDULE — continu	ued
	117° 17′	4.3 (partly along a gate)
	170° 04′	23.5
	182° 27′	15.4
	190° 33′	34.6
	163° 10′	18.9
	135° 09′	3.1
	127° 11′	15.4
	112° 20′	44.7
	104° 15′	162.9
	97° 48′	12.2
	98° 55′	25.4
	104° 33′	21.0
	91° 46′	21.7
	79° 25′	6.1
	75° 09′	154.3

thence along a line of bearing and distance of about 351° 40′ and 1.0 metre respectively to an adjacent lot boundary, and thence along successive lines of adjacent lot boundaries of bearings and distances approximately as under:

Bearing	Distance in metres
81° 40′	24.2
91° 23′	44.4
89° 21′	38.4
96° 10′	36.7
101° 08′	18.4

thence along a line of bearing and distance of about 11° 08′ and 0.8 metre respectively to a fence, and thence along successive lines of fence of bearings and distances approximately as under:

Bearing Distance in metres

Protected Places			
<u>p. 118</u>	1990 Ed.]	(Consolidation) Order	· [CAP. 256, O 2
		THE SCHEDULE — contin	nued
		117° 57′	24.5
		127° 12′	18.5
		154° 43′	67.4
		150° 48′	110.0
		154° 40′	88.5
		164° 22′	64.5
		200° 42′	4.8
		233° 38′	30.0
		186° 07′	6.5
		194° 50′	12.5
		186° 55′	19.1
		158° 44′	41.0
		143° 31′	4.7
		154° 46′	33.8
		164° 31′	26.3
		180° 37′	33.3
		194° 49′	34.1
		201° 43′	26.5
		205° 46'	80.8
		212° 25′	34.7
		220° 54'	19.8
		229° 04′	31.4
		211° 32′	7.5
		210° 20′	6.3 (partly along a gate)
		196° 58′	12.3
		167° 46′	42.4
		165° 53′	24.6
		168° 17′	16.6
		170° 30′	17.1

C	Protected Places	[1000 E1 = 110
Сар. 256, О 2]	(Consolidation) Order	
	THE SCHEDULE — continu	
	266° 21′	9.3
	183° 56'	8.8
	207° 25′	14.0
	210° 57′	82.6
	214° 17′	37.0
	300° 58′	36.9
	219° 44′	2.3
	301° 15′	53.5
	217° 35′	14.8
	301° 07′	71.8
	212° 17′	37.0 (partly along a gate)
	140° 59′	3.8
	205° 22′	77.9
	251° 26′	12.1
	260° 55′	67.6
	259° 38′	103.8
	268° 03′	46.8
	252° 37′	19.8
	260° 52′	30.4
	260° 04'	30.3
	251° 32′	9.2
	244° 30′	9.1
	245° 51′	105.3
	252° 27′	2.8
	166° 23′	8.6
	243° 54′	19.9

thence along successive lines of the outer edges of a concrete drain of bearings and distances approximately as under:

<u>p. 120</u>	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		Bearing	Distance in metres
		309° 13′	7.0
		312° 47′	36.2
		311° 09′	17.4
		318° 58′	8.3
		332° 19′	5.6
		346° 45′	4.0
		354° 42′	32.7
		338° 51′	12.2
		333° 08′	19.6
		325° 28′	34.6
		217° 34′	25.5
		thence along successive line	es of fence of bearings

thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres	
298° 53′	9.3	
299° 05′	8.3 (across a pillar, along a gate and across another pillar)	
294° 34′	1.6	
264° 07'	2.2	
272° 01′	9.0	
281° 19′	6.5	
289° 28′	3.2	
296° 41′	6.0	
303° 38′	10.2	
334° 17′	8.9	
318° 25′	11.5	
313° 41′	39.9	
307° 25′	14.8	

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 121
	THE SCHEDULE — continu	ued
	305° 01′	15.4
	299° 03′	26.3
	294° 48′	12.1
	288° 01′	6.2
	253° 46′	5.9
	285° 00′	69.9
	282° 40′	7.9 (across a pillar along a gate and across another pillar)
	285° 54'	15.2
	291° 36′	25.0
	289° 58′	15.0
	292° 24′	18.3
	260° 36′	5.4
	295° 39′	20.1
	301° 08′	18.3
	304° 50′	15.3
	307° 57′	18.2
	309° 26′	9.2
	309° 59'	8.1 (across a pillar, along a gate and across another pillar)
	346° 44′	3.2
	316° 17′	12.0
	320° 01′	9.2
	322° 28′	24.5
	328° 43′	25.1
	296° 47′	29.7
	295° 48′	3.0
	356° 26'	36.5

m 122	1000 51	Protected Places	[Cup 256 () 2
<u>p. 122</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		0° 46′	112.6
		293° 22′	3.2
		333° 02′	28.3
		324° 40′	30.2
		357° 50′	57.7
		357° 35'	14.5
		355° 53′	26.3
		349° 18′	55.5
		303° 24′	52.2
		313° 01′	43.0
		307° 23′	55.6
		348° 33'	62.8
		86° 11′	68.6
		71° 17′	3.1
		69° 14′	3.1
		51° 29′	31.0
		51° 14′	126.0
		57° 30′	18.7
		69° 33′	9.0
		76° 09′	31.6
		95° 25′	69.1
		93° 36′	18.5
		89° 05′	19.2
		175° 12′	5.3
		93° 09′	5.5
		91° 30′	9.4
		4° 25′	2.7
		102° 06′	64.5
		101° 57′	6.2

THE SCHEDULE — continued

E SCHEDULE	commed
104° 31′	59.0
92° 10′	37.0
107° 40′	15.9
113° 33'	37.0
359° 52′	34.6
359° 33′	152.9

thence along a line of bearing and distance of about 299° 35' and 0.6 metre respectively to an adjacent lot boundary, and thence along that lot boundary of bearing and distance of about 299° 35' and 272.7 metres respectively, to the point of commencement.

The boundaries of "NEE SOON CAMP" are more particularly delineated and edged pink on Survey Print No. 1270-79 filed in the office of the Chief Surveyor, Singapore.

[S 332/93 wef 06/08/93]

(71) [Deleted by S 332/93 wef 06/08/93]

(72) S 239/84	1. KHATIB CAMP.
[14.9.84] Camp Commandant, Khatib Camp.	All that area comprised in part of State Land Lot 855, Mukim No. 19 (NORTH SELETAR) occupied by "KHATIB CAMP" containing an area of about 303,036 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "KHATIB CAMP" which point is 15,313.5 metres North and 2,764.5 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
109° 33′	30.0
112° 28′	26.9
115° 00′	30.0

p. 124	1000 E4]	Protected Places (Consolidation) Order	[CAR 256 () 2
<u>p. 124</u>	1990 Ed.]	THE SCHEDULE — continued	[Cap. 256, O 2
		118° 26′	27.0
		120° 26′	29.9
		123° 41′	24.0
		126° 03′	32.9
		128° 25′	20.9
		132° 33′	75.6
		46° 03′	2.0
		132° 25′	170.1
		130° 49′	20.3
		127° 58′	19.9
		124° 42′	20.1
		122° 20′	20.0
		118° 00′	32.4
		114° 43′	17.2
		111° 28′	21.6
		108° 19′	28.7
		104° 52′	16.1
		179° 49′	31.3
		189° 15′	2.5
		179° 55′	153.2
		177° 18′	17.9
		174° 10′	20.4
		170° 12′	20.0
		166° 43′	20.0
		162° 18′	28.0
		142° 45′	5.8
		242° 26′	207.1
		291° 30′	171.8
		302° 25′	12.4

	Protected Places	5
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 125
	THE SCHEDULE — continu	led
	317° 23′	264.5
	311° 25′	5.0
	301° 03′	5.0
	292° 55′	7.3
	276° 56′	7.1
	269° 39'	110.9
	280° 04′	7.6
	286° 00′	28.6
	10° 46′	15.6
	298° 19′	0.5 (to the corner of a car park)
	10° 30′	24.9 (along edge of a car park)
	12° 27′	15.9 (partly across a drive-way)
	10° 12′	19.1
	8° 44′	15.0
	5° 35'	75.1
	7° 42′	12.5
	10° 35′	110.2
	13° 17′	25.1
	16° 07′	25.1
	19° 54′	25.1
	22° 44′	20.0
	25° 35′	40.1
	27° 20′	58.0
	54° 47′	14.8

to the point of commencement.

The boundaries of "KHATIB CAMP" are more particularly delineated and edged pink on

THE SCHEDULE — continued

Survey Print No. 1310-84 filed in the office of the Chief Surveyor, Singapore.

(73) Camp

Commandant, Maju Camp MAJU CAMP.

All that area comprised in Lots 99665L, 99866C and 99867M and part of Lots 4380C and 8167W in Mukim No. 5 (PANDAN) occupied by "MAJU CAMP" containing an area of about 227,141.6 square metres and bounded approximately as follows:

Commencing at a point of the aforesaid "MAJU CAMP" which point is 34459.195 metres North and 21588.463 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of co-ordinates approximately as follows:

Northing	Easting
34459.195	21588.463
34449.577	21577.035
34393.642	21605.698
34380.086	21596.846
34355.305	21583.393
34333.383	21571.000
34310.414	21558.193
34309.372	21557.615
34377.643	21441.490
34478.338	21270.210
34631.215	21010.100
34637.152	20994.323
34638.801	20989.880
34688.794	20854.973
34748.008	20818.545
34803.879	20764.798


	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 127
	THE SCHEDULE — continued	
	34806.050	20762.710
	34824.274	20745.172
	34876.046	20791.684
	34921.017	20907.539
	34925.817	20901.815
	34927.766	20899.091
	34930.811	20894.761
	34932.822	20891.529
	34935.195	20887.579
	34936.503	20885.030
	34937.500	20883.120
	34938.379	20881.246
	34938.825	20879.394
	34938.653	20876.581
	34938.716	20874.774
	34939.471	20873.351
	34940.089	20872.483
	34939.965	20872.150
	34940.442	20871.929
	34940.748	20873.297
	34944.866	20885.177
	34949.743	20900.064
	34946.536	20899.951
	34944.438	20900.083
	34942.726	20900.836
	34940.945	20901.718
	34938.553	20903.361
	34935.998	20906.323
	34934.521	20908.152

p. 128	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		34932.610	20910.609
		34929.400	20914.338
		34927.085	20916.898
		34925.370	20918.754
		34956.358	20998.587
		34880.796	21213.174
		34847.782	21306.930
		34748.904	21288.825
		34674.571	21343.542
		34653.737	21458.980

to the point of commencement.

The boundaries of "MAJU CAMP" are more particularly delineated on the Survey Plan No. 1188-06/GAZ filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore, a copy of which is set out below.

THE SCHEDULE — continued



[S 397/2014 wef 04/06/2014]

(74) S 72/87 [6.3.87] Chief Engineer Officer.

1. JURONG CAMP HQ SCE.

All that area comprised in part of State Land Lot 50 Mukim No. 9 (CHOA CHU KANG) Lots 53-94 and 53-93 Mukim No. 7 (TUAS) occupied by "JURONG CAMP HQ SCE." containing an area of about 199,031 square metres and bounded approximately as follows:

Commencing at the westernmost corner of a perimeter fence of the aforesaid "JURONG CAMP HQ SCE" which point is 5,716.0 metres North and 18,894.9 metres West of the Survey Department origin of coordinates, the boundaries run along successive line of fence of bearings and distances as under:

Bearing	Distance in metres
51° 54′	123.3

<u>p. 130</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		52° 03′	196.9
		61° 54′	14.9
		68° 22′	40.9
		140° 26′	92.1
		106° 53′	9.5
		142° 41′	169.2
		142° 35′	281.0
		212° 15′	53.0
		142° 08′	48.1
		205° 12′	1.3
		204° 28′	11.3 (along outer wall of bin centre)
		204° 25′	2.4
		124° 59′	28.0
		210° 14′	8.7 (partly along a gate)
	then along a boundary line of bearings and distances as follows:		
		Bearing	Distance in metres
		250° 06′	16.6
	to a corner of fence then along the fences of		

to a corner of fence then along the fences of bearings and distances as under:

Bearing	Distance in metres
211° 21′	3.0
322° 11′	24.4
302° 17′	57.7
325° 03′	35.0
243° 55′	48.7
275° 15′	50.7
268° 30'	34.0

Cap. 256, O 2]		otected Places solidation) Order	[1990 Ed. p. 131
Chil 200, 0 2]	``	IEDULE — continued	L 1
		251° 38′	5.6
		329° 14′	2.3
		249° 25′	11.8
		156° 27′	2.2
		249° 31′	36.4
		253° 21′	18.1
		204° 56'	42.0
		232° 08′	19.6
		233° 06′	43.4
		322° 21′	56.2
		322° 22′	180.7
		322° 20′	105.1
		58° 10′	1.5
		322° 37′	8.5
		237° 54′	1.6
		322° 19′	129.1
		to the point of commo	encement.
		HQ SCE" are more p	rvey Print No. 1396-86
Commander 3	3 DIV.	2. JURONG CAMP I	HQ 3 DIV.
		State Land Lots 96-1: 96-142 and whole of 1 6 (PENG KANG) and 135, 53-86, 53-94 and MUKIM NO. 7 (TUA	Lot 96-150 Mukim No. part of State Land Lots d whole of Lot 53-91 AS) occupied by Q 3 DIV" containing an

area of about 271,271 square metres and bounded approximately as follows:

THE SCHEDULE — continued

Commencing at the westernmost corner of a perimeter fence of the aforesaid "JURONG CAMP HQ 3 DIV" which point is 5,336.4 metres North and 18,601.8 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
53° 06′	43.4
52° 08′	19.6
24° 56'	42.0
73° 21′	18.1
69° 31′	36.4
336° 27′	2.2
69° 25′	11.8
149° 14′	2.3
71° 38′	5.6
88° 30′	34.0
95° 15′	50.7
63° 55′	48.7
145° 03'	35.0
122° 17′	57.7
142° 11′	24.4
31° 21′	3.0

then along a boundary line of bearing and distance as follows:

Bearing	Distance in metres
70° 06′	16.6

to a corner of fence then along the fences of bearings and distances as under:

Bearing Distance in metres

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 133
	THE SCHEDULE — continued	
	121° 19′	26.4
	131° 21′	12.0
	139° 16′	26.1
	138° 24′	40.2
	139° 19′	40.1
	146° 50′	24.7
	147° 23′	64.2
	147° 23′	33.6
	149° 30′	107.3
	132° 25′	51.3
	164° 11′	22.8
	218° 12′	45.5
	124° 46′	5.3
	212° 59′	7.8
	301° 50′	2.2
	216° 38′	49.0
	215° 49′	11.1 (partly along the main gate)
	214° 44′	26.6
	215° 03′	22.2
	218° 24′	15.1 (partly along the electric sub-station gate)
	218° 04′	45.8
	209° 44′	6.4
	227° 30′	10.2
	246° 18′	57.4
	231° 54′	18.2
	209° 34′	12.2
	193° 58′	12.1

p. 134	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		192° 47′	36.6
		196° 24′	15.5
		296° 28′	14.8
		208° 02′	13.0 (partly along the gate)
		116° 10′	14.5
		241° 42′	45.3
		249° 24′	24.4
		260° 20′	27.6
		267° 51′	41.6
		353° 14′	56.0
		267° 15′	37.0
		344° 40′	34.1
		344° 40′	51.1
		344° 18′	88.2
		344° 35′	139.1
		310° 39′	52.2
		4° 01′	127.8
		322° 37'	173.6
		to the point of comm	encement.
			es of "JURONG CAMP particularly delineated

HQ 3 DIV" are more particularly delineated and edged pink on Survey Print No. 1397-86 filed in the office of the Chief Surveyor, Singapore.

(75) S 196/87
[17.7.87]
President and Chief
Executive Officer of
Senoko Energy Pte. Ltd.

SENOKO POWER STATION AREAS "A" and "B".

All those portions of land known as AREAS "A" and "B", comprised in part of State Land Lots 1320, 1318 and part of foreshore of SELAT JOHOR Mukim No. 13 (SEMBAWANG) occupied by "SENOKO

THE SCHEDULE — continued

POWER STATION" containing areas of about 279,621 square metres and 47,447 square metres respectively and bounded approximately as follows:

AREA "A".

Commencing at the northernmost corner of a fence of the aforesaid AREA "A" which point is 19,838.9 metres North and 5,811.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
101° 41′	11.9
105° 32′	9.0
108° 28′	6.0
110° 16′	6.0
116° 10′	8.6
177° 27′	8.0
97° 40′	10.3
99° 29′	14.0
97° 10′	14.9
21° 50′	2.9
23° 50′	6.0
68° 29′	1.9
127° 50′	2.9
121° 44′	3.0
127° 01′	3.0
57° 40′	10.5
347° 13′	3.9
88° 48′	9.1
147° 17′	150.6

p. 136	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
1		THE SCHEDULE — continued	
		147° 23′	152.8
		241° 34′	26.5
		240° 45′	6.6 (along a gate)
		237° 10′	1.5
		326° 16′	3.5
		275° 32′	1.0
		254° 28′	2.9
		302° 17′	3.0
		327° 26′	10.1
		237° 10′	18.3
		147° 40′	36.2
		56° 40'	18.2
		147° 27′	76.0
		146° 16′	4.2 (along a gate)
		147° 23′	5.2
		237° 16′	214.4
		237° 19′	238.9
		237° 22′	131.3
		327° 21′	167.3
		328° 01′	6.1 (along a gate)
		327° 13′	65.9
		327° 22′	205.6
		54° 02′	30.1
		88° 45'	3.3
		58° 09′	119.2
		146° 49′	8.9
		57° 58′	8.5
		57° 38′	7.0 (along a gate)
		54° 50'	0.5

C 25(0.2)	Protected Places	[
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 137
	THE SCHEDULE — continued	
	327° 44′	7.3
	57° 25′	9.9
	59° 57′	7.0 (along a gate)
	57° 24′	59.3
	327° 08′	36.0
	11° 09′	1.7
	61° 00′	20.7
	146° 05′	9.0
	57° 16′	21.0
	327° 35′	13.3
	64° 44′	8.8
	69° 01′	9.0
	71° 36′	6.0
	74° 55′	17.0
	186° 48′	3.0
	57° 41′	38.1
	147° 45′	5.0
	58° 20'	1.0 (along a gate)
	79° 56′	1.5
	57° 13′	27.4
	326° 28′	3.6
	59° 51′	1.8
	58° 07′	4.0 (along a gate)
	353° 23′	2.6
	4° 20′	5.5
	24° 38′	3.0
	37° 29′	3.1
	45° 39′	5.9
	51° 59′	5.9

THE	SCHEDULE —	continued

55° 52′	15.0
60° 29′	15.3
58° 53'	84.1
69° 22′	6.0

to the point of commencement.

AREA "B".

Commencing at the southernmost corner of a fence of the aforesaid AREA "B" which point is 18,985.0 metres North and 6,192.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
272° 26′	69.6
356° 48′	6.7
355° 30'	22.6
351° 50'	30.4
353° 19′	88.7
355° 30'	14.5
60° 47′	74.0
44° 20'	17.0
38° 09′	11.9
327° 19′	11.3
59° 38′	79.0
33° 29′	31.9
146° 49′	29.7
148° 10'	4.4 (along a gate)
147° 15′	80.2
147° 33'	5.1 (along a gate)
147° 23′	78.8

[1990 Ed. p. 139

THE SCHEDULE — continued

147° 15′	5.2 (along a gate)
147° 49′	6.8
237° 17′	149.8
235° 35′	15.4
237° 51′	60.1

to the point of commencement.

The boundaries of "SENOKO POWER STATION" AREAS "A" and "B" are more particularly delineated and edged pink on Survey Print No. 1658-86 filed in the office of the Chief Surveyor, Singapore.

[S 490/2014 wef 25/07/2014]

(76) [Deleted by S 81/2001 wef 14/02/2001]

(77) S 96/88 [15.4.88] Base Commander, Gombak Base.

BUKIT GOMBAK CAMP.

All that area comprised of State Land Lots 63^2 , 64^2 , 79^6 , 79^8 , 79^{10} , 201^1 , 201^5 , 202^2 , 203^2 , 213, 214^4 , 361, 1518, 1520, 1521, 1522, 1523, 1971, part of 1530, State Reserves and S.R. for stream occupied by "BUKIT GOMBAK CAMP", MUKIM NO. 10 (JURONG), containing an area of about 1,601,809 square metres and bounded approximately as follows:

Commencing at a point northernmost corner of the aforesaid "BUKIT GOMBAK CAMP" which point is 9,955.5 metres North and 10,229.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
90° 13′	98.2
90° 13′	23.0
153° 15′	122.5

<u>p. 140</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		168° 16′	15.8
		78° 30'	3.4
		153° 11′	120.8
		158° 10′	54.1
		160° 36′	33.4
		159° 24′	45.7
		167° 49′	139.9
		167° 39′	122.6
		166° 16′	8.3
		164° 43′	85.5
		159° 36′	63.5
		155° 10′	63.3
		150° 47′	63.2
		146° 50′	53.2
		149° 29′	92.2
		144° 47′	59.4
		142° 11′	52.8
		142° 16′	111.3
		144° 51′	84.9
		152° 13′	110.1
		249° 23′	103.8
		314° 01′	8.3
to a point which is 8,579.5 metres North and 9,576.5 metres West and thence along the undefined boundary (formerly a stream) to a		l thence along the	

9,576.5 metres West and thence along the undefined boundary (formerly a stream) to a point which is 8,608.9 metres North and 9,795.8 metres West thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
310° 45′	53.5

	Protected Places	
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 141
	THE SCHEDULE — continued	
	249° 15′	80.4
	229° 26′	31.0
	202° 46′	56.8
	191° 20′	101.4
	145° 41′	115.8
	182° 24′	68.0
	313° 44′	8.6
	343° 42′	32.3
	275° 27′	38.4
	208° 21′	80.7
	215° 32′	100.2
	233° 23′	16.3
	233° 23′	12.3
	257° 58′	54.9
	286° 32′	4.8
	293° 37′	17.2
	266° 23′	52.0
	273° 40′	53.1
	237° 54′	39.3
	237° 51′	62.4
	326° 38′	92.7
	222° 18′	80.2
	287° 00′	161.6
	286° 59′	148.2
	16° 59′	220.1
	244° 45′	104.0
	354° 32′	160.2
	354° 32′	365.7
	267° 05′	32.6

p. 142	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u> </u>	L	THE SCHEDULE — continued	
		359° 59′	117.4
		0° 07′	356.2
		297° 33′	42.5
		297° 34′	83.5
		32° 52′	94.4
		26° 05′	50.2
		312° 49′	23.0
		335° 12′	27.3
		31° 06′	17.5
		36° 40′	68.3
		34° 43′	52.8
		28° 06′	82.6
		93° 59′	67.7
		110° 04′	52.1
		91° 55′	76.2
		77° 52′	53.4
		59° 30′	69.9
		166° 02′	136.1
		185° 49′	74.7
		149° 50′	57.8
		66° 44′	149.8
		10° 14′	104.1
		38° 33′	68.0
		73° 48′	136.7
		325° 01′	195.5
		60° 28′	8.6
to the point of commencement.		ement.	

The boundaries of "BUKIT GOMBAK CAMP" are more particularly

THE SCHEDULE — continued

delineated and edged pink on Survey Plan Nos. 10006 and 10007 filed in the office of the Chief Surveyor, Singapore.

(78) [Deleted by S 545/2007 wef 17/10/2007]

(79) S 142/88

[10.6.88] The General Manager, Chartered Chemical Industries Private Limited.

CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED.

All that area comprised in part of State Land Lot 155 Mukim No. 15 (ULU KALLANG) occupied by "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" containing an area of about 1,263,356 square metres and bounded approximately as follows:

Commencing at a point easternmost of the aforesaid "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" which point is 7,691.8 metres North and 5,211.7 metres west of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
255° 25′	179.0
263° 32′	9.1
207° 24'	14.0
256° 51'	13.7
273° 29′	13.9
257° 59′	67.2
255° 05'	283.0
241° 08'	29.4
253° 32′	10.8
297° 26′	12.0
254° 42′	49.4
226° 18′	22.5

p. 144	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p</u>	1770 Eu.]	THE SCHEDULE — continued	
		301° 02′	15.1
		255° 04′	133.7
		6° 42′	7.7
		7° 42′	5.7 (partly along a gate)
		76° 59′	1.3
		6° 42′	2.6 (along wall of Bin Centre)
		250° 08′	1.5
		6° 42′	0.1
		277° 55′	5.9 (along wall of Security Office)
		7° 55′	1.1 (along wall of Security Office)
		277° 55′	2.4 (along wall of Security Office)
		7° 55′	0.1 (along wall of Security Office)
		277° 30′	7.8 (partly along a gate)
		188° 03′	0.1 (along wall of Guard Room)
		278° 03′	2.5 (along wall of Guard Room)
		188° 03′	1.1 (along wall of Guard Room)
		277° 28′	2.1 (along wall of Guard Room)
		187° 38′	19.7 (partly along gates)
		280° 10′	35.6
		178° 24′	40.6
		243° 23′	8.6

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 145
	THE SCHEDULE — continued		<u></u>
	253° 52′	38.3	
	256° 00′	95.7	
	263° 55′	2.4	
	268° 32′	2.6	
	272° 24′	2.3	
	278° 12′	7.1	
	282° 13′	7.2	
	285° 31′	2.4	
	292° 07′	25.5	
	289° 59′	15.3	
	274° 23′	27.4	
	271° 29′	27.4	
	274° 45′	24.3	
	281° 56′	27.5	
	291° 18′	3.1	
	297° 32′	3.0	
	301° 54′	3.0	
	305° 36′	12.2	
	348° 48′	9.2	
	22° 47′	33.6	
	20° 46′	45.7	
	16° 55′	6.1	
	11° 39′	3.1	
	7° 36′	6.0	
	3° 03′	6.1	
	357° 25′	6.1	
	354° 42′	6.1	
	351° 38′	6.0	
	342° 52′	3.1	

p. 146	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		337° 38′	3.0
		328° 36′	3.1
		325° 37′	3.0
		326° 02′	3.1
		325° 04′	3.1
		321° 59′	6.1
		310° 26′	3.0
		305° 41′	3.0
		301° 09′	6.1
		299° 14′	3.1
		293° 59′	9.1
		289° 55′	3.1
		283° 35′	3.0
		279° 46′	3.1
		277° 52′	6.1
		275° 28′	9.1
		7° 10′	0.1
		7° 10′	4.6
		10° 43′	24.0
		12° 50′	24.1
		351° 28′	40.9
		2° 57′	24.3
		21° 52′	37.4
		105° 13′	16.9
		131° 48′	36.2
		134° 44′	18.9
		128° 54′	31.4
		141° 10′	41.2
		133° 05′	24.5

Que 25 (0.01	Protected Places	[1000 Et
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 147
	THE SCHEDULE — continued	
	139° 45′	41.2
	107° 56′	19.6
	79° 10′	14.6
	52° 29′	7.5
	12° 09′	7.3
	359° 18′	9.7
	329° 40′	40.2 (partly along a gate)
	336° 54'	46.4
	340° 59'	35.5
	0° 58′	14.8
	1° 18′	88.9
	28° 03′	25.5
	33° 15′	33.1
	52° 39′	43.2
	75° 13′	18.0
	112° 38′	15.3
	132° 20′	17.7
	152° 47′	12.3
	167° 30'	25.7
	172° 38′	28.8
	169° 45′	25.2
	132° 00′	27.9
	104° 19′	9.9
	91° 16′	2.6
	74° 04′	15.0
	65° 57′	2.5
	26° 08′	29.9
	38° 44′	7.4

p. 148	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		63° 08′	17.1
		69° 01′	32.1
		14° 33′	31.8
		322° 27′	9.7
		308° 55′	22.3
		297° 31′	27.5
		329° 14′	40.6
		343° 20′	44.4
		4°41′	22.3
		20° 35′	24.5
		37° 53′	15.1
		58° 43′	49.2
		99° 15′	24.6
		127° 26′	19.6
		143° 36′	24.5
		138° 49′	32.1
		145° 47′	15.0
		152° 07′	27.8
		164° 50′	5.0
		165° 19′	19.6
		156° 39′	2.5
		152° 49′	9.8
		116° 31′	42.0
		61° 11′	30.7
		51° 50′	5.4
		47° 25′	16.5
		41° 09′	8.1
		37° 59′	5.4
		29° 19′	18.8

C + 25 6 () 2]	Protected Places	[1000 E1 - 140
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 149
	THE SCHEDULE — continued	
	14° 45′	4.8
	4° 54′	50.7
	351° 46′	16.9
	34° 52′	8.9
	287° 50′	17.2
	308° 53′	40.9
	38° 34'	39.4
	127° 58′	30.6
	111° 42′	11.9
	111° 03′	14.9
	99° 22′	21.3
	138° 41′	8.7
	98° 21′	20.4
	184° 36′	8.0
	70° 41′	26.6
	177° 36′	1.8
	157° 45′	5.7 (along a gate)
	99° 08′	2.4
	105° 48′	19.2
	19° 10′	9.1 (partly along a gate)
	113° 33′	37.5
	195° 50′	8.4
	112° 58′	32.4
	102° 53′	42.4
	99° 40′	50.9
	99° 42′	42.2
	77° 13′	14.3
	46° 39′	49.7

p. 150	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p. 150</u>	1990 Ed.]	(Consolidation) Order	[CAP. 230, 02]
		THE SCHEDULE — continued	
		57° 32′	22.3
		146° 15′	19.7 (partly along a gate)
		68° 36'	5.1
		104° 07′	24.9
		153° 46′	37.7
		116° 21′	22.8
		145° 36'	18.8
		164° 53′	47.0
		154° 20′	191.1
		170° 45′	93.7

to the point of commencement.

The boundaries of "CHARTERED CHEMICAL INDUSTRIES PRIVATE LIMITED" are more particularly delineated and edged pink on Survey Print No. 10001 filed in the office of the Chief Surveyor, Singapore.

(80) [Deleted by S 368/91 wef 23/08/91; see new order S 368/91]

(81) S 210/88	GEYLANG TELEPHONE EXCHANGE.
[12.8.88] 1. Chief Executive, Telecommunication Authority of Singapore.	All that area comprised in part of Lot 5459 Mukim No. 24 (KALLANG), occupied by "GEYLANG TELEPHONE EXCHANGE" containing an area of about 3,980 square metres and bounded approximately as follows:
	Commencing at the northernmost corner of the aforesaid "GEYLANG TELEPHONE EXCHANGE" which point is 3,210.1 metres North and 4,514.8 metres

East of the Survey Department origin of coordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing Distance in metres

(Consolidation) Order

THE SCHEDULE — con	ıtinued
--------------------	---------

Protected Places

EDULE — continued	
176° 04′	22.0
177° 57′	29.2
182° 17′	27.0
264° 47′	27.8
350° 09′	27.4
319° 57′	3.6
305° 00'	0.1
228° 56′	0.1

to a point where it meets the corner of a building wall, thence along a line following the building wall on a bearing of 260° 37' and for a distance of about 23.7 metres to the corner of the building wall, thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
349° 20'	2.3 (partly along a gate and a wall)
03° 00′	0.3 (partly along a post)
349° 35'	7.0 (along a gate)
349° 33'	18.4 (partly along posts)
349° 18′	7.3 (along a gate)
349° 21′	8.5 (partly along a post)
32° 30′	8.4
85° 39′	60.4

to the point of commencement.

The boundaries of "GEYLANG TELEPHONE EXCHANGE" are more particularly delineated and edged pink on

Survey Print No. 30006 filed in the office of the Chief Surveyor, Singapore.

2. Chief Executive, Telecommunication Authority of Singapore.

BUKIT PANJANG TELEPHONE EXCHANGE.

All that area comprised in part of State Land Lot 267 Mukim No. 14 (MANDAI), occupied by "BUKIT PANJANG TELEPHONE EXCHANGE" containing an area of about 4,023 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the perimeter fence of the aforesaid "BUKIT PANJANG TELEPHONE EXCHANGE" which point is 10,509.8 metres North and 10,096.2 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
151° 24′	73.0
241° 23′	56.2
331° 34′	61.1
61° 33′	6.6

to a point where it meets a wall, thence along successive lines following the wall of bearings and distances as under:

Bearing	Distance in metres
330° 29′	0.5
59° 36′	0.6
331° 22′	0.9
331° 01′	6.1 (along a gate)
331° 08′	1.1

THE SCHEDULE — continued

to a point where it meets a fence, thence along a line of the fence on a bearing of 241° 08' and for a distance of about 1.2 metres to a point where it meets the corner of a wall, thence along successive lines following the wall of bearings and distances as under:

Bearing	Distance in metres
331° 08′	3.6
61° 13′	0.3
148° 07'	0.2

to a point where it meets a fence, thence along a line of the fence on a bearing of 61° 30' and for a distance of about 49.9 metres to the point of commencement.

The boundaries of "BUKIT PANJANG TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Print No. 40002 filed in the office of the Chief Surveyor, Singapore

3. Chief Executive, Telecommunication Authority of Singapore.

TUAS TELEPHONE EXCHANGE.

All that area comprised in part of State Land Lot 1419, Mukim No. 7 (TUAS), occupied by "TUAS TELEPHONE EXCHANGE" containing an area of about 5,803 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TUAS TELEPHONE EXCHANGE" which point is 3,780.5 metres North and 21,733.3 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres	
131° 07′	2.2 (across a drain)	
133° 03′	6.8 (across a gate)	

44° 53'	0.5 (along a wall)
96° 59′	0.2 (across a wall)
133° 17′	7.8 (along a wall)
133° 24′	36.7

to a point where it meets the wall of a Bin Centre, thence along successive lines following the wall of the Bin Centre of bearings and distances as under:

Bearing	Distance in metres
43° 50'	0.4
134° 07′	2.7
223° 50'	0.9

to a point where it meets a fence, thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
133° 50'	8.5 (across a gate and drain)
223° 28′	88.9
313° 24′	64.9
43° 25′	88.7

to the point of commencement.

The boundaries of "TUAS TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30003 filed in the office of the Chief Surveyor, Singapore.

(82) S 244/88
[9.9.88]
Director,
Electricity Department,
Public Utilities Board,
Singapore.

1. OIL TANK FARM, JURONG POWER STATION.

All that area comprised in part of Lot 1084 Mukim No. 6 (PENG KANG), occupied by "OIL TANK FARM (JURONG POWER STATION)" containing an area of

about 66,184 square metres and bounded approximately as follows:

Commencing at a northern-most corner of the aforesaid "OIL TANK FARM (JURONG POWER STATION)" which point is 3,387.1 metres North and 15,294.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Distance in metres
205.4 (along a fence)
198.5 (along a fence)
6.4 (along a fence)
212.4 (along a fence)
109.7 (along a fence)
24.4 (along a fence)
6.1 (along a fence)
6.0 (along a fence)
6.1 (along a fence)
6.1 (along a fence)
6.1 (along a fence)
9.2 (along a fence)
9.1 (along a fence)
57.8 (along a fence)
18.1 (along a fence)
12.0 (along a fence)
12.2 (along a fence)
9.0 (along a fence)
6.1 (along a fence)
9.1 (along a fence)

p. 1561990 Ed.](Consolidation) Order[CAP. 256,THE SCHEDULE — continued61° 25'9.2 (along a fend	ce)
61° 25′ 9.2 (along a fend	
$55^{\circ} 59'$ 6.1 (along a fend	<i>e)</i>
39° 35′ 9.1 (along a fend	
35° 44′ 6.1 (along a fend	
30° 19′ 6.2 (along a fend	
25° 54′ 9.0 (along a fend	
20° 47′ 6.2 (along a fend	
15° 30′ 9.1 (along a fend	
12° 13′ 9.2 (along a fend	
9° 53′ 9.1 (along a fend	
7° 24′ 6.1 (along a fend	e)
4° 09′ 6.0 (along a fend	e)
1° 00′ 9.1 (along a fend	e)
356° 34′ 6.1 (along a fend	e)
$352^{\circ} 55'$ 6.1 (along a fend	e)
348° 37′ 9.1 (along a fend	e)
344° 44′ 6.1 (along a fend	e)
341° 34′ 6.1 (along a fend	e)
335° 00′ 6.0 (along a fend	e)
328° 54′ 6.1 (along a fend	e)
325° 06′ 6.0 (along a fend	e)
321° 10′ 6.1 (along a fend	e)
317° 33′ 5.8 (along a fend	e)
312° 37′ 5.6 (along a fend	e)
309° 18′ 4.9 (along a fend	e)
304° 30′ 6.1 (along a fend	e)

CAP. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 157
	THE SCHEDULE — continued	
	300° 14′	12.4 (along a fence)
	296° 31′	6.2 (along a fence)
	292° 13′	6.2 (along a fence)
	288° 54'	6.1 (along a fence)
	285° 07′	6.3 (along a fence)
	282° 07′	6.0 (along a fence)
	276° 45′	15.2 (along a fence)
	266° 35'	9.4 (along a fence)
	260° 32′	6.2 (along a fence)
	258° 38′	12.4 (along a fence)
	257° 09′	20.1 (along a fence)
	261° 02′	14.0 (along a fence)
	253° 57′	9.1 (along a fence)
	250° 06′	6.0 (along a fence)
	245° 31′	6.2 (along a fence)
	242° 47′	18.5 (along a fence)
	238° 16′	9.0 (along a fence)
	234° 17′	15.5 (along a fence)
	303° 19′	18.6
	32° 12′	33.4 (along a fence)
	34° 24′	18.6 (along a fence)
	38° 47′	30.8 (along a fence)
	43° 26′	18.8 (along a fence)
	46° 18′	15.5 (along a fence)
	49° 28′	15.4 (along a fence)
	51° 58′	15.5 (along a fence)
	55° 02′	18.8 (along a fence)
	58° 34′	12.4 (along a fence)
	62° 44′	184.4 (along a fence)

THE SCHEDULE — continued

to the point of commencement.

The boundaries of "OIL TANK FARM (JURONG POWER STATION)" are more particularly delineated and edged pink on Survey Print No. 1006-87 filed in the office of the Chief Surveyor, Singapore.

Director, Electricity Department, Public Utilities Board, Singapore. 2. JURONG GAS TURBINE.

All that area comprised in part of Lot 1006 Mukim No. 6 (PENG KANG), containing an area of about 16,349 square metres and bounded approximately as follows:

Commencing at a northern-most corner of the aforesaid "JURONG GAS TURBINE" which point is 2,685.3 metres North and 15,692.8 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres	
90° 49′	73.6 (along a fence)	
99° 36′	7.2 (along a gate)	
86° 18′	17.0 (along a fence)	
176° 16′	159.4 (partly along a fence, a gap and a fence)	
270° 38′	103.6 (along a fence)	
320° 50′	11.9 (along a fence)	
3° 36′	35.6 (along a fence)	
2° 33′	28.3 (along a fence)	
0° 14′	36.9 (along a fence)	
359° 53'	29.0 (along a fence)	
358° 29′	20.2 (along a fence)	

THE SCHEDULE — continued

to the point of commencement.

The boundaries of "JURONG GAS TURBINE" are more particularly delineated and edged pink on Survey Plan No. 30002 filed in the office of the Chief Surveyor, Singapore.

(83) S 256/88
[16.9.88]
Chief Executive,
Telecommunication
Authority of Singapore.

JURONG EAST TELEPHONE EXCHANGE.

All that areas comprised in part of State Land Lot 4277 Mukim No. 5 (PANDAN), occupied by "JURONG EAST TELEPHONE EXCHANGE" containing an area of about 6,253 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the aforesaid "JURONG EAST TELEPHONE EXCHANGE" which point is 6,200.5 metres North and 12,926.7 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres	
118° 25′	2.2	
207° 58′	0.3 (generally along outer face of wall)	
159° 34'	2.0	
208° 02′	2.2	
119° 17′	7.4 (along gates and pillars)	

to a point where it meets a fence, and thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
29° 00′	7.3
119° 06′	32.9

p. 160	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
1		THE SCHEDULE — continued	
		120° 01′	5.3
		122° 59′	2.8
		128° 12′	8.1
		134° 30′	5.6
		139° 28′	5.4
		144° 58′	2.6
		146° 27′	2.9
		149° 44′	2.6
		154° 34′	2.7
		158° 38′	5.4
		160° 31′	5.4
		163° 30′	5.3
		167° 17′	2.9
		171° 50′	2.7
		174° 49′	2.7
		178° 23′	2.7
		182° 14′	2.8
		184° 51′	2.8
		188° 05′	2.7
		192° 25′	5.4
		194° 02′	2.6
		196° 42′	5.3
		196° 13′	2.7
		198° 42′	2.7
		201° 34′	6.3
		202° 14′	3.2
		299° 12′	110.9
		29° 13′	57.1
		118° 17′	2.3

THE SCHEDULE — continued

to meet the wall of the aforesaid building and thence along the outer face of the wall of bearings and distances as under:

Bearing	Distance in metres
30° 08′	0.3
115° 00′	1.0
27° 52′	3.9

to a point of commencement.

The boundaries of JURONG EAST TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30005 filed in the office of the Chief Surveyor, Singapore.

TANJONG GUL CAMP.

All that area comprised in State Land Lot 54-4, parts of State Land Lots 41, 46-4, 46-8, 54-1, 54-3, 419, 838 and 1360 Mukim No. 7 (TUAS) and two parts of the foreshore and seabed, occupied by "TANJONG GUL CAMP", containing an area of about 321,054 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "TANJONG GUL CAMP" which point is 1,664.9 metres North and 21,120.1 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances approximately as under:

Bearing	Distance in metres
137° 00′	125.7
137° 09′	130.0
146° 57′	207.5
154° 32′	22.6

(84) S 281/88
[30.9.88]
Commander,
6 Singapore Division,
Tanjong Gul Camp.

p. 162	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
-		THE SCHEDULE — continued	
		230° 22′	4.6
		155° 35′	140.4
		155° 44′	165.0
		239° 13′	9.9
		158° 05′	17.8
		201° 01′	17.6
		219° 37′	11.9
		227° 20′	15.0
		232° 50′	30.0
		239° 58′	18.0
		242° 56′	12.0
		246° 56′	30.4
		252° 25′	30.2
		259° 06′	30.3
		263° 23′	32.8
		269° 52′	27.3
		275° 37′	17.8
		279° 14′	15.0
		281° 08′	14.6
		281° 50′	14.6
		282° 39′	14.7
		284° 03′	14.8
		285° 39′	14.8
		286° 44′	15.2
		286° 46′	14.9
		286° 58′	14.8
		289° 17′	14.9
		292° 04′	15.3
		300° 26′	15.1

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 163
	THE SCHEDULE — continued	,
	306° 49′	15.4
	311° 40′	9.6
	319° 45′	15.0
	327° 17′	18.5
	337° 37'	6.4
	337° 09′	45.7
	336° 15′	28.3
	35° 47′	8.0
	22° 55′	8.7
	292° 00′	1.9
	293° 53′	7.6 (across a gate)
	295° 03′	1.8
	204° 11′	7.7
	335° 57'	82.7
	321° 32′	72.2
	321° 15′	128.2
	321° 27′	70.2
	306° 26′	7.0
	37° 06′	3.1
	39° 59′	9.7 (across pillars and gates)
	39° 11′	1.5
	306° 00′	91.9
	305° 40′	6.2 (across a gate)
	306° 12′	21.1
	56° 58′	139.4
	56° 48′	68.9
	174° 33′	4.9
	56° 57'	36.3

<u>p. 16</u> 4	4 1990 Ed.]		otected Places olidation) Order	[Cap. 256, O 2
		THE SCH	EDULE — continue	d
			135° 33'	33.2
			46° 03′	25.6
			45° 41′	9.1 (across pillars and gates)
			45° 21′	3.0
			317° 38′	5.3
			353° 13′	22.3
			56° 52'	115.8
			136° 44′	5.9
			48° 07′	2.3
			46° 44′	6.4 (across pillars and gate)
			45° 18'	11.3
			to the point of comm	nencement.
	CAMP" are more pa	ies of "TANJONG GUL rticularly delineated and ey Print No. 10012 filed Chief Surveyor,		
(85)	S 323/88 [21.10.88]		1. PULAU SERAYA STAGE I.	A POWER STATION
Chief Executive Officer, YTL PowerSeraya Pte Ltd	former PULAU SER part of State Land L (OTHER ISLANDS PULAU SEBURUS SEBURUS LUAR) foreshore and seaber waters of the Repub occupied by "PULA STATION STAGE I	d within the territorial lic of Singapore U SERAYA POWER ", containing an area of re metres and bounded		

Commencing at the northernmost corner of the perimeter fence of the aforesaid

"PULAU SERAYA POWER STATION STAGE I" which point is 29,618.6 metres North and 16,099.4 metres East of the Survey Department origin of co-ordinates (N 30000, E 30000), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
106° 26′	9.4
134° 16′	24.0 (partly across a concrete drain)
153° 52'	6.1
134° 00′	36.0 (partly along a gate)
145° 51′	25.5
161° 50′	11.9
144° 55'	6.2
134° 28′	23.8 (partly along a gate and across concrete drain)
139° 02′	38.6 (partly along a gate and across concrete drain)
223° 34′	6.8
134° 03′	52.1 (partly along two gates)
44° 39′	4.1
132° 00′	22.6
220° 42′	4.2
131° 38′	65.2 (partly along a gate)
144° 48′	35.9
140° 49′	38.6

p. 166	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
-		THE SCHEDULE — continued	
		147° 56′	39.1
		146° 18′	38.7
		125° 25′	53.9 (partly along a gate and across concrete drain)
		43° 25′	51.9
		134° 46′	28.6
		42° 53′	4.9
		134° 46′	12.4
		223° 28′	16.3 (partly along a gate)
		134° 14′	27.2
		44° 22′	16.0
		131° 44′	22.4
		223° 44′	35.2
		176° 56′	7.6
		149° 12′	6.7
		129° 28′	36.3 (partly across an earth drain)
		152° 13′	75.9 (partly across a concrete drain)
		223° 59′	132.0
		314° 02′	390.0 (partly along a gate)
		224° 02′	513.5 (partly along two gates)
		314° 02′	529.2 (partly along two gates)
		64° 39'	173.3
		71° 31′	30.9
		43° 29′	2.8 (partly along a gate)

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 167
	THE SCHEDULE — continued	
	79° 10′	10.4
	66° 33′	19.0
	339° 48′	2.4
	65° 27′	6.5
	160° 32′	2.5
	66° 43′	187.4
	53° 35′	31.5
	36° 47′	5.3
	21° 19′	33.7
	40° 28′	40.6
	59° 30′	40.5
	66° 40′	54.4
	313° 53′	8.9
	62° 48′	38.8
	43° 54′	57.9
	to the point of commend	cement.
	The boundaries of	of "PULAU

SERAYA POWER STATION STAGE I" are more particularly delineated and edged pink on Survey Print No. 10013 filed in the office of the Chief Surveyor, Singapore.

2. PULAU SERAYA POWER STATION STAGE I (ANCILLIARY FORESHORE STRUCTURES).

All those area comprised in parts of Lot 269 Mukim No. 34 (OTHER ISLANDS — PULAU SERAYA, PULAU SEBURUS DALAM AND PULAU SEBURUS LUAR) together with various parts of the foreshore and seabed within the territorial waters of the Republic of Singapore occupied by the foreshore structures (including fuel oil unloading jetty, intake structure, mooring dolphins, walkways, unloading ramp and

THE SCHEDULE — continued

personnel jetty) ancilliary to "PULAU SERAYA POWER STATION STAGE I" and bounded approximately by their limits.

The boundaries of the foreshore structures ancilliary to "PULAU SERAYA POWER STATION STAGE I" are more particularly delineated and edged blue on Survey Print No. 10013 filed in the office of the Chief Surveyor, Singapore.

[S 243/2012 wef 30/05/2012]

1. SELETAR RIFLE RANGE.

All that area comprised in part of catchment area (NATURE RESERVE) of Lot 187 Mukim No. 14 (MANDAI) occupied by "SELETAR RIFLE RANGE" containing an area of about 88,489 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SELETAR RIFLE RANGE" which point is 11,620.2 metres North and 3,806.5 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
103° 29′	136.9
198° 50'	50.0 (to the corner of
	fence)

thence run along successive lines of the perimeter fences of bearings and distances as under:

Bearing	Distance in metres
198° 50'	70.2
292° 10′	57.6

(86) S 346/88[4.11.88]Assistant Chief of General Staff (Training),

Tanglin,

Singapore.

Ministry of Defence,

corne "SEI 11,62

	rotected Places nsolidation) Order	[1990 Ed. p. 169
THE SCI	HEDULE — continued	
	205° 30′	94.7
	202° 44′	45.4
	205° 34′	51.8
	196° 57′	27.1
	206° 06'	77.0
	202° 15′	58.1
	176° 30′	67.9
	216° 22′	64.4
	246° 29′	49.1
	299° 55′	100.4
	346° 48′	38.5
	16° 32′	44.7
	26° 19′	177.5
	26° 19′	154.4
	25° 55′	116.9
	46° 56′	73.1
	87° 40′	12.3
	to the point of comme	ncement.
	The boundaries RIFLE RANGE" are t delineated and edged j No. 10002 filed in the Surveyor, Singapore.	oink on Survey Plan
Assistant Chief of	2. BUKIT TIMAH RA	ANGE.
General Staff (Training), Ministry of Defence, Tanglin,	All that area co State Land Lots 88 ¹ ar (BUKIT TIMAH RAN	

State Land Lots 88¹ and 912 Mukim No. 16 (BUKIT TIMAH RANGE" containing an area of about 56,528 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "BUKIT TIMAH RANGE" which point is 6,941.1 metres

Singapore.

THE SCHEDULE — continued

North and 7,674.9 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
104° 26′	26.8 (along fence)
193° 23′	25.7
201° 16'	314.2
201° 16'	100.2
257° 49′	30.9
203° 01′	16.1 (partly along a fence and a gate)
292° 46′	98.6
21° 04'	49.7
17° 09'	96.4
32° 38′	56.9
17° 42′	98.0 (along fence)
0° 59′	65.7
10° 56'	8.9 (along fence)
63° 05′	24.7
72° 24′	39.9
67° 15′	36.0
79° 56′	55.7 (along fence)

to the point of commencement.

The boundaries of "BUKIT TIMAH RANGE" are more particularly delineated and edged pink on Survey Plan No. 10004 filed in the office of the Chief Surveyor, Singapore.

Executive Secretary,	3. SINGAPORE GUN CLUB.
Singapore Armed Forces Sports Association,	All that area comprised in parts of State Land Lots 88 ¹ and 912 Mukim No. 16

THE SCHEDULE — continued

Block 12,	(BUKIT TIMAH) occupied by
Central Manpower	"SINGAPORE GUN CLUB" containing an
Base Dempsey Road,	area of about 47,711 square metres and
Singapore.	bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "SINGAPORE GUN CLUB" which point is 6,540.1 metres North and 7,932.6 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
112° 46′	98.6 (partly along a fence and a gate)
23° 01′	16.1
77° 49′	30.9
156° 04′	86.1
218° 31′	69.3
218° 31′	98.7
218° 30′	90.5
218° 30'	28.5
218° 30'	33.5
218° 30'	21.8
219° 01′	45.3
3° 47′	79.3
3° 47′	16.4
3° 46′	32.0
21° 04′	235.3

to the point of commencement.

The boundaries of "SINGAPORE GUN CLUB" are more particularly delineated and edged pink on Survey Plan

No. 10004 filed in the office of the Chief Surveyor, Singapore.

TENGAH AIR BASE, SINGAPORE.

(87) S 392/88[9.12.88]Base Commander, Tengah Air Base, Singapore.

(a) All those areas comprising State Land Lots 2⁴, 2⁵, 2⁷, 2⁸, 2⁹, 4¹, 4⁴, 5¹, 6³, 6⁶, 6^8 , 7^3 , 7^4 , 110, 112, 113, 172, 180, 182 to 186, 188 to 191, 196, 198, 200 to 222, 224, 226, 229 to 265, 269 to 279, 284 to 299, 305, 308 to 338, 340 to 352, 363 to 368, 373, 445, 449, 514, 515, 517, 518, 520 to 544, 553 to 585, 592, 593, part of State Land Lots 6^9 , 6¹⁰, 8¹⁰, 8¹⁶, 8¹⁹, 8²², 8²⁶, 91, 135, 167, 171, 175 to 179, 181, 266 to 268, 280, 300 to 304, 306, 307, 339, 353, 362, 369, 370, 399, 545, 548, 549, 552, 587 to 589, 715, 721, Lots 714, 720 State Reserves, State Lands, part of State Lands, Lorong Ayam Jantan, part of Lorong Ayam Borek, part of Ama Keng Road, part of Ayam Dara, Vampire Road, (old) Choa Chu Kang Road, part of Choa Chu Kang Road, in Mukim No. 12 (LIM CHU KANG), and

(*b*) State Land Lots 8², 9¹⁰, 111, 113, 116, 120, part of State Land Lots 6⁶, 94, 109, 110, 112, 114, 117 to 119, 121, 122, 158, 350, part of Choa Chua Kang Road, part of State Reserve, in Mukim No. 9 (CHOA CHU KANG) occupied by "TENGAH AIR BASE" containing an area of approximately 6,704,435 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "TENGAH AIR BASE" which point is 12,890.4 metres North and 15,789.2 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing Distance in metres

C	Protected Places		n 172
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed.	p. 173
	THE SCHEDULE — continued		
	90° 04′	9.0	
	98° 03′	2.9	
	105° 04′	3.4	
	109° 22′	8.9	
	113° 43′	6.0	
	115° 38′	3.2	
	123° 50′	6.0	
	129° 20′	6.0	
	134° 47′	6.0	
	140° 49′	3.2	
	145° 40′	6.0	
	148° 20′	71.6	
	147° 06′	11.9	
	144° 36′	12.1	
	141° 58′	6.0	
	133° 30′	6.0	
	125° 02′	6.1	
	117° 04′	38.1	
	111° 50′	20.4	
	112° 54′	6.1	
	115° 41′	8.9	
	118° 02′	6.0	
	119° 32′	9.1	
	121° 17′	18.1	
	122° 18′	12.0	
	123° 47′	9.0	
	125° 49′	9.0	
	127° 37′	6.1	
	128° 51′	6.2	

p. 174 1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
THE	SCHEDULE — continued	
	129° 46′	3.4
	131° 59′	6.4
	129° 30′	5.5
	126° 48′	3.3
	119° 39′	11.8
	117° 52′	20.7
	118° 27′	111.5
	124° 59′	15.1
	182° 38′	9.9
	141° 02′	14.6
	95° 22′	7.4 (along a gate)
	119° 26′	10.9
	19° 13′	8.5
	122° 37′	39.2
	42° 28′	12.0 (partly along a gate)
	60° 01′	14.5
	60° 06′	70.0
	60° 19′	67.4
	54° 10′	38.0
	71° 44′	29.1
	69° 48′	20.6
	64° 17′	73.0
	148° 30'	45.6
	106° 55′	39.6
	110° 44′	29.2
	121° 14′	51.7
	79° 15′	19.6
	155° 32′	76.5

THE SCHEDULE —	continued
THE SCHEDUEL	00111111000

DULE — continued	
184° 22′	51.7
179° 31′	16.5
182° 58′	26.0
105° 07′	200.8 (partly along a gate)
129° 13′	83.4
118° 02′	26.1
140° 58′	89.3

thence along a line on a bearing of 169° 58' for a distance of 124.4 metres to a point at the northernmost corner of lot 335, thence the boundaries run along successive lines of bearings and distances as under:

Bearing	Distance in metres
107° 38'	57.0
82° 49′	9.0
82° 49′	56.4
73° 32′	38.2
55° 12′	20.8
55° 12′	57.5
73° 19′	69.8
105° 02′	62.7
129° 16'	51.7
170° 17′	14.1
170° 17′	76.4
209° 50'	26.2
209° 50'	90.6
186° 10′	80.7
245° 38'	29.2
245° 38'	32.3

p. 176	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256, O 2
1	-	THE SCHEDULE — continued	<u> </u>
		265° 01′	34.3
		233° 52′	69.9
		263° 21′	63.0
		225° 57′	24.9
		225° 57′	41.3
		271° 51′	45.3
		208° 40′	40.7
		194° 10′	53.9
		231° 13′	10.1
		231° 13′	34.4
		281° 11′	54.6
		281° 12′	50.2
		286° 53′	87.0
		311° 27′	42.2
		311° 27′	84.1
		327° 16′	88.2
		315° 35′	113.3
		338° 56′	42.4
		326° 55′	56.1
		326° 55′	72.8
		276° 46′	45.0
		303° 16′	36.3
		269° 02′	8.5
		269° 02′	59.8
		222° 00′	17.6
		222° 00′	50.9
		229° 15′	50.3

thence along a line on a bearing of 158° 06' for a distance of 50.0 metres to a point where

THE SCHEDULE — continued

it meets a fence, and thence along the fence of bearings and distances as under:

Bearing	Distance in metres
131° 42′	228.2
135° 53'	23.9
143° 50′	30.0
153° 02′	26.9
161° 18′	23.6
168° 11′	30.1
179° 18′	32.5
188° 40′	29.6
197° 47′	29.8
207° 02′	29.4
214° 21′	11.9
218° 08'	18.7
223° 11′	15.1
228° 38′	15.3
236° 12′	116.5
210° 19′	407.3
141° 58′	56.2
139° 31′	11.7
136° 05'	9.0
134° 38′	9.1
130° 59′	9.0
126° 35′	12.1
124° 11′	9.0
121° 03′	8.9
117° 03′	12.2
112° 30′	15.0

p. 178	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>+</u>		THE SCHEDULE — continued	<u> </u>
		108° 24′	12.0
		105° 34′	24.2
		99° 40′	6.0
		78° 08′	11.9
		64° 38′	9.2
		55° 20′	3.1
		48° 18′	6.0
		30° 02′	50.6
		28° 10′	80.4
		8° 00′	92.4
		20° 07′	30.4
		17° 00′	29.8
		74° 48′	25.7
		76° 50′	117.8
		26° 35′	82.7
		74° 24′	33.2
		97° 46′	33.5
		165° 40′	30.5
		158° 50′	30.6
		109° 50′	88.1
		20° 56′	123.4
		72° 29′	30.0
		85° 46′	30.0
		170° 25′	25.0
		182° 30′	26.0
		189° 38′	29.8
		170° 59′	29.7
		161° 48′	29.8
		158° 25′	29.9

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 179
	THE SCHEDULE — continued	
	173° 47′	59.8
	182° 21′	58.9
	230° 09′	105.8
	139° 40′	69.6
	142° 16′	11.9
	145° 55′	8.9
	148° 42′	9.0
	151° 20′	9.0
	154° 07′	9.1
	157° 29′	8.9
	160° 05′	9.0
	162° 06′	8.9
	163° 49′	6.0
	166° 55′	8.8
	170° 52′	12.0
	173° 32′	9.1
	177° 22′	12.0
	180° 41′	12.1
	183° 35′	8.9
	187° 48′	12.1
	190° 11′	9.0
	193° 51′	8.9
	195° 59′	9.0
	199° 27′	12.1
	202° 18′	9.0
	205° 46′	9.0
	208° 35′	9.0
	211° 32′	12.0
	214° 10′	149.8

p. 180	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
1		THE SCHEDULE — continued	<u> </u>
		214° 32′	9.0
		220° 58′	8.8
		224° 41′	12.0
		228° 03′	77.3
		224° 07′	6.0
		216° 05′	6.1
		208° 26′	5.7
		200° 48′	6.1
		190° 41′	5.5
		185° 31′	5.5
		175° 29′	5.5
		170° 02′	5.4
		161° 23′	6.0
		150° 12′	5.9
		142° 39′	5.9
		138° 05′	6.1
		134° 03′	150.1
		136° 06′	8.8
		139° 28′	8.9
		145° 34′	6.0
		152° 52′	9.0
		155° 28′	11.6
		160° 48′	9.1
		166° 50′	8.9
		173° 45′	6.1
		177° 19′	5.9
		180° 26′	8.9
		185° 47′	8.9
		190° 33′	9.0

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 181
	THE SCHEDULE — continued	
	196° 17′	5.9
	200° 56'	6.0
	205° 06'	8.9
	208° 20′	5.9
	213° 09′	8.9
	223° 27′	6.1
	235° 10′	5.8
	238° 51′	9.1
	241° 29′	9.1
	244° 36′	9.0
	247° 37′	6.0
	250° 18′	9.1
	251° 46′	9.0
	252° 20′	21.0
	255° 06′	17.6
	258° 14′	11.7
	263° 52'	129.3
	263° 53′	7.4 (along a gate)
	263° 45′	56.3
	250° 40′	5.6
	244° 32′	8.5
	234° 06′	6.1
	255° 12′	9.0
	216° 11′	8.9
	207° 27′	6.1
	199° 35′	6.0
	194° 43′	5.8
	189° 57′	186.6
	203° 03′	43.7

Protected Places				
p. 182	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2	
		THE SCHEDULE — continued		
		195° 36′	44.9	
		194° 33′	9.0	
		193° 14′	243.2	
		190° 35′	19.1	
		194° 39′	7.9	
		284° 20′	11.0	
		195° 06′	195.8	

to meet a point on the concrete beacon wall, thence generally along the said wall or bearings and distances as under:

Bearing	Distance in metres
315° 38'	0.8
225° 37′	2.9
135° 38'	0.8

to a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
257° 50′	7.0
257° 26′	47.9

to a point on the pillar, thence along it on a bearing of 343° 12' and distance of 0.2 metre to a point where it meets a fence, thence along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
317° 29′	8.3
44° 59′	11.0
312° 51′	26.6
252° 14′	11.0 (partly along a gate)
226° 55′	2.8

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 183
	THE SCHEDULE — continued	
	139° 02′	9.4
	219° 12′	15.3 (partly along 3 gates)
	322° 15′	2.2
	224° 25′	2.0 (partly along a pillar and outer wall of block 112)
	314° 25′	0.1 (along outer wall of block 112)
	224° 25′	3.7 (along outer wall of block 112)
	178° 15′	14.5
	170° 32′	4.0
	255° 20′	16.6
	349° 09′	4.3 (partly along a gate)
	255° 49′	18.2
	256° 00′	28.5
	261° 15′	30.2
	257° 32′	82.9
	235° 08′	64.3
	234° 57′	55.6
	325° 06′	45.3
	235° 01′	30.5
	145° 00′	45.1
	235° 13′	117.0
	238° 00′	6.1 (along a gate)
	237° 47′	76.0
	237° 38′	96.9
	237° 48′	76.3
	259° 34′	8.9

p. 184	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p. 104</u>	1990 Ed.]	THE SCHEDULE — continued	[CAI: 250, 0 2
		261° 53′	11.8
		266° 23'	12.6
		269° 22'	12.5
		273° 07′	12.5
		273° 07′ 277° 02′	11.6
		277° 02 279° 23'	12.1
		279 23 283° 40'	12.1
		286° 32′	12.2
		289° 47′	12.5
		291° 15′	12.2
		296° 06′	12.1
		297° 51′	12.3
		297° 44′	24.9
		305° 53′	38.3
		306° 07′	34.0
		313° 35′	14.7
		304° 24′	115.5
		22° 28′	0.6
		303° 02′	2.2
		225° 30′	0.6
		304° 18′	22.1
		295° 28′	42.7
		311° 31′	13.1
		274° 43′	15.6 (partly along 2 gates)
		280° 18′	18.7
		302° 00′	5.3
		277° 07′	27.0
		275° 30′	22.8

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 185
	THE SCHEDULE — continued	[1990 Ed. p. 100
		2 1
	3° 25′ 274° 09′	3.1 6.0
	274 09 181° 50'	3.2
	272° 44′	5.2 44.8
	272 44 270° 39'	59.5
	270° 59 271° 52'	39.5 77.5
	1° 15′	2.4
	274° 35′	6.5
	184° 01′	2.7
	273° 13′	296.6
	272° 46′	29.8
	271° 06′	63.1
	272° 11′	59.7
	278° 43′	18.0
	285° 40′	27.2
	292° 30′	5.9
	299° 43′	17.9
	295° 51′	152.5
	300° 01′	86.5
	305° 47′	10.6
	10° 46′	101.5
	17° 15′	120.6
	17° 20′	7.4 (along a gate)
	16° 58′	64.1
	17° 56′	66.2
	286° 23′	6.4
	17° 07′	171.0
	19° 11′	104.0
	21° 48′	5.5

p. 186	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		22° 54′	68.3
		31° 55′	42.9
		34° 42′	37.7
		123° 48′	36.5
		33° 50′	30.4
		303° 55′	36.6
		28° 39′	0.8
		301° 43′	8.2 (partly along a gate)
		33° 48′	407.8
		78° 38′	11.7
		123° 50′	7.0
		33° 58′	12.1 (partly across 3 pillars and 2 gates)
		303° 43′	7.0
		347° 30'	11.3
		33° 29′	47.1
		123° 52′	16.5
		34° 02′	4.4 (along a gate)
		303° 36′	16.5
		33° 48′	58.9
		123° 41′	43.4
		33° 39′	7.6
		304° 01′	4.3
		33° 23′	7.0 (along outer wall of block 4)
		303° 44′	3.0 (along outer wall of block 4)
		31° 46′	2.1
		303° 22′	10.3

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 187
	THE SCHEDULE — continued	
	213° 59′	9.1
	303° 27′	21.4
	303° 29′	4.3
	33° 21′	148.7
	123° 13′	34.4
	213° 08′	2.3
	122° 45′	1.5
	213° 27′	8.8
	123° 37′	46.7
	33° 24′	32.3
	303° 36'	46.5
	213° 54′	16.5
	303° 09′	36.2
	31° 39′	34.6
	36° 06′	18.9
	36° 53′	61.4
	74° 25′	6.7
	22° 42′	12.1 (partly along a gate)
	33° 14′	115.4
	23° 03′	2.8
	2° 57′	337.8
	64° 59′	9.0
	3° 34′	260.8
	349° 49′	23.6
	356° 52'	7.4 (along a gate)
	346° 59′	21.2
	346° 24′	11.9
	344° 58′	11.9

p. 188	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>+</u>	-	THE SCHEDULE — continued	<u> </u>
		342° 12′	12.2
		341° 18′	15.0
		340° 08′	15.0
		338° 27′	15.2
		337° 14′	277.9
		337° 21′	204.4
		337° 57′	11.9
		339° 01′	21.0
		339° 42′	21.0
		341° 59′	6.0
		353° 01′	8.9
		355° 52′	12.3
		356° 29′	14.9
		14° 03′	39.6
		10° 18′	23.7
		308° 25′	26.2
		357° 53′	45.1
		46° 58′	8.3
		47° 28′	11.2
		21° 08′	2.8
		18° 18′	5.2
		291° 36′	2.4
		294° 30′	3.1
		299° 57′	2.9
		301° 46′	3.0
		311° 22′	3.0
		321° 22′	2.9
		329° 24′	3.0
		337° 47′	3.0

Cup 25 6 0.21	Protected Places		n 190
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed.	p. 189
	THE SCHEDULE — continued		
	357° 46′	38.9	
	93° 58′	6.1	
	358° 08′	4.9	
	273° 55′	6.2	
	359° 20′	5.8	
	0° 55′	6.0	
	3° 04′	9.0	
	6° 31′	9.1	
	9° 21′	5.9	
	10° 23′	6.2	
	12° 15′	2.9	
	13° 11′	3.0	
	14° 17′	9.1	
	16° 15′	14.9	
	90° 45′	66.1	
	68° 32′	44.5	
	72° 51′	3.1	
	74° 13′	60.0	
	69° 33′	44.4	
	154° 09′	3.7	
	67° 29′	5.1	
	335° 25′	3.5	
	69° 42′	62.9	
	70° 44′	51.5	
	73° 08′	3.0	
	78° 31′	5.8	
	81° 19′	9.1	
	84° 34′	9.0	
	86° 19′	9.3	

<u>p. 190</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		88° 10′	8.9
		74° 58′	3.0
		69° 32′	41.6
		71° 42′	2.9
		95° 05′	3.1
		97° 55′	32.9
		98° 20′	3.0
		99° 30′	3.1
		97° 47′	27.0
		96° 17′	116.9
		94° 07′	3.0
		91° 02′	6.0
		85° 10′	6.0
		76° 38′	6.0
		73° 06′	3.0
		69° 30′	5.9
		66° 37′	3.0
		60° 55′	9.0
		51° 16′	5.9
		42° 24′	3.1
		thence along a line on a for a distance of 12.1 me it meets a fence, and the of bearings and distance	tres to a point where ence along the fence

Bearing	Distance in metres
6° 55′	26.9
10° 03′	6.0
12° 50′	6.0
16° 40′	8.9
21° 42′	15.0

Protected PlacesCAP. 256, O 2](Consolidation) Order	[1990 Ed. p. 191
THE SCHEDULE — continued	[1990 Ed. p. 191
	0.0
24° 19′	9.0
28° 11′	6.1
30° 33′	5.9
37° 09′	5.8
43° 23′	6.1
55° 58′	6.1
62° 21′	3.7
65° 38′	8.1
69° 13′	6.1
74° 00′	6.0
77° 01′	5.8
79° 27′	6.3
81° 01′	6.1
84° 55′	8.9
87° 00′	11.9
90° 03′	12.0
92° 06′	6.0
97° 13′	6.0
102° 59′	6.0
107° 44′	6.0
110° 37′	18.1
106° 59′	23.8
100° 41′	15.1
93° 28′	9.0
74° 43′	6.3
90° 47′	2.8
65° 53′	101.7
69° 15′	6.1
74° 05′	6.1

THE SCHEDULE — continued

78° 17′	3.2
85° 37′	2.9

to the point of commencement.

The boundaries of "TENGAH AIR BASE" are more particularly delineated and edged pink on Survey Plan Nos. 10008 and 20001 filed in the office of the Chief Surveyor, Singapore.

(88) Commander, Paya Lebar Airbase PAYA LEBAR AIRPORT.

All that area comprised in Lots 80X, 81L, 82C, 83M, 85V, 87T, 88A, 89K, 92K, 213M, 214W, 254M, 583N, 584X, 628M, 629W, 631M, 632W, 836C, 838W, 1367W, 1368V, 3860X, 4013L, 4015M, 4017V, 7409W, 7410C, 8566V, 8567P, 8568T, 8569A, 8570P, 8623W, 8624V, 8625P, 8626T. 8627A, 8629N, 8630A, 8631K, 8633X, 8634L, 8635C, 8636M, 8637W, 8638V, 8639P, 8640W, 8706L, 8710C, 99512A, 99518M, 99514N. 99517C, 99520C, 99522W, 99523V, 99524P, 99526A, 99528N. 99532X, 99533L, 99534C. 99541P, 99542T. 99544K, 99545N. 99546X, 99548C, 99550L, 99551C, 99557A. 99558K. 99556T. 99559N. 99560A, 99703T and part of Lots 706P, 7412W, 8705X, 8707C, 8708M, 8709W, 8728P, 8729T, 99529X, 99530K, 99531N, 99540V. 99562N. 99563X in Mukim No. 22 ; Lots 54P, 60K, 61N, 62X, 71P, 78C, 80L, 271X, 301M, 302W, 347W, 348V, 349P, 350W, 351V, 352P, 354A, 789X, 2068C, 3916C, 3917M, 3919V, 3920M, 3921W, 3923P, 3924T, 3925A, 3926K, 3927N. 3928X. 3929L. 3930N. 3931X. 3932L. 3933C, 3934M, 3935W, 3936V, 3937P, 3938T, 3939A, 3940P, 3941T, 3942A, 3943K. 3944N. 3945X. 3946L. 3947C. 3948M, 3949W, 3951M, 3952W, 3953V, Protected Places (Consolidation) Order

THE SCHEDULE — continued

3954P, 3955T, 3956A, 3957K, 3958N,
3959X, 4321X, 4398N, 4399X, 4529X,
4530K, 5543P, 5544T, 5545A, 5967L,
99417P, 99418T, 99419A, 99420P, 99421T,
99422A. 99424N. 99425X. 99426L
99427C 99428M 99429W 99430C
99427C, 99428M, 99429W, 99430C, 99431M, 99432W, 99433V, 99434P,
99437K, 99438N, 99440K, 99441N,
99448P, 99449T, 99450V, 99451P, 99452V,
99453A, 99456X, 99457L and part of Lots
76X, 81C, 84V, 261W, 263P, 265A, 272L,
667K, 2658N, 3922V, 4392W, 4394P,
4396A, 4527K, 4621X, 4622L, 7675N,
99415W, 99416V, 99455N, 99459M in
Mukim No. 23; Lot 1154P and part of Lots
37X, 1155T, 6447V, 6460L, 99334M,
99335W, 99336V in Mukim No. 28; Lot
1765A and part of Lots 329K, 340M, 1764T,
1766K, 1878W in Mukim No. 29; and Lots
11A, 13N, 14X, 15L, 21W, 53V, 54P, 57K,
58N, 59X, 60K, 61N, 62X, 63L, 64C, 66W,
67V, 68P, 69T, 70V, 71P, 72T, 73A, 74K,
75N, 76X, 77L, 78C, 79M, 80L, 81C, 82M,
83W, 84V, 95C, 97W, 98V, 114A, 115K,
116N, 117X, 118L, 119C, 120X, 121L,
123M, 124W, 125V, 127T, 128A, 129K,
131A, 132K, 134X, 136C, 137M, 141W,
146K, 147N, 148X, 149L, 156V, 169W,
335P, 336T, 337A, 339N, 346M, 347W,
249M $250M$ $251M$ $252D$ $252T$ $254A$
348V, 350W, 351V, 352P, 353T, 354A,
355K, 356N, 357X, 358L, 359C, 360X,
361L, 362C, 363M, 364W, 365V, 366P,
367T, 368A, 369K, 370T, 371A, 372K,
373N, 374X, 375L, 376C, 377M, 378W,
379V, 380M, 381W, 382V, 383P, 429X,
9609P, 99610W, 99629K, 99630T, 99632K,
99633N, 99635L, 99636C, 99643P, 99646K,
99649L, 99663K, 99674P, 99675T, 99676A,
99677K, 99679X, 99680K, 99681N,
99683L, 99686W, 99687V, 99707L,
99727W, 99729P, 99732P, 99741L,
99756C, 99759V, 99765A, 99770N,

		Protected Places	
p. 194	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		99771X, 99775W,	99782A, 99783K,
		99785X, 99786L,	99787C, 99797K,
		99804P, 99805T, 9980	
		99824K, 99825N,	99826X, 99827L,
		99828C, 99829M,	99830L, 99831C,
		99832M, 99833W,	99834V, 99835P,
		99837A, 99839N,	99840A, 99841K,
		99842N, 99843X,	99844L, 99845C,
		99846M, 99847W,	99848V, 99849P,
		99852P, 99855K,	99856N, 99859C,
		99860X, 99861L,	99862C, 99863M,
		99864W, 99866P,	99868A, 99871A,
		99872K, 99876C,	99877M, 99878W,
		99879V, 99881W,	99882V, 99883P,
		99884T, 99889L, 9989	06V, 99897P, 99898T,
		99900N, 99902L, 9990)7P, 99908T, 99909A,
			99925T, 99953W,
		99956T, 99957A,	99960A, 99961K,
		99962N, 99963X,	99964L, 99965C,
		99968V, 99969P and	
		25A, 26K, 91K, 96M	, 122C, 126P, 130T,
		133N, 135L, 142V,	
		327L, 328C, 335P,	338K, 345C, 349P,
		427K, 99608V, 99652	L, 99655W, 99657P,
		99659A, 99662A,	99672W, 99689T,
		99731V, 99733T,	99760M, 99763P,
		· · · · · ·	99821P, 99828C,
			99893C, 99899A,
		99953W, 99955P,	99970W, 99971V,
		99972P in Mukim N	o. 30 containing an
		area of about 7,214,73	-
		bounded approximately	y as follows:
		Commencing at a poin	t which is 38.859.086
		metres North and 38,2	
		the Singapore Land Au	
		ordinates (30,000 m	
		metres East), the be	
		successive lines of be	

Bearing Distance in metres

approximately as follows:

	Protected Places	
Cap. 256, O 2]	(Consolidation) Order	[1990 Ed. p. 195
	THE SCHEDULE — continued	
	203° 12′ 52″	46.252 (along a fence)
	203° 08′ 35″	52.840 (along a fence)
	203° 13′ 27″	50.879 (along a fence)
	203° 17′ 58″	48.272 (along a fence)
	203° 04′ 32″	48.407 (along a fence)
	203° 07′ 56″	57.077 (along a fence)
	203° 22′ 16″	47.559 (along a fence)
	203° 27′ 36″	20.058 (along a fence)
	203° 44′ 01″	41.400 (along a fence)
	204° 06′ 22″	48.277 (along a fence)
	202° 55′ 46″	45.493 (along a fence)
	202° 51′ 40″	39.644 (along a fence)
	203° 02′ 14″	47.307 (along a fence)
	203° 10′ 15″	53.924 (along a fence)
	204° 05′ 53″	53.393 (along a fence)
	203° 57′ 20″	47.381 (along a fence)
	203° 58′ 49″	47.083 (along a fence)

	_	Protected Places	
<u>p. 196</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		203° 59′ 25″	40.441 (along a fence)
		204° 05′ 36″	48.540 (along a fence)
		204° 03′ 12″	48.477 (along a fence)
		203° 57′ 28″	47.827 (along a fence)
		203° 58′ 01″	47.908 (along a fence)
		203° 43′ 46″	48.395 (along a fence)
		203° 14′ 15″	48.369 (along a fence)
		209° 35′ 51″	9.815 (along a fence)
		204° 01′ 30″	48.302 (along a fence)
		204° 06′ 57″	48.280 (along a fence)
		204° 06' 55"	48.627 (along a fence)
		204° 05′ 57″	48.512 (along a fence)
		204° 06' 04"	46.366 (along a fence)
		204° 09′ 34″	50.974 (along a fence)
		204° 10′ 53″	48.517 (along a fence)
		204° 07′ 29″	55.724 (along a fence)
		204° 08′ 25″	939.027
		212° 03′ 56″	32.832 (along a fence)

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 197
	THE SCHEDULE — continued	
	228° 50' 04"	42.689 (along a fence)
	228° 50′ 08″	41.674 (along a fence)
	228° 52′ 38″	44.980 (along a fence)
	228° 52′ 14″	36.137 (along a fence)
	228° 55′ 40″	37.660 (along a fence)
	228° 52′ 16″	74.753 (along a fence)
	228° 45′ 53″	55.986 (along a fence)
	228° 37′ 53″	45.896 (along a fence)
	228° 54′ 10″	50.851 (along a fence)
	228° 52′ 54″	266.488
	229° 49′ 58″	36.574 (along a fence)
	229° 49′ 11″	38.031 (along a fence)
	229° 45′ 42″	40.077 (along a fence)
	227° 36′ 46″	21.259 (along a fence)
	229° 01′ 57″	27.298 (along a fence)
	229° 00′ 51″	32.883 (along a fence)
	228° 46' 02"	30.202 (along a fence)

n 109		Protected Places	[C. p. 256, 0, 2
<u>p. 198</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		232° 25′ 32″	14.392 (along a fence)
		232° 31′ 46″	49.290 (along a fence)
		232° 30′ 17″	36.303 (along a fence)
		232° 38′ 06″	16.368 (along a fence)
		309° 28′ 58″	27.554 (along a fence)
		262° 56′ 33″	7.788 (along a fence)
		246° 43′ 59″	7.348 (along a fence)
		215° 46′ 07″	2.693 (along a fence)
		209° 54′ 09″	2.597 (along a fence)
		335° 13′ 36″	0.763
		213° 11′ 11″	27.429
		272° 35′ 22″	173.325
		180° 00' 00"	120.396
		270° 11′ 00″	17.103
		180° 20′ 00″	46.000
		180° 18' 00"	20.653
		270° 17′ 38″	188.677
		270° 36′ 09″	55.301
		255° 14′ 00″	175.479
		279° 01′ 00″	98.556
		214° 58′ 41″	2.849
		282° 15′ 13″	12.230 (along a fence)
		282° 39′ 54″	12.202 (along a fence)

	Protected Places	
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 199
	THE SCHEDULE — continued	
	283° 52′ 20″	12.186 (along a fence)
	284° 29′ 03″	12.203 (along a fence)
	285° 24′ 38″	14.624 (along a fence)
	286° 14′ 41″	12.187 (along a fence)
	286° 48′ 51″	12.202 (along a fence)
	287° 47′ 12″	12.195 (along a fence)
	288° 35′ 12″	12.209 (along a fence)
	288° 55′ 23″	11.287 (along a fence)
	290° 07′ 44″	13.179 (along a fence)
	291° 14′ 19″	24.744 (along a fence)
	291° 25′ 09″	6.628 (along a gate)
	291° 25′ 44″	24.779 (along a fence)
	291° 29′ 50″	24.007 (along a fence)
	291° 22′ 46″	13.711
	291° 31′ 40″	0.941
	291° 36′ 33″	0.941
	291° 41′ 10″	0.941
	291° 45′ 26″	0.941
	291° 50′ 40″	0.941
	291° 54′ 56″	0.941
	291° 59′ 41″	0.941

p. 200	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p. 200</u>	1770 24.]	THE SCHEDULE — continued	[0.117200, 0.2
		292° 04′ 26″	0.941
		292° 09' 02"	0.941
		292° 13′ 56″	0.941
		292° 18′ 12″	0.941
		292° 22′ 57″	0.941
		292° 27′ 42″	0.941
		292° 32′ 27″	0.941
		292° 37′ 12″	0.941
		292° 41′ 28″	0.941
		292° 46′ 41″	0.941
		292° 51′ 06″	0.941
		292° 55′ 22″	0.941
		293° 00′ 36″	0.941
		293° 04′ 52″	0.941
		293° 09′ 45″	0.941
		293° 14′ 22″	0.941
		293° 18′ 55″	0.941
		293° 24′ 00″	0.941
		293° 28′ 16″	0.941
		293° 32′ 50″	0.941
		293° 37′ 55″	0.941
		293° 42′ 19″	0.941
		293° 47′ 13″	0.941
		293° 51′ 29″	0.941
		293° 56' 23″	0.941
		294° 00′ 59″	0.941
		294° 05′ 32″	0.941
		294° 10′ 26″	0.941
		294° 15′ 02″	0.941

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 20]
CAI: 230, 0 2]	THE SCHEDULE — continued	[1990 Ed. p. 201
	294° 19′ 56″	0.941
	294° 24′ 20″	0.941
	294° 28′ 45″	0.941
	294° 33′ 59″	0.941
	294° 38′ 15″	0.941
	294° 42′ 58″	0.941
	294° 47′ 33″	0.941
	294° 52′ 27″	0.941
	294° 56′ 52″	0.941
	295° 01′ 46″	0.941
	295° 06′ 30″	0.941
	295° 11′ 05″	0.941
	295° 15′ 29″	0.941
	295° 20′ 14″	0.941
	295° 25′ 08″	0.941
	295° 29′ 42″	0.941
	295° 34′ 27″	0.941
	295° 38′ 51″	0.941
	295° 43′ 45″	0.941
	295° 48′ 10″	0.941
	295° 53′ 14″	0.941
	295° 57′ 29″	0.941
	296° 02′ 32″	0.941
	296° 06' 47"	0.941
	296° 11′ 51″	0.941
	296° 16′ 16″	0.941
	296° 20′ 50″	0.941
	296° 25′ 54″	0.941
	296° 30′ 19″	0.941

p. 202	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p. 202</u>	1990 Ed.]	THE SCHEDULE — continued	[CAI: 250, 0 2
		296° 35' 03"	0.941
		296° 39' 27"	0.941
		296° 44′ 31″	0.941
		296° 48′ 56″	0.941
		296° 53′ 30″	0.941
		296° 58′ 14″	0.941
		290° 38° 14 297° 03′ 18″	0.941
		297° 03′ 18 297° 07′ 23″	0.941
		297° 12′ 17″	0.941
		297° 12′ 11″	0.941
		297° 21′ 26″	0.941
		297 21 26 297° 26' 20″	
			0.941
		297° 31′ 14″	0.941
		297° 35′ 39″	0.941
		297° 40′ 24″	0.941
		297° 44′ 48″	0.941
		297° 49′ 42″	0.941
		297° 54' 27"	0.941
		297° 58′ 51″	0.941
		298° 03′ 26″	0.941
		298° 08′ 30″	0.941
		298° 12′ 54″	0.941
		298° 17′ 29″	0.941
		298° 22′ 33″	0.941
		298° 26′ 57″	0.941
		298° 31' 42"	0.941
		298° 36′ 17″	0.941
		298° 40′ 51″	0.941
		298° 45′ 45″	0.941

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 203
	THE SCHEDULE — continued	L 1
	298° 50′ 20″	0.941
	298° 54′ 54″	0.941
	298° 59′ 39″	0.941
	299° 04′ 03″	0.941
	299° 09′ 08″	0.941
	299° 13′ 23″	0.941
	299° 18′ 28″	0.941
	299° 20′ 38″	14.433
	299° 20′ 38″	68.753
	303° 56′ 10″	0.756
	304° 56′ 06″	0.756
	305° 55′ 09″	0.756
	306° 55′ 39″	0.756
	307° 54′ 58″	0.756
	308° 54′ 35″	0.756
	309° 54′ 41″	0.756
	310° 54′ 05″	0.756
	311° 54′ 00″	0.756
	312° 53′ 54″	0.756
	313° 53′ 06″	0.756
	314° 53′ 34″	0.756
	315° 52′ 45″	0.756
	316° 52′ 36″	0.756
	317° 52′ 09″	0.756
	318° 52′ 24″	0.756
	319° 51′ 45″	0.756
	320° 51′ 30″	0.756
	321° 51′ 23″	0.756
	322° 51′ 04″	0.756

p. 204	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>r</u>]	THE SCHEDULE — continued	
		323° 50′ 34″	0.756
		324° 50′ 47″	0.756
		325° 50′ 05″	0.756
		326° 50′ 23″	0.756
		327° 49′ 42″	0.756
		328° 49′ 23″	0.756
		329° 49′ 18″	0.756
		330° 48′ 36″	0.756
		331° 48′ 51″	0.756
		332° 48′ 16″	0.756
		333° 48′ 28″	0.756
		334° 47′ 53″	0.756
		335° 47′ 42″	0.756
		336° 47′ 11″	0.756
		337° 47′ 20″	0.756
		338° 46′ 33″	0.756
		339° 46′ 52″	0.756
		340° 46′ 17″	0.756
		341° 45′ 59″	0.756
		342° 45′ 33″	0.756
		343° 45′ 24″	0.756
		344° 45′ 27″	0.756
		345° 45′ 08″	0.756
		346° 44′ 43″	0.756
		347° 44′ 18″	0.756
		348° 44′ 21″	0.756
		349° 43′ 57″	0.756
		350° 43′ 38″	0.756
		351° 43′ 23″	0.756

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 205
	THE SCHEDULE — continued	<u> </u>
	352° 43′ 05″	0.756
	353° 43′ 03″	0.756
	354° 42′ 32″	0.756
	355° 42′ 17″	0.756
	356° 42′ 03″	0.756
	357° 41′ 40″	0.756
	358° 41′ 46″	0.756
	359° 41′ 21″	0.756
	0° 40′ 56″	0.756
	1° 40′ 59″	0.756
	2° 40′ 11″	0.756
	3° 40′ 17″	0.756
	4° 40′ 02″	0.756
	5° 39′ 52″	0.756
	6° 39′ 24″	0.756
	7° 38′ 55″	0.756
	8° 39′ 08″	0.756
	9° 38′ 35″	0.756
	26° 08′ 56″	44.987
	20° 39′ 20″	10.835
	15° 16′ 14″	13.950
	19° 56′ 13″	19.346
	21° 06′ 39″	21.307
	110° 28′ 18″	0.963
	29° 44′ 28″	25.459
	308° 49′ 47″	1.722
	29° 44′ 29″	18.664
	29° 16′ 54″	4.952
	28° 44' 01"	0.990

p. 206	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>r</u>		THE SCHEDULE — <i>continued</i>	
		28° 33′ 08″	0.990
		28° 21′ 58″	0.990
		28° 10′ 47″	0.990
		28° 00' 04″	0.990
		27° 48′ 53″	0.990
		27° 38′ 01″	0.990
		27° 27′ 00″	0.990
		27° 15′ 49″	0.990
		27° 04′ 57″	0.990
		26° 54′ 05″	0.990
		26° 42′ 45″	0.990
		26° 32′ 21″	0.990
		26° 20′ 42″	0.990
		26° 10′ 09″	0.990
		25° 58′ 59″	0.990
		25° 47′ 48″	0.990
		25° 37′ 05″	0.990
		25° 25′ 54″	0.990
		25° 15′ 03″	0.990
		25° 03′ 42″	0.990
		24° 53′ 09″	0.990
		24° 41′ 48″	0.990
		24° 30′ 46″	0.990
		24° 20′ 04″	0.990
		24° 09′ 02″	0.990
		23° 58′ 00″	0.990
		23° 46′ 58″	0.990
		23° 36′ 04″	0.990
		23° 24′ 35″	0.990

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	n 207
$\mathbf{CAP.} 250, 0 2 \mathbf{]}$	THE SCHEDULE — continued	[1990 Ed.	p. 207
	23° 14′ 09″	0.990	
	23° 14° 09′ 23° 02′ 59″	0.990	
	22° 51′ 54″	0.990	
	22° 40′ 53″	0.990	
	22° 29′ 59″	0.990	
	22° 19′ 05″	0.990	
	22° 07′ 52″	0.990	
	21° 56′ 59″	0.990	
	21° 45′ 46″	0.990	
	21° 34′ 52″	0.990	
	21° 24′ 06″	0.990	
	21° 12′ 53″	0.990	
	21° 01′ 48″	0.990	
	20° 51′ 02″	0.990	
	20° 39′ 49″	0.990	
	20° 29′ 11″	0.990	
	20° 17′ 58″	0.990	
	20° 06′ 52″	0.990	
	19° 55′ 47″	0.990	
	19° 45′ 08″	0.990	
	19° 33′ 43″	0.990	
	19° 22′ 57″	0.990	
	19° 11′ 59″	0.990	
	19° 01′ 00″	0.990	
	18° 49′ 55″	0.990	
	18° 38′ 56″	0.990	
	18° 27′ 58″	0.990	
	18° 09′ 43″	1.982	
	17° 55′ 53″	0.989	

p. 208	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>.</u>	-	THE SCHEDULE — continued	
		17° 43′ 12″	0.988
		17° 38′ 51″	0.992
		17° 13′ 19″	1.979
		16° 56′ 02″	0.992
		17° 00′ 05″	0.988
		16° 30′ 20″	1.980
		16° 13′ 20″	0.993
		16° 04′ 25″	0.988
		16° 00′ 26″	0.991
		15° 47′ 26″	0.990
		15° 17′ 39″	0.992
		15° 34′ 18″	0.989
		15° 04′ 41″	0.991
		14° 51′ 31″	0.990
		104° 33′ 54″	6.369
		14° 44′ 38″	11.747
		14° 44′ 25″	6.396
		285° 20′ 02″	5.233
		12° 45′ 48″	0.813
		12° 42′ 44″	0.813
		12° 38′ 56″	0.813
		12° 35′ 51″	0.813
		12° 32′ 22″	0.813
		12° 28′ 59″	0.813
		12° 25′ 54″	0.813
		12° 22′ 01″	0.813
		12° 18′ 56″	0.813
		12° 15′ 33″	0.813
		12° 12′ 04″	0.813

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed.	n 209
CAI. 230, 0 2]	THE SCHEDULE — continued	L1990 Ed.	p. 207
	12° 08′ 35″	0.813	
	12° 05′ 11″	0.813	
	12° 02′ 07″	0.813	
	11° 58′ 38″	0.813	
	11° 54′ 44″	0.813	
	11° 51′ 45″	0.813	
	11° 48′ 46″	0.813	
	11° 44′ 47″	0.813	
	11° 41′ 23″	0.813	
	11° 38′ 24″	0.813	
	11° 34′ 56″	0.813	
	11° 31′ 02″	0.813	
	11° 27′ 58″	0.813	
	11° 24′ 59″	0.813	
	11° 21′ 10″	0.813	
	11° 17′ 41″	0.813	
	11° 14′ 37″	0.813	
	11° 11′ 13″	0.813	
	11° 07′ 19″	0.813	
	11° 04′ 15″	0.813	
	11° 00′ 51″	0.813	
	10° 57′ 52″	0.813	
	10° 53′ 59″	0.813	
	10° 51′ 00″	0.813	
	10° 47′ 06″	0.813	
	10° 44′ 02″	0.813	
	10° 40′ 38″	0.813	
	10° 37′ 14″	0.813	
	10° 33′ 45″	0.813	

p. 210	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
1		THE SCHEDULE — continued	<u> </u>
		10° 30′ 16″	0.813
		10° 22′ 22″	0.400
		10° 10′ 05″	0.400
		9° 57′ 57″	0.400
		9° 45′ 40″	0.400
		9° 32′ 41″	0.400
		9° 20′ 24″	0.401
		9° 08′ 16″	0.400
		8° 55′ 17″	0.400
		8° 43′ 51″	0.401
		8° 30′ 52″	0.401
		8° 18′ 00″	0.400
		8° 06′ 36″	0.401
		7° 53′ 36″	0.400
		7° 40′ 37″	0.400
		7° 29′ 26″	0.400
		7° 16′ 20″	0.401
		7° 04′ 18″	0.400
		6° 51′ 19″	0.400
		6° 39′ 11″	0.400
		6° 27′ 03″	0.401
		6° 14′ 09″	0.400
		6° 02′ 07″	0.400
		5° 49′ 59″	0.400
		5° 37′ 00″	0.401
		5° 24′ 57″	0.400
		5° 12′ 55″	0.400
		4° 59′ 56″	0.401
		4° 47′ 06″	0.400

Cap. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed.	n 211
$\underline{\operatorname{CAP.} 230, 02}$	THE SCHEDULE — continued	[1990 Ed.	<u>p. 211</u>
	4° 35′ 50″	0.400	
	4° 22′ 05″	0.400	
	4° 10′ 49″	0.400	
	3° 57′ 59″	0.400	
	3° 45′ 56″	0.400	
	3° 33' 02″	0.400	
	3° 20′ 59″	0.400	
	3° 08′ 05″	0.400	
	2° 56′ 04″	0.400	
	2° 43′ 10″	0.400	
	2° 31′ 59″	0.400	
	2° 18′ 14″	0.401	
	2° 06′ 13″	0.400	
	1° 54′ 11″	0.401	
	1° 41′ 18″	0.400	
	1° 29′ 18″	0.400	
	1° 17′ 16″	0.401	
	1° 04′ 23″	0.400	
	0° 51′ 31″	0.400	
	0° 39′ 29″	0.401	
	0° 27′ 28″	0.400	
	0° 14′ 36″	0.401	
	0° 02′ 35″	0.401	
	359° 49′ 42″	0.401	
	359° 37′ 41″	0.400	
	359° 19′ 13″	0.801	
	358° 59′ 55″	0.401	
	358° 47′ 52″	0.400	
	358° 35′ 53″	0.401	

010	-	Protected Places	
<u>p. 212</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		358° 22′ 59″	0.400
		358° 10′ 58″	0.401
		357° 58′ 04″	0.400
		357° 46′ 04″	0.401
		357° 33′ 10″	0.400
		357° 21′ 09″	0.401
		357° 09′ 04″	0.400
		356° 56′ 15″	0.401
		356° 44′ 10″	0.400
		356° 31′ 15″	0.400
		356° 19′ 16″	0.401
		356° 06′ 18″	0.400
		355° 54′ 19″	0.401
		355° 42′ 12″	0.400
		355° 29′ 22″	0.401
		355° 17′ 15″	0.400
		355° 04′ 21″	0.400
		354° 52′ 18″	0.401
		354° 40′ 10″	0.400
		354° 27′ 16″	0.400
		354° 15′ 14″	0.401
		354° 02′ 15″	0.400
		353° 50′ 12″	0.401
		353° 38′ 04″	0.400
		353° 25′ 56″	0.400
		353° 13′ 03″	0.401
		353° 00′ 04″	0.400
		352° 48′ 46″	0.400
		352° 42′ 03″	31.137

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed. p. 213
	THE SCHEDULE — continued	
	350° 23′ 17″	9.368
	359° 05′ 00″	27.091
	355° 51' 00"	30.500
	350° 34′ 00″	4.400
	353° 12′ 00″	21.200
	351° 25′ 00″	17.500
	345° 29′ 00″	24.400
	342° 15′ 00″	59.200
	341° 11′ 19″	58.398
	341° 32′ 51″	36.895 (along a fence)
	337° 14′ 59″	14.762 (along a fence)
	342° 27′ 11″	54.098 (along a fence)
	344° 40′ 58″	19.699 (along a fence)
	346° 38′ 46″	12.275 (along a fence)
	349° 14′ 45″	2.468 (along a fence)
	350° 49′ 19″	14.760 (along a fence)
	350° 31′ 49″	16.878 (along a fence)
	352° 02′ 29″	6.274 (along a gate)
	352° 33′ 38″	5.021 (along a fence)
	268° 06' 40"	36.619 (across a road)
	293° 29′ 43″	22.275
	73° 56′ 58″	0.162
	293° 21′ 23″	253.624

		Protected Places	
<u>p. 214</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		203° 14′ 18″	67.524
		203° 14′ 18″	72.023
		288° 19′ 34″	14.482
		287° 51′ 38″	31.000 (along a fence)
		288° 22′ 21″	87.291 (along a fence)
		289° 50′ 26″	25.084 (along a fence)
		292° 53′ 14″	24.960 (along a fence)
		339° 59′ 47″	33.901 (along a fence)
		340° 13′ 35″	29.967 (along a fence)
		342° 02′ 30″	44.766 (along a fence)
		22° 47′ 53″	37.482 (along a fence)
		23° 14′ 37″	20.723 (along a fence)
		22° 31′ 48″	65.410 (along a fence)
		23° 37′ 50″	41.405 (along a fence)
		23° 12′ 21″	54.027 (along a fence)
		23° 04′ 56″	47.250 (along a fence)
		23° 19′ 49″	25.272 (along a fence)
		23° 58′ 58″	29.830 (along a fence)

	Protected Places	
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 215
	THE SCHEDULE — continued	
	22° 57′ 51″	30.144 (along a fence)
	23° 21′ 08″	30.146 (along a fence)
	23° 11′ 23″	23.916 (along a fence)
	22° 42′ 02″	31.135 (along a fence)
	23° 19′ 14″	33.332 (along a fence)
	23° 26′ 12″	21.889 (along a fence)
	23° 15′ 55″	35.648 (along a fence)
	23° 27′ 10″	26.135 (along a fence)
	23° 02′ 33″	32.528 (along a fence)
	23° 06′ 20″	44.420 (along a fence)
	113° 10′ 40″	35.786 (along a fence)
	113° 05′ 42″	20.855 (along a fence)
	112° 57′ 15″	30.801 (along a fence)
	113° 06′ 33″	30.733 (along a fence)
	113° 26′ 26″	36.251 (along a fence)
	62° 10′ 26″	30.644 (along a fence)
	22° 47′ 18″	27.033 (along a fence)

		Protected Places	
p. 216	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		22° 39′ 57″	29.932 (along a fence)
		23° 34′ 32″	30.597 (along a fence)
		23° 05′ 28″	44.295 (along a fence)
		22° 51′ 48″	37.725 (along a fence)
		23° 10′ 51″	39.659 (along a fence)
		22° 37′ 40″	36.296 (along a fence)
		23° 10′ 12″	16.789 (along a fence)
		28° 28′ 10″	30.272 (along a fence)
		46° 33′ 02″	30.712 (along a fence)
		66° 02′ 28″	30.678 (along a fence)
		82° 39′ 44″	30.784 (along a fence)
		103° 18′ 21″	30.404 (along a fence)
		112° 06′ 42″	36.428 (along a fence)
		85° 20′ 36″	15.143 (along a fence)
		89° 09′ 54″	6.387 (along a fence)
		111° 54′ 10″	22.156 (along a fence)
		74° 09′ 04″	9.164 (along a fence)
		77° 01′ 19″	1.066 (along a fence)

	Protected Places	
CAP. 256, O 2]	(Consolidation) Order	[1990 Ed. p. 217
	THE SCHEDULE — continued	
	74° 15′ 33″	41.553 (along a fence)
	74° 16′ 07″	60.392 (along a fence)
	74° 15′ 43″	33.687 (along a fence)
	112° 23′ 24″	0.377 (along a fence)
	74° 18′ 12″	30.276 (along a fence)
	74° 31 '11″	24.721 (along a fence)
	74° 27 '57"	37.973 (along a fence)
	73° 37′ 43″	2.978 (along a fence)
	74° 01′ 30″	16.184 (along a fence)
	31° 43′ 50″	36.802 (along a fence)
	31° 33′ 36″	47.861 (along a fence)
	44° 14′ 40″	29.624
	31° 31′ 16″	44.500 (along a fence)
	44° 20′ 51″	1.929 (along a fence)
	31° 21′ 13″	52.285 (along a fence)
	31° 21′ 56″	41.486 (along a fence)
	31° 21′ 26″	49.148 (along a fence)
	31° 25′ 34″	47.176 (along a fence)
	31° 11′ 10″	47.136 (along a fence)

		Protected Places	
<u>p. 218</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		16° 49′ 31″	1.385 (along a fence)
		23° 41′ 52″	1.404 (along a fence)
		31° 36′ 31″	6.275 (along a gate)
		39° 31′ 47″	1.286 (along a fence)
		42° 46′ 04″	1.799 (along a fence)
		31° 25′ 45″	53.510 (along a fence)
		31° 21′ 06″	63.885 (along a fence)
		31° 17′ 29″	32.871 (along a fence)
		31° 23′ 55″	44.659 (along a fence)
		31° 23′ 20″	40.775
		31° 15′ 14″	45.942 (along a fence)
		22° 46′ 42″	26.288 (along a fence)
		114° 39′ 49″	3.954 (along a fence)
		31° 11′ 36″	22.368 (along a fence)
		31° 15′ 59″	36.373 (along a fence)
		30° 48′ 20″	22.402 (along a fence)
		33° 58′ 17″	4.314 (along a fence)
		68° 32′ 22″	2.932 (along a fence)
		73° 47′ 00″	26.114 (along a fence)
		73° 35′ 16″	8.734 (along a fence)
		71° 06′ 43″	18.025 (along a fence)

	Protected Places	5
Сар. 256 , О 2]	(Consolidation) Order	[1990 Ed. p. 219
	THE SCHEDULE — continued	
	69° 34′ 58″	26.762 (along a fence)
	67° 46′ 48″	6.050 (along a fence)
	64° 58′ 48″	9.114 (along a fence)
	63° 55′ 13″	8.871 (along a fence)
	63° 22′ 47″	3.264 (along a fence)
	61° 07′ 52″	8.738 (along a fence)
	60° 18′ 50″	12.005 (along a fence)
	57° 38′ 54″	29.693 (along a fence)
	55° 29′ 26″	33.100 (along a fence)
	54° 42′ 52″	24.013 (along a fence)
	51° 16′ 03″	11.889 (along a fence)
	49° 30′ 42″	20.809 (along a fence)
	47° 42′ 36″	21.006 (along a fence)
	47° 14′ 41″	12.593 (along a fence)
	39° 44′ 43″	2.158 (along a fence)
	71° 10′ 48″	31.823
	23° 47′ 29″	24.146 (along a fence)
	41° 05′ 13″	18.715 (across a road)
	29° 23′ 43″	38.655 (along a fence)
	37° 44′ 21″	19.439 (along a fence)

		Protected Places	
<u>p. 220</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		30° 06′ 56″	14.656 (along a fence)
		21° 23′ 51″	27.594 (along a fence)
		28° 30′ 22″	15.531 (along a fence)
		26° 04′ 46″	12.647 (along a fence)
		23° 42′ 47″	12.546 (along a fence)
		21° 20′ 02″	20.005 (along a fence)
		21° 02′ 09″	12.547 (along a fence)
		20° 54′ 04″	12.592 (along a fence)
		20° 42′ 01″	40.037 (along a fence)
		20° 40′ 18″	35.786 (along a fence)
		20° 59′ 09″	37.603 (along a fence)
		21° 33′ 16″	25.065 (along a fence)
		24° 25′ 13″	22.501 (along a fence)
		21° 28′ 57″	14.828 (along a fence)
		13° 43′ 34″	24.104 (along a fence)
		14° 26′ 49″	2.513 (along a fence)
		0° 31′ ′37″	5.620 (along a fence)
		16° 04′ 19″	12.032 (along a fence)

	Protected Places	
CAP. 256, O 2]	(Consolidation) Order	[1990 Ed. p. 221
	THE SCHEDULE — continued	
	20° 35′ 10″	34.677 (along a fence)
	20° 33′ 46″	37.542 (along a fence)
	20° 38′ 22″	35.098 (along a fence)
	20° 36′ 47″	30.001 (along a fence)
	20° 43′ 00″	40.170 (along a fence)
	20° 57′ 49″	45.219 (along a fence)
	22° 06′ 53″	22.453 (along a fence)
	23° 33′ 44″	12.375 (along a fence)
	24° 21′ 01″	14.884 (along a fence)
	29° 30′ 13″	12.536 (along a fence)
	30° 03′ 27″	10.105 (along a fence)
	14° 25′ 38″	13.911 (along a fence)
	17° 48′ 52″	2.623 (along a fence)
	25° 32′ 55″	26.895 (along a fence)
	26° 25′ 11″	16.666 (along a fence)
	30° 59′ 17″	2.138 (along a fence)
	33° 34′ 29″	21.974 (along a fence)
	33° 47′ 25″	17.200 (along a fence)

	-	Protected Places	
<u>p. 222</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		26° 02′ 36″	12.589 (along a fence)
		19° 45′ 00″	14.869 (along a fence)
		19° 33′ 12″	9.967 (along a fence)
		19° 38′ 10″	12.532 (along a fence)
		24° 09′ 38″	12.314 (along a fence)
		26° 21′ 29″	62.793 (along a fence)
		26° 19′ 43″	24.895 (along a fence)
		26° 08′ 11″	29.800 (along a fence)
		26° 04′ 51″	20.018 (along a fence)
		26° 56′ 35″	12.616 (along a fence)
		29° 18′ 44″	25.047 (along a fence)
		28° 45' 35″	12.466 (along a fence)
		26° 17′ 17″	19.977 (along a fence)
		24° 54′ 18″	15.045 (along a fence)
		24° 59′ 18″	30.015 (along a fence)
		27° 01′ 09″	2.532 (along a fence)
		30° 45′ 53″	24.974 (along a fence)
		34° 42′ 00″	24.933 (along a fence)

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 223
	THE SCHEDULE — continued	
	42° 20′ 46″	2.469 (along a fence)
	33° 34′ 05″	5.994 (along a fence)
	20° 01′ 09″	29.857 (along a fence)
	17° 59′ 38″	29.815 (along a fence)
	17° 46′ 40″	41.580 (along a fence)
	17° 42′ 19″	38.681 (along a fence)
	15° 19′ 01″	6.436 (along a gate)
	22° 56′ 52″	7.015 (along a fence)
	16° 30′ 18″	1.891 (along a fence)
	21° 28′ 06″	62.745 (along a fence)
	21° 37′ 21″	26.997 (along a fence)
	22° 18′ 05″	30.032 (along a fence)
	23° 21′ 48″	50.205 (along a fence)
	23° 21′ 54″	31.780 (along a fence)
	23° 31′ 08″	45.770 (along a fence)
	23° 14′ 47″	18.464 (along a fence)
	25° 53′ 13″	40.137 (along a fence)
	29° 55′ 53″	12.005 (along a fence)
	35° 46′ 32″	14.294 (along a fence)

		Protected Places	
<u>p. 224</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		40° 21′ 54″	19.742 (along a fence)
		48° 24′ 44″	15.165 (along a fence)
		48° 21′ 57″	2.865 (along a fence)
		52° 00′ 35″	21.143 (along a fence)
		51° 32′ 12″	3.024 (along a fence)
		54° 10′ 01″	12.109 (along a fence)
		55° 28′ 46″	6.045 (along a fence)
		55° 46′ 42″	20.905 (along a fence)
		61° 09′ 07″	26.469 (along a fence)
		61° 05′ 52″	26.484 (along a fence)
		61° 04′ 54″	29.734 (along a fence)
		62° 31′ 25″	19.529 (along a fence)
		62° 37′ 28″	40.863 (along a fence)
		65° 41′ 10″	26.901 (along a fence)
		66° 52′ 12″	6.183 (along a fence)
		68° 38′ 20″	24.407 (along a fence)
		71° 03′ 45″	16.424 (along a fence)
		70° 38′ 10″	18.591 (along a fence)
		76° 06' 09"	9.684 (along a fence)

CAP. 256, O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 225
<u> </u>	THE SCHEDULE — continued	
	78° 13′ 00″	2.998 (along a fence)
	81° 46′ 07″	3.037 (along a fence)
	90° 55′ 39″	15.256 (along a fence)
	99° 20′ 45″	15.310 (along a fence)
	102° 47′ 11″	10.494 (along a fence)
	105° 34′ 18″	4.694 (along a fence)
	103° 45′ 21″	8.539 (along a fence)
	108° 48′ 46″	6.665 (along a fence)
	111° 17′ 03″	9.195 (along a fence)
	110° 47′ 22″	9.256 (along a fence)
	115° 15′ 50″	34.191 (along a fence)
	116° 22′ 30″	21.595 (along a fence)
	116° 10′ 55″	9.234 (along a fence)
	124° 30′ 02″	15.462 (along a fence)
	124° 44′ 54″	15.346 (along a fence)
	133° 15′ 56″	18.086 (along a fence)
	127° 19′ 35″	0.052 (along a fence)
	141° 57′ 02″	15.197 (along a fence)
	147° 18′ 45″	29.719 (along a fence)
	152° 16′ 42″	32.557 (along a fence)
	117° 25′ 57″	4.362 (along a fence)

<u>p. 226</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	d
		119° 16′ 18″	7.899 (along a fence)
		118° 31′ 15″	18.249 (along a fence)
		174° 21′ 02″	12.319 (along a fence)
		165° 01′ 56″	14.287 (along a fence)
		169° 36′ 46″	2.760 (along a fence)
		171° 31′ 07″	19.136 (along a fence)
		172° 22′ 48″	13.490 (along a fence)
		173° 54′ 43″	25.142 (along a fence)
		174° 24′ 30″	3.558 (along a fence)
		176° 28′ 58″	40.447 (along a fence)
		176° 14′ 14″	29.525 (along a fence)
		177° 18′ 13″	51.361 (across a road)
		183° 11′ 51″	24.050 (along a fence)
		183° 10′ 40″	23.985 (along a fence)
		182° 02′ 06″	11.765 (along a fence)
		181° 16′ 22″	7.564 (along a fence)
		184° 28′ 21″	16.653 (along a fence)
		173° 44′ 35″	12.947 (along a fence)
		174° 24′ 43″	6.593 (along a fence)

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1000 Ed n 227
CAP. 230, 0 2]	THE SCHEDULE — continued	[1990 Ed. p. 227
	174° 05′ 19″	1.025 (along a fence)
	173° 29′ 37″	20.530 (along a fence)
	173° 29′ 21″	39.858 (along a fence)
	173° 42′ 34″	28.477 (along a fence)
	173° 17′ 00″	32.304 (along a fence)
	170° 36′ 55″	33.740 (along a fence)
	170° 07′ 58″	24.949 (along a fence)
	168° 15′ 56″	16.764 (along a fence)
	167° 54′ 39″	13.183 (along a fence)
	165° 34′ 08″	30.647 (along a fence)
	162° 54′ 22″	30.726 (along a fence)
	167° 30′ 58″	26.970 (along a fence)
	167° 32′ 22″	30.055 (along a fence)
	131° 08′ 15″	26.867 (along a fence)
	133° 20′ 12″	9.015 (along a fence)
	134° 04′ 44″	20.774 (along a fence)
	134° 41′ 31″	36.747 (along a fence)
	140° 38′ 35″	22.819 (along a fence)

Protected Places					
<u>p. 228</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2		
	THE SCHEDULE — continued				
		140° 28′ 16″	18.329 (along a fence)		
		147° 01′ 49″	16.443 (along a fence)		
		142° 14′ 19″	11.882 (along a fence)		
		127° 51′ 06″	35.719 (along a fence)		
		157° 15′ 15″	5.778 (along a fence)		
		127° 14′ 01″	8.026 (along a fence)		
		140° 35′ 08″	23.760 (along a fence)		
		135° 54′ 27″	41.443 (along a fence)		
		135° 57′ 03″	41.170 (along a fence)		
		135° 53′ 10″	43.746 (along a fence)		
		135° 53′ 04″	48.573 (along a fence)		
		135° 55′ 13″	46.170 (along a fence)		
		135° 59′ 01″	43.899 (along a fence)		
		135° 59′ 44″	46.054 (along a fence)		
		136° 01′ 58″	46.131 (along a fence)		
		135° 56′ 43″	36.167 (along a fence)		
		136° 19′ 30″	1.055 (along a fence)		
		136° 08' 05″	8.925 (along a fence)		
		135° 26′ 30″	17.693 (across a road)		

THE SCHEDULE — continued

135° 41′ 26″	28.044 (along a fence)
135° 46′ 13″	31.046 (along a fence)
135° 46′ 28″	55.227 (along a fence)

to the point of commencement.

Excluding all that area contained in Parcels A, B, C and D as described below :

(1) PARCEL A

All that area comprised in Lot 7415T in Mukim No. 22 containing an area of about 7,175 square metres and bounded approximately as follows:

Commencing at a point which is 36,741.232 metres North and 34,935.746 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
203° 16' 20"	106.769
293° 20′ 45″	70.443
23° 13′ 43″	72.766
113° 08' 40"	10.189
23° 18' 00"	33.849
113° 14′ 15″	60.296

to the point of commencement.

(2) PARCEL B

All that area comprised in Lots 4439K and 4440T in Mukim No. 22 containing an area of about 24,485 square metres and bounded approximately as follows:

THE SCHEDULE — continued

Commencing at a point which is 36,937.171 metres North and 35,191.502 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Distance in metres
160.670
36.196
116.204
160.670
115.759
36.627

to the point of commencement.

(3) PARCEL C

All that area comprised in Lot 3428M in Mukim No. 22 containing an area of about 18,697 square metres and bounded approximately as follows:

Commencing at a point which is 37,476.634 metres North and 35,320.895 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres
203° 26′ 50″	93.468
112° 37′ 00″	5.308
203° 00' 10"	59.600
292° 55′ 20″	21.150
203° 06' 00"	58.396
165° 37' 00"	3.716

THE SCHEDULE — continued

112° 57′ 20″	23.214
203° 10' 00"	63.668
162° 19′ 10″	26.300
293° 11′ 30″	88.534
23° 09′ 30″	297.832
113° 07′ 00″	61.966

to the point of commencement.

(4) PARCEL D

All that area comprised in part of Lot 4392W in Mukim No. 23 containing an area of about 160 square metres and bounded approximately as follows:


Commencing at a point which is 36,361.438 metres North and 35,352.770 metres East of the Singapore Land Authority's origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along successive lines of bearings and distances approximately as follows:

Bearing	Distance in metres	
280° 03' 13"	12.718 (along a fence)	
11° 03′ 53″	16.098 (along a fence)	
99° 16′ 17″	8.087 (along a fence)	
181° 41′ 10″	11.153 (along a fence)	
108° 22′ 31″	1.816 (along a fence)	
212° 38' 04"	0.584 (along a fence)	
180° 34' 55"	3.988 (along a gate)	
141° 17′ 44″	0.659 (along a fence)	

to the point of commencement.

THE SCHEDULE — continued

The boundaries are more particularly delineated on the Survey Print No. Q3010GB filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore.



[S 598/2003 wef 18/12/2003]

(89) S 20/89
[13.1.89]
Director,
Electricity
Department,
Public Utilities Board.
PANDAN TERMINAL BUILDING.
All that area comprised in
Telecommunication part of Lot 4959 Mukim No.
5 (PANDAN) occupied by "PANDAN
TERMINAL BUILDING" containing an area of about 9382 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "PANDAN

THE SCHEDULE — continued

TERMINAL BUILDING" which point is 31,314.6 metres North and 18,270.6 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distanc	ce in metres
105° 01′	26.6	(partly along a gate)
195° 06′	203.7	
285° 04'	70.1	(partly along a gate)
15° 05'	91.2	
104° 53′	43.7	
15° 01′	112.4	

to the point of commencement.

The boundaries of "PANDAN TERMINAL BUILDING" are more particularly delineated and edged pink on Survey Plan No. 30008 filed in the office of the Chief Surveyor, Singapore.

- (90) [Revoked by S 525/91 wef 29/11/91]
- (91) Director Military Security, Ministry of Defence

MANDAI CAMP II.

All that area comprised in part of State Land Lot 312 Mukim No. 14 (MANDAI), occupied by "MANDAI CAMP II" containing an area of about 94,146 square metres and bounded approximately as follows:

Commencing at a northernmost corner of a fence of the aforesaid "MANDAI CAMP II" which point is 13,543.5 metres North and 8,426.5 metres West of the Survey Department origin of coordinates, the boundaries run along successive lines of fence of bearings and distances as under:

<u>p. 234</u>	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		Bearing	Distance in metres
		121° 10′	5.4
		168° 52′	83.7
		180° 59′	6.1
		174° 26′	30.4
		178° 24′	15.2
		181° 52′	84.4
		138° 04′	6.7
		180° 17′	57.8
		192° 26′	55.8
		220° 39′	52.8
		259° 30′	131.6
		177° 57′	12.8
		257° 02′	34.4
		354° 08′	51.9
		345° 15′	314.4
		14° 08′	28.0
		80° 30′	15.4
thence along a line on a bearing of 45° 21' for a distance of 11.5 metres to meet a point on the corner of a pillar, thence generally along the outer			

thence along a line on a bearing of 45° 21' for a distance of 11.5 metres to meet a point on the corner of a pillar, thence generally along the outer face of the pillars and across gates on a bearing of 90° 17' for a distance of 9.5 metres to meet a corner of a pillar, thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres
308° 50'	0.5
00° 24′	4.0
132° 47′	6.9
78° 43′	52.8

THE SCHEDULE — continued

81° 34′	26.9
83° 19′	9.0
87° 16′	14.9
87° 44′	26.9

thence along a line on a bearing of 32° 53' for a distance of 14.0 metres to meet a point on the corner of a pillar, thence generally along the outer face of the pillars and across gates on a bearing of 90° 13' for a distance of 9.7 metres to meet a corner of a pillar, thence eastward along a line on a bearing of 118° 27' for a distance of 12.1 metres to a point where it meets a fence, thence along the fence on a bearing of 84° 30' for a distance of 67.5 metres to the point of commencement.

The boundaries of "MANDAI CAMP II" are more particularly delineated and edged pink on Survey Print 10010 filed in the office of the Chief Surveyor, Singapore.

> [S 292/2017 wef 09/06/2017] [S 378/2000 wef 23/08/2000]

(92) S 47/89 [3.2.89] Chief Executive, Telecommunication Authority of Singapore.

BUKIT TIMAH SATELLITE EARTH STATION.

All that area comprised in part of State Land Lot 1416 Mukim No. 16 (BUKIT TIMAH), occupied by "BUKIT TIMAH SATELLITE EARTH STATION", containing an area of about 41,962 square metres and bounded approximately as follows:

Commencing at a northernmost corner of the perimeter fence of the aforesaid "BUKIT TIMAH SATELLITE EARTH STATION" which point is 37,271.8 metres North and 23,321.9 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing

Distance in metres

p. 236	5 1990 Ed.]	((Protected Places Consolidation) Order	[(Cap . 256 , O 2
<u>p. 250</u>	/ 1990 Ed.]	1	SCHEDULE — continuea		CAR. 230, 0 2
			171° 42′		(partly along a wall)
			171° 53′	62.0	
			171° 24′	75.1	
			171° 42′	58.3	
			184° 36′	59.6	
			184° 21′	33.0	
			317° 20′	53.6	
			324° 15′	98.3	
			322° 53′	130.2	
			322° 27′	138.7	
			96° 48′	81.6	
			75° 59'	128.6	
			80° 52′	7.8	(along a gate)
			84° 07′	11.9	(along a wall)
			to the point of commence	ment.	
			The boundaries of SATELLITE EARTH STA particularly delineated and Plan No. 20003 filed in th Surveyor, Singapore.	ATION" a d edged p	are more ink on Survey
(93)	Assistant Dir		DSO Science Park.		
(Shared Services Centre), Defence Science and Technology Agency	All that area comprised in part of Land Lot 2157T in Mukim No. 3 occupied by "DSO SCIENCE PARK" containing an area of about 19,936 square metres and bounded approximately as follows:				
			Commencing at a point of the aforesaid "DSO SCIENCE PARK" which point is 30,285.040 metres North and 23,064.842 metres East of the Singapore Land Authority SVY 21 Datum, the boundaries run along successive lines of coordinates approximately as follows:		


Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 237
	THE SCHEDULE — continued	
	Northing	Easting
	30,285.040	23,064.842
	30,277.589	23,077.395
	30,273.920	23,083.552
	30,271.399	23,087.673
	30,251.224	23,075.093
	30,243.303	23,087.795
	30,263.240	23,100.457
	30,257.395	23,108.567
	30,251.014	23,116.269
	30,244.038	23,123.437
	30,237.090	23,129.402
	30,229.643	23,134.745
	30,221.746	23,139.369
	30,213.455	23,143.269
	30,204.854	23,146.407
	30,195.996	23,148.762
	30,186.139	23,150.454
	30,176.177	23,151.323
	30,166.186	23,151.559
	30,156.187	23,151.329
	30,146.205	23,150.802
	30,139.055	23,150.341
	30,106.281	23,148.176
	30,091.823	23,147.559
	30,077.361	23,147.605
	30,062.928	23,148.314
	30,048.518	23,149.687
	30,034.262	23,152.038

THE SCHEDULE — continued

30,117.058	23,072.006
30,167.968	22,995.627

to the point of commencement.

The boundaries of "DSO SCIENCE PARK" are more particularly delineated in the Survey Plan No. D8825/GAZ filed in the office of the Director, Protective Infrastructure and Estate Programme Centre, Defence Science and Technology Agency, Singapore.





TAMPINES TELEPHONE EXCHANGE.

THE SCHEDULE — continued

Chief Executive,	All that area comprised in part of Lot 2018
Telecommunication	Mukim No. 28 (ULU BEDOK) occupied by
Authority of	"TAMPINES TELEPHONE EXCHANGE"
Singapore.	containing an area of about 7,607 square metres
	and bounded approximately as follows:

Commencing at the northernmost corner of a fence of the aforesaid "TAMPINES TELEPHONE EXCHANGE" which point is 6,666.8 metres North and 10,204.4 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
152° 04′	102.8
186° 04'	9.4
230° 46′	4.9
231° 37′	2.3
234° 45′	3.1
236° 05′	3.0
239° 37′	3.0
242° 50′	3.0
246° 40′	3.0
250° 41′	3.0
253° 18′	2.9
255° 00′	3.0
260° 24′	2.9
264° 45′	3.0
266° 11′	3.0
270° 13′	3.0
273° 11′	3.1
276° 23′	2.9
278° 53'	3.0

<u>p. 240</u>	1990 Ed.]	Protected Places (Consolidation) Ord	er	[Cap. 256, O 2
		THE SCHEDULE — con	ntinued	
		282° 16′	3.0	
		284° 55′	2.9	
		288° 28′	3.1	
		292° 03′	2.9	
		295° 35′	3.1	
		298° 22′	3.0	
		301° 42′	2.9	
		308° 35′	9.6	
		318° 14′	8.6	
		323° 22′	11.6	
		338° 00′	12.2	
		330° 51′	34.3	
		62° 53′	3.9	
		78° 37'	1.6	
		125° 00′	1.7	
		151° 38′	13.2	
		62° 22′	3.1	
		332° 01′	15.7	(along outer face of walls)
		332° 43′	9.7	(along a gate and fence)
		62° 03′	65.4	

to the point of commencement.

The boundaries of "TAMPINES TELEPHONE EXCHANGE" are more particularly delineated and edged pink on Survey Plan No. 30011 filed in the office of the Chief Surveyor, Singapore.

(95) [Deleted by S 215/2006 wef 03/04/2006]

(96) [Deleted by S 125/2013 wef 04/03/2013]

THE SCHEDULE — continued

(97)	S 364/89
	[25.8.89]
	Singapore
	Petroleum
	Co. Pte. Ltd.,
	Singapore.

JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD.

All that area comprised in Lot 1832 Mk. 6 (Jalan Buroh), occupied by "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." containing an area of 32,813.07 square metres and bounded approximately as follows:

Commencing at the northern most corner of the perimeter fence of the aforesaid "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." which point is 129.6 metres south of the point N 1461.468, E 1074.595 along the line bearing 175° 53' 30", the boundary runs along a line of fence bearing 175° 53' 30" for a distance of approximately 114.2 metres (across gates) and thence along successive lines of fence of bearings approximately as under:

Bearing	Distance in metres
265° 56′ 30"	12.5
175° 53′ 30"	17.9

to a point on the outer wall of the office building and hence along successive lines of wall, main gate and fence, generally of bearing and distance:

Bearing	Distance in metres
175° 53′ 30"	33.5

to a point where it meets a fence and thence along successive lines of fence of bearings and distances approximately as under:

Bearing	Distance in metres	
85° 49′	12.6	
175° 53′ 30"	125.0 (partly across a gate)	
86° 08′ 42"	47.0	
43° 05′ 29"	54.2 (partly across a gate)	

THE SCHEDULE — continued

266° 08′ 00"	20.6
356° 12′ 50"	198.1
351° 52′ 50"	128.1
265° 56′ 30"	115.3

to the point of commencement.

The boundaries of "JURONG BULK PLANT INSTALLATION, SINGAPORE PETROLEUM CO. PTE. LTD." are more particularly delineated and edged pink on Survey Plan Drawing No. TTK 325/88-1487 filed in the office of the Chief Surveyor, Singapore.

- (98) [Deleted by S 321/2004 wef 07/06/2004]
- (99) [Deleted by S 410/2015 wef 01/07/2015]
- (100) [Deleted by S 101/99 wef 9/3/1999]

(101) S 496/89	All that area comprised in part of State
[22.12.89]	Land lot 1300 Mukim No. 13 (SEMBAWANG)
Commanding	occupied by "NEW ZEALAND DEFENCE
Officer,	SUPPORT UNIT (SOUTH EAST ASIA)"
New Zealand	containing an area of about 4,953 square metres
Defence Supp	and bounded approximately as follows:
Unit (South East A	ia). Commencing at the northernmost point of the aforesaid "NEW ZEALAND DEFENCE SUPPORT UNIT (SOUTH EAST ASIA)" which point is 49,475.8 metres North and 27,842.4 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundary runs along a line on a bearing of 119° 43′ for a distance of 16.2 metres to meet a fence and thence along successive lines of fence of bearings and distances as under: <i>Bearing Distance in metres</i>

Bearing	Distance in metres
29° 43′	0.6
119° 43′	2.5
209° 43′	0.6

THE SCHEDULE — continued

thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
119° 43′	46.0
209° 42′	76.6
299° 43′	64.6
29° 43′	54.0
299° 43′	0.3
29° 43′	0.5
119° 43′	0.3
29° 43′	22.1

to the point of commencement.

The boundaries of "NEW ZEALAND DEFENCE SUPPORT UNIT (SOUTH EAST ASIA)" are more particularly delineated and edged pink on Survey Plan No. S.P. 20012 filed in the office of the Chief Surveyor, Singapore.

CENTRAL CATCHMENT AMMO DEPOT.

All that area comprised in part of Lot 66 Mukim No. 16 (ULU KALANG) and part of Lot 155 Mukim No. 15 (BUKIT TIMAH) occupied by "CENTRAL CATCHMENT AMMO DEPOT" containing an area of about 40,518.9 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "CENTRAL CATCHMENT AMMO DEPOT" which point is 9,016.6 metres North and 6,559.3 metres West of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
97° 00′	14.9
110° 52′	14.8

(102) S 47/90

[2.2.90]
Commanding
Officer,
Singapore Airmed
Forces,
Ammunition Base,

Singapore.

244		Protected Places	
<u>p. 244</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		121° 09′	14.9
		132° 22′	14.9
		143° 43′	14.9
		155° 25′	14.9
		163° 32′	9.0
		170° 13′	110.7
		178° 15′	14.9
		192° 30′	14.9
		194° 02′	17.9
		186° 07′	8.9
		182° 24′	12.0
		176° 17′	12.0
		170° 30′	8.9
		165° 25′	11.9
		158° 49′	11.9
		153° 32′	20.9
		128° 08′	5.8
		97° 00′	5.8
		66° 33'	6.0
		57° 46′	8.9
		38° 59'	8.9
		24° 02′	92.7
		18° 19′	12.0
		9° 06′	12.0
		1° 19′	21.0
		9° 54′	14.9
		20° 45′	14.9
		27° 15′	75.2
		41° 45′	14.9

	Protected Places		
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed.	p. 245
	THE SCHEDULE — continued		
	60° 44′	14.9	
	76° 59′	14.9	
	88° 33′	15.1	
	98° 40′	15.0	
	107° 25′	15.1	
	117° 40′	14.9	
	127° 45′	14.9	
	134° 45′	74.9	
	151° 57′	14.4	
	172° 32′	14.8	
	196° 33′	17.9	
	223° 32′	29.9	
	237° 21′	29.9	
	246° 28′	48.0	
	241° 54′	6.1	
	229° 49′	5.9	
	220° 55′	6.0	
	207° 52′	9.0	
	191° 56′	5.9	
	179° 01′	9.0	
	164° 55′	6.0	
	154° 50′	6.0	
	143° 38′	6.0	
	134° 11′	5.9	
	128° 07′	86.6	
	128° 16′	125.8	
	123° 29′	6.0	
	115° 16′	6.0	
	100° 09′	5.9	

		Protected Places	
<u>p. 246</u>	1990 Ed.]	(Consolidation) Order	[Cap. 256, O 2
		THE SCHEDULE — continued	
		90° 53′	5.9
		79° 32′	6.0
		63° 26′	5.9
		55° 26′	6.1
		42° 16′	6.0
		28° 57′	5.9
		18° 46′	6.0
		4° 54′	6.0
		354° 12′	6.0
		339° 16′	9.0
		328° 12′	9.0
		335° 01′	15.5
		345° 46′	15.2
		355° 57′	15.0
		5° 40′	15.0
		16° 00′	15.0
		26° 53′	15.0
		36° 11′	15.0
		46° 16′	15.1
		56° 17′	15.0
		67° 00′	15.1
		76° 45′	14.9
		86° 23′	15.0
		91° 47′	30.3
		86° 56′	8.7
		81° 22′	9.0
		74° 27′	8.6
		68° 28′	9.0
		62° 53′	9.0

Сар. 256, О 2]	Protected Places (Consolidation) Order	[1990 Ed.	p. 247
	THE SCHEDULE — continued		
	54° 58′	9.0	
	52° 10′	36.1	
	58° 08′	16.3	
	348° 38′	18.4	
	79° 25′	23.4	
	170° 55′	16.6	
	88° 21′	11.9	
	96° 45′	9.1	
	106° 31′	15.0	
	118° 39′	14.9	
	130° 18′	15.2	
	142° 58′	14.9	
	154° 57′	15.0	
	167° 21′	15.1	
	178° 43′	15.0	
	191° 29′	15.0	
	202° 35′	108.0	
	205° 56'	12.0	
	210° 48′	15.0	
	217° 02′	15.0	
	221° 07′	120.0	
	227° 34′	15.0	
	233° 17′	15.0	
	239° 59′	15.1	
	246° 26′	15.0	
	252° 32′	12.0	
	254° 57′	69.1	
	258° 53′	12.0	
	263° 35′	15.0	

		Protected Places	
<u>p. 248</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		269° 15′	14.9
		274° 32′	15.0
		280° 14′	15.0
		286° 10′	15.0
		293° 43′	15.0
		302° 34′	15.0
		311° 03′	15.0
		318° 38'	12.0
		324° 25′	9.0
		325° 58′	119.9
		317° 10′	6.0
		272° 19′	5.9
		240° 30′	5.9
		220° 36′	6.0
		216° 05′	9.0
		207° 38′	5.9
		192° 06′	5.9
		172° 13′	5.9
		158° 37′	5.9
		154° 40′	11.9
		158° 35′	11.9
		163° 17′	14.8
		168° 08′	11.9
		173° 14′	74.4
		169° 38′	9.0
		163° 32′	6.0
		157° 31′	8.9
		152° 59′	5.9
		147° 18′	5.9

	Protected Places		
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed.	p. 249
	THE SCHEDULE — continued		
	143° 33′	6.0	
	138° 18′	5.9	
	133° 16′	6.0	
	127° 26′	11.9	
	121° 40′	3.0	
	114° 56′	14.9	
	110° 40′	71.4	
	121° 08′	14.7	
	138° 18′	14.8	
	156° 55′	14.9	
	173° 59′	14.9	
	192° 35′	14.8	
	208° 43′	14.5	
	219° 11′	8.9	
	224° 00′	6.0	
	231° 39′	14.8	
	244° 20′	14.9	
	255° 46′	14.8	
	264° 06′	14.8	
	271° 03′	14.9	
	279° 02′	14.8	
	286° 00′	14.8	
	293° 56'	14.8	
	303° 28′	14.9	
	314° 34′	17.7	
	325° 37′	11.9	
	329° 48′	9.0	
	326° 14′	8.9	
	319° 25′	11.9	

	_	Protected Places	
<u>p. 250</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		310° 44′	11.9
		302° 28′	11.9
		297° 13′	95.6
		308° 16′	14.9
		317° 27′	15.0
		327° 23′	14.9
		337° 48′	15.0
		347° 09′	14.9
		354° 25′	15.0
		359° 44′	14.9
		4° 37′	15.0
		9° 05′	15.0
		14° 39′	14.9
		16° 51′	55.1
		7° 58′	6.0
		355° 12′	5.9
		340° 25′	5.9
		324° 09′	6.0
		311° 12′	6.0
		295° 41′	5.9
		282° 11′	5.7
		247° 11′	6.0
		216° 48′	5.9
		212° 30′	11.9
		214° 56′	59.7
		211° 29′	15.0
		206° 36′	14.9
		200° 51′	15.0
		196° 59′	11.8

	Protected Places		
Cap. 256, O 2]	(Consolidation) Order	[1990 Ed. p. 2:	51
	THE SCHEDULE — continued		
	193° 55′	62.7	
	200° 16′	14.8	
	219° 10′	14.9	
	242° 56′	14.9	
	263° 36′	14.2	
	286° 41′	15.4	
	303° 42′	15.0	
	298° 10′	14.8	
	285° 58′	14.9	
	274° 02′	17.9	
	261° 45′	11.9	
	252° 33′	14.9	
	241° 26′	14.9	
	232° 08′	9.0	
	224° 34′	8.9	
	217° 47′	11.9	
	208° 28'	12.0	
	199° 58′	17.9	
	210° 12′	29.9	
	211° 45′	38.7	
	216° 06′	6.0	
	224° 16′	5.9	
	233° 16′	238.5	
	227° 53′	9.0	
	223° 49′	12.1	
	217° 18′	21.1	
	211° 32′	9.2	
	207° 32′	21.2	
	213° 25′	18.0	

	_	Protected Places	
<u>p. 252</u>	1990 Ed.]	(Consolidation) Orde	er [CAP. 256, O 2
		THE SCHEDULE — cont	tinued
		219° 18′	12.1
		223° 31′	12.1
		229° 45′	17.9
		233° 10′	68.0
		255° 32′	9.2
		217° 00′	8.8
		209° 14′	9.3
		194° 25′	8.9
		181° 45′	5.9
		170° 58′	6.1
		158° 16′	6.0
		141° 42′	5.9
		129° 40′	6.0
		121° 54′	6.0
		105° 53'	5.9
		95° 37′	6.0
		92° 04′	6.0
		88° 43′	9.1
		23° 58′	19.9
		76° 30′	74.2
		207° 32′	14.9
		195° 04′	12.2
		183° 55′	12.5
		179° 56′	24.1 (partly along a gate)
		274° 10′	115.7
		260° 30'	17.6
		317° 36′	13.9
		240° 17′	21.3
		249° 56'	24.6

	Protected Places	
Сар. 256, О 2]	(Consolidation) Order	r [1990 Ed. p. 253
	THE SCHEDULE — conti	inued
	256° 55′	30.7
	256° 43′	6.1
	256° 04′	5.9
	250° 05′	18.4
	243° 05′	9.1
	239° 05′	9.0
	235° 34′	188.9
	241° 40′	9.1
	245° 39′	15.4
	252° 37′	15.2
	258° 25′	9.2
	262° 21′	12.1
	266° 47′	9.1
	272° 20′	9.1
	276° 23′	9.0
	281° 11′	12.2
	283° 50′	27.4
	280° 06′	12.2
	276° 39′	18.3
	271° 37′	9.2
	265° 39'	9.0
	261° 17′	9.2
	256° 07′	9.3
	251° 25′	12.1
	244° 37′	15.2
	331° 47′ 1	13.4 (partly along a gate)
	66° 50′	21.1
	71° 28′	8.8
	77° 18′	14.9

	_	Protected Places	
<u>p. 254</u>	1990 Ed.]	(Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		84° 17′	15.0
		91° 14′	15.2
		98° 29′	21.2
		102° 50′	39.5
		99° 16′	9.1
		96° 13′	6.1
		89° 59′	12.0
		84° 57′	9.0
		80° 37′	9.1
		76° 34′	9.2
		71° 37′	9.1
		67° 43′	9.1
		63° 21′	6.1
		59° 13′	9.1
		57° 19′	19.1
		55° 33′	179.7
		60° 32′	12.2
		65° 46′	15.3
		72° 49′	12.2
		76° 57′	33.6
		74° 37′	18.3
		67° 31′	12.1
		60° 23′	17.2
		325° 07′	53.5
		36° 49′	75.0
		41° 49′	21.1
		52° 30′	65.8
		309° 02′	26.5
		43° 36′	109.0

	Protected Places		
Сар. 256, О 2]	(Consolidation) Order	[1990 Ed.	p. 255
	THE SCHEDULE — continued		
	132° 09′	7.6	
	57° 57'	35.4	
	98° 29′	20.5	
	54° 06′	81.7	
	140° 43′	33.7	
	52° 24′	119.6	
	22° 32′	27.1	
	29° 17′	26.7	
	16° 24′	34.3	
	300° 19′	44.7	
	321° 31′	89.9	
	330° 36′	17.9	
	344° 06′	54.1	
	0° 17′	32.8	
	18° 29′	18.1	
	35° 33′	27.0	
	52° 49′	15.1	
	63° 26′	15.0	
	74° 41′	11.9	
	85° 57′	18.0	
	100° 00′	17.9	
	114° 13′	20.7	
	132° 13′	20.7	
	142° 23′	11.9	
	148° 16′	93.0	
	138° 34′	6.0	
	122° 55′	5.9	
	104° 37′	5.9	
	74° 24′	8.9	

p. 256	1990 Ed.]	Protected Places (Consolidation) Order	[Cap. 256, O 2
<u>p. 250</u>	1990 Ed.]	THE SCHEDULE — continued	[CAI: 250, 0 2
		41° 12′	8.8
		21° 43′	5.7
		0° 40′	6.3
		346° 16′	5.9
		341° 17′	197.3
		251° 16′	19.6
		340° 13′	22.4
		70° 28′	20.7
		2° 14′	14.2
		25° 24′	14.8
		43° 39′	9.0
		58° 41′	9.0
		61° 12′	16.2
		50° 49′	8.9
		44° 14′	6.0
		38° 57′	8.9
		29° 21′	8.9
		21° 04′	11.9
		10° 53′	11.9
		0° 20′	11.9
		353° 46′	83.3
		2° 06′	11.9
		10° 32′	14.8
		23° 28′	14.9
		31° 46′	15.0
		42° 23′	14.9
		53° 50′	15.0
		63° 05′	14.8
		75° 40′	14.9

14.9

THE SCHEDULE — continued

87° 57′

to the point of commencement.

The boundaries of "CENTRAL CATCHMENT AMMO DEPOT" are more particularly delineated and edged pink on Survey Plan No. 10014 filed in the office of the Chief Surveyor, Singapore.

(103) [Revoked by S 452/95 wef 06/10/95]

(104) [*Revoked by S 330/91 wef 02/08/91; see new order S 330/91*]

(105) S 124/90

JURONG CAMP (EXTENSION) HQ SCE.

[23.3.90] Chief Engineer Officer, Jurong Camp (Extension) Hq. SCE.

All that area comprised in State Lands Lots 2342PT, 195PT, 96-142PT, 2233PT and 2343 Mukim No. 6 (PENG KANG), Lots 53-86PT, 1509PTS Mukim No. 7 (TUAS) and Lot 413PT Mukim No. 9 (CHUA CHU KANG) occupied by "JURONG CAMP (EXTENSION) HQ SCE" containing an area of approximately 132,641 square metres and bounded approximately as follows:

Commencing at the southern-most corner of the perimeter fence of the aforesaid "JURONG CAMP (EXTENSION) HQ SCE" which point is 35,029.2 metres North and 12,029.2 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
344° 25′	22.4
312° 36′	51.9
329° 29′	58.5
329° 31′	48.2
327° 21′	24.0
301° 59′	14.9
327° 52′	32.2
322° 43′	92.5

<u>p. 258</u>	1990 Ed.]	Protected Places (Consolidation) Order		[CAP. 256, O 2
		THE SCHEDULE — continu	ied	
		338° 51′	18.6	(partly across a concrete drain)
		317° 56′	62.5	
		301° 12′	24.0	
		30° 34′	9.0	(partly along a gate)
		305° 06′	28.0	
		25° 31′	2.6	

and thence along successive walls along bearings and distances as under:

Bearing	Distance in metres
293° 00′	0.6
23° 00′	1.8
113° 00′	0.6
24° 44′	7.3
294° 09′	3.1
24° 09′	1.8
114° 09′	3.1

to an inner edge of the wall and thence through the thickness of the wall and fence on a bearing of 24° 25' for a distance of 1.6 metres and thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
322° 19′	18.0
321° 23′	8.0 (along a gate)
322° 14′	22.2
32° 28′	52.2
142° 35′	7.5
140° 58′	6.2
129° 03′	5.9

Сар. 256, О 2]	Protected Pla (Consolidation)		[1990 Ed. p. 259
	THE SCHEDULE —		<u> </u>
	116° 34′	6.2	
	102° 53′	6.1	
	90° 28′	6.0	
	75° 47′	6.1	
	59° 51′	6.4	
	52° 04′	95.8	
	51° 58′	83.7	
	60° 38′	3.0	
	70° 05′	7.4	(partly along a gate)
	136° 27′	4.9	
	90° 02′	1.9	
	85° 39′	8.1	(along a gate)
	68° 11′	1.8	
	149° 03′	2.9	
	142° 25′	116.5	
	142° 19′	164.9	
	142° 16′	133.4	
	171° 39′	3.2	
	231° 38′	11.5	(along two gates)
	143° 55′	3.7	
	217° 11′	88.9	
	223° 15′	42.6	
	216° 52′	15.1	
	210° 22′	38.9	
	216° 18′	11.0	
	306° 24′	4.7	
	217° 02′	11.5	(partly along two gates)

p. 260	1990 Ed.]	Protected Place (Consolidation)		[Cap. 256, O 2
<u>p. 200</u>	1990 Eu.]			[CAF. 250, 0 2
		THE SCHEDULE —	continued	
		126° 54′	4.8	
		216° 27′	22.3	
		306° 42′	34.4	
		219° 11′	27.5	
		132° 37′	34.7	
		85° 11′	3.4	
		241° 28′	12.2	
		218° 55′	18.3	(partly across a concrete drain)
to the point of commencement.				t.
	The boundaries of "JURONG CAMP (EXTENSION) HO SCE" are more particularly			

(EXTENSION) HQ SCE" are more particularly delineated and edged pink on Survey Plan No. LE/89/86/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

(106) S 160/90
[12.4.90]
Chief Signal Officer, Stagmont Camp, Singapore.
STAGMONT CAMP, SINGAPORE.
All that area comprised in part of State
Lands Lot 169 Mukim No. 11 (KRANJI) occupied
by "STAGMONT CAMP" containing an area of
approximately 276,564 square metres and
bounded approximately as follows:

> Commencing at a southernmost corner of the perimeter fence of the aforesaid "STAGMONT CAMP" which point is 40,624.5 metres North and 18,852.5 metres East of the Survey Department origin of co-ordinates, the boundaries run along successive lines of fences and walls of bearings and distances as under:

Bearing	Distance in metres
356° 45′	11.9
302° 58′	42.7
211° 30′	11.6

Protected Places			
Сар. 256 , О 2]	(Consolidation) Order		[1990 Ed. p. 261
	THE SCHEDULE — contin	ued	
	299° 42′	241.1	(partly beside a retaining wall)
	1° 02′	2.8	
	11° 13′	2.7	
	27° 12′	2.4	
	31° 47′	2.3	
	37° 49′	2.5	
	325° 23′	9.5	(partly along two gates and across a road)
	243° 39′	12.3	
	307° 09'	19.1	(partly across a drain)
	300° 47′	41.8	(partly across a drain)
	310° 48′	9.2	
	347° 56'	39.1	(partly across a drain)
	4° 30′	48.4	
	350° 35'	4.7	
	4° 27′	123.3	
	4° 24′	89.8	
	4° 36′	70.9	
	95° 50′	55.2	
	94° 38′	8.3	(along two gates)
	94° 38′	6.0	(partly across a drain)
	70° 35′	104.4	
	91° 49′	30.5	
	97° 46′	140.5	

		Protected Places		
<u>p. 262</u>	1990 Ed.]	(Consolidation) Order		[Cap. 256, O 2
		THE SCHEDULE — continu	ued	
		95° 41′	156.0	(across a drain and partly along a gate)
		95° 59'	36.3	
		170° 46′	17.0	
		167° 02′	16.0	
		163° 21′	14.4	
		162° 22′	16.0	
		160° 12′	15.2	
		154° 37′	15.6	
		151° 38′	14.8	
		150° 09′	87.3	
		239° 51′	115.5	
		161° 19′	54.6	
		173° 26′	12.8	
		270° 09′	5.4	
		339° 29′	25.8	
		327° 48′	20.8	
		228° 47′	6.1	(along a gate)
		224° 55′	1.3	(along a gate)
		152° 44′	2.5	
		146° 42′	15.5	
		155° 33′	18.7	
		158° 09′	19.4	
		162° 34′	24.6	
		195° 49′	35.5	
		193° 16′	56.0	
		251° 09′	27.1	
		250° 25′	11.5	(partly through a wall and a pillar

THE SCHEDULE — continued

and along a gate and then through a pillar and along a gate and through a pillar)

250° 57′	16.6
160° 41′	21.3
71° 38′	15.1
161° 06′	45.4
252° 08′	191.9

to the point of commencement.

The boundaries of "STAGMONT CAMP" are more particularly delineated and edged pink on Survey Plan No. LE/89/85/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

(107) S 178/90 [27.4.90] Officer Commanding, Medical Supply Depot.

SEMBAWANG NAVAL BASIN CAMP.

All those five areas, all comprised in part of Lot 1169 Mukim No. 13 (SEMBAWANG) occupied by the buildings known as "No. 17-4", "No. 16-4", "No. 15-4", "No. 17-2" and "Nos. 10-4, 6-4 and 84-4" containing areas of about 210 square metres, 209 square metres, 209 square metres, 45 square metres and 9,787 square metres respectively and bounded approximately as follows:

Building No. 17-4

Commencing at a point on the westernmost corner of the building of the aforesaid "No. 17-4" which point is 49,588.4 metres North and 27,619.5 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9

THE SCHEDULE — continued

119° 43′	21.2
209° 43′	9.9
299° 43′	21.2

to the point of commencement, and

Building No. 16-4

Commencing at a point on the westernmost corner of the building of the aforesaid "No. 16-4" which point is 49,571.8 metres North and 27,648.5 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9
119° 43′	21.1
209° 43′	9.9
299° 43′	21.1

to the point of commencement, and

Building No. 15-4

Commencing at a point on the westernmost corner of the building of the aforesaid "No. 15-4" which point is 49,555.4 metres North and 27,677.3 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	9.9
119° 43′	21.0
209° 43′	9.9
299° 43′	21.0

to the point of commencement, and *Building No. 17-2*

THE SCHEDULE — continued

Commencing at a point on the westernmost corner of the building of the aforesaid "No. 17-2" which point is 49,547.2 metres North and 27,699.1 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of the building walls of bearings and distances as under:

Bearing	Distance in metres
29° 43′	6.2
119° 43′	7.4
209° 43′	6.2
299° 43′	7.4

to the point of commencement, and

Building Nos. 10-4, 6-4 and 84-4

Commencing at a point on the westernmost corner of the perimeter fence of the aforesaid building "Nos. 10-4, 6-4 and 84-4" which point is 49,506,6 metres North and 27,814.8 metres East of the Survey Department origin of co-ordinates (N.30,000m, E.30,000m) the boundaries run along successive lines of fence and building walls of bearings and distances as under:

Bearing	Distan	ce in metres
29° 43′	19.1	
49° 03′	2.9	
29° 52′	46.7	
10° 59′	2.9	
48° 15′	25.3	
113° 21′	5.2	
21° 46′	60.7	
119° 36'	90.7	(along a fence)
209° 42′	1.9	
119° 41′	7.9	

p. 266	1990 Ed.]	Protected Places (Consolidation) Orde	er	[Cap. 256, O 2
		THE SCHEDULE — con	tinued	
		209° 41′	76.7	
		299° 41′	64.6	
		309° 47′	2.7	
		253° 52′	8.6	(along a gate)
		209° 47′	69.0	
		227° 27′	3.1	
		299° 47′	29.5	
		to the naint of comm		+

to the point of commencement.

The boundaries of "SEMBAWANG NAVAL BASIN CAMP" comprising the buildings "No. 17-4", "No. 16-4", "No. 15-4", "No. 17-2" and "Nos. 10-4, 6-4 and 84-4" are more particularly delineated and edged pink on Survey Plan No. LE/89/81/GAZETTE filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

(a) AYER RAJAH CAMP.

(b) SAF TRANSPORT BASE.

All those two areas, one comprised in parts of State Land Lots 1427, 1430 and 2151, and Lots 1799 and 1431 Mukim No. 3 (PASIR PANJANG) occupied by "AYER RAJAH CAMP", and the other comprised in part of AYER RAJAH ROAD and part of State Land Lot 2151 Mukim No. 3 (PASIR PANJANG) occupied by "SAF TRANSPORT BASE" ancilliary to "AYER RAJAH CAMP", containing areas of about 247,199 square metres and 26,367 square metres respectively and bounded approximately as follows:

(a) AYER RAJAH CAMP

Commencing at a point on the northernmost corner of the perimeter fence of the aforesaid "AYER RAJAH CAMP" which point is 31,017.0 metres North and 23,479.8 metres East of the Survey Department origin of co-ordinates

(108) S 189/90 [4.5.90] Commander, SAF Transport.

THE SCHEDULE — continued

(N. 30,000 m, E. 30,000 m) the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distar	ice in metres
97° 41′	18.4	
103° 57′	18.6	
110° 48′	18.5	
119° 48′	18.5	
126° 12′	18.5	
132° 36′	18.4	
140° 03′	18.5	
148° 33'	18.4	
154° 40′	1.0	
110° 18′	23.9	(across Portsdown Road)
32° 20′	9.9	
72° 51′	7.6	
94° 04′	7.6	
111° 12′	17.3	
28° 06′	2.2	
27° 08′	6.3	(along a gate)
48° 52′	6.5	(across a drain)
90° 06′	68.0	
82° 08′	24.4	
146° 17′	27.6	
53° 05′	17.9	
162° 07′	13.6	
187° 21′	40.5	(partly along a gate)
91° 38′	12.9	

		Protected Places		
<u>p. 268</u>	1990 Ed.]	(Consolidation) Order		[Cap. 256, O 2
		THE SCHEDULE — continu	ed	
		175° 52′	82.0	
		198° 03′	23.4	(across Portsdown Road)
		172° 00′	37.9	
		183° 24′	18.2	
		186° 46′	6.1	
		191° 26′	39.5	
		206° 37′	10.5	
		194° 06′	56.3	(across a drain)
		198° 47′	48.2	
		203° 37′	59.2	
		209° 05′	59.3	
		212° 39′	38.8	
		230° 55′	11.9	
		248° 51′	6.1	
		265° 34′	15.1	
		285° 28′	21.1	
		293° 33′	12.1	
		305° 11′	9.0	
		348° 43′	15.0	(across a drain)
		271° 51′	2.0	(across a drain)
		359° 58′	48.1	
		270° 39′	2.3	
		269° 22′	8.1	(across two successive pillars and along a gate)
		267° 22'	4.2	(along a gate and across a drain)
		180° 32′	5.3	

Cap. 256, O 2]	Protected Places (Consolidation) Order		[1990 Ed. p. 269]
	THE SCHEDULE — continu	ıed	
	182° 31′	19.5	(across two successive drains and across a service road)
	181° 09′	26.4	
	225° 38′	7.2	
	274° 07′	26.7	
	264° 12′	20.6	
	250° 40′	12.1	
	246° 04′	12.1	
	235° 33′	24.0	
	226° 38′	20.8	
	231° 38′	9.1	
	208° 29′	9.4	
	231° 18′	3.1	
	215° 37'	17.7	(across a drain and a service road)
	0° 08′	1.2	
	299° 09′	65.0	
	24° 38′	5.0	
	82° 39′	2.5	(through part of a pillar)
	0° 41′	7.4	(through part of two successive pillars and along a gate)
	273° 20′	2.6	(through part of a pillar)
	359° 10′	47.2	
	22° 21′	0.2	(through part of a pillar)

p. 270	1990 Ed.]	Protected Pla (Consolidation)		[Cap. 256, O 2
<u>p. 2</u> , 0	1))0 Lu.]	THE SCHEDULE —		
		61° 00′	7.3	(along a gate and through part of a pillar)
		338° 28′	8.6	(through part of a pillar)
		5° 43′	7.8	
		5° 05′	13.8	
		303° 52′	110.8	
		288° 38′	9.3	
		325° 57′	6.5	
		303° 57′	42.3	
		33° 57′	111.8	
		304° 03′	130.4	
		67° 33′	19.5	
		41° 54′	33.9	
		25° 48′	7.8	(along a gate)
		312° 02′	11.8	
		229° 32′	35.9	
		319° 01′	3.9	
		319° 26′	7.6	(along a gate)
		320° 15′	1.7	
		318° 51′	24.2	
		55° 32'	20.0	
		53° 04′	197.2	
		35° 35′	29.4	
		39° 39′	6.2	(along a gate)
		48° 34′	1.5	
		53° 28′	46.0	
		347° 15′	10.3	(partly along a gate)

THE SCHEDULE — continued

76° 55'	18.4
84° 37′	18.5

to the point of commencement, and

(b) SAF TRANSPORT BASE

Commencing at a point on the northernmost corner of the perimeter fence of the aforesaid "SAF TRANSPORT BASE" ancilliary to "AYER RAJAH CAMP" which point is 30,415.6 metres North and 23,568.6 metres East of the Survey Department origin of co-ordinates (N. 30,000 m, E. 30,000 m) the boundaries run along successive lines of fence of bearings and distances as under:

Bearing	Distance in metres
93° 38′	12.0
102° 34′	8.0 (along a gate)
107° 12′	12.2
110° 20′	11.5
112° 29′	5.9
119° 55'	6.2
130° 15′	14.7
129° 39′	3.2 (across a drain)
131° 35′	5.0
151° 47′	10.5
141° 55'	10.7
114° 10'	14.6
204° 55'	8.3
216° 43′	9.1
224° 08′	200.8
311° 22′	76.2
315° 39'	6.0

<u>p. 272</u>	1990 Ed.]	Protected Places (Consolidation) Order		[Cap. 256, O 2
		THE SCHEDULE — contin	ued	
		321° 51′	9.0	
		331° 10′	9.0	
		342° 32′	9.0	
		354° 42′	8.9	
		8° 15′	8.9	
		20° 26′	9.0	
		26° 07′	9.0	
		33° 06′	9.0	
		41° 36′	57.2	
		43° 57′	7.3	(across a pillar and along a gate)
		42° 16′	1.6	(across a pillar and along a gate)
		42° 04′	19.3	
		45° 22′	9.2	
		47° 37′	9.2	
		54° 04′	12.3	
		65° 22′	12.0	
		71° 23′	12.2	
		71° 17′	1.2	
		89° 28′	1.8	
		88° 09′	9.2	
		to the point of comme	ncemen	t

to the point of commencement.

The boundaries of "AYER RAJAH CAMP" and the "SAF TRANSPORT BASE" ancilliary to the "AYER RAJAH CAMP" are more particularly delineated and edged pink on Survey Plan No. 10024 filed in the office of the Chief Surveyor, Singapore.

(109) [Deleted by S 720/2005 wef 18/11/2005]
(110) [Deleted by S 130/2003 wef 19/03/2003]

THE SCHEDULE — continued

- (111) [Deleted by S 466/2014 wef 08/07/2014]
- (112) [Deleted by S 466/2014 wef 08/07/2014]
- (113) S 416/90 [22.11.90] Director-General Civil Aviation.

(1) [Deleted by S 418/2015 wef 06/07/2015]

(2) CHANGI INTERNATIONAL AIRPORT CONTROL TOWER

The entire building known as the "CHANGI INTERNATIONAL AIRPORT CONTROL TOWER" standing on a base containing an area of approximately 609 square metres, the limits of which base, commencing from a point whose co-ordinates are North 7,934.1 metres and East 15,357.6 metres, are as follows:

Bearing	Distance in metres
158° 00′	6.2
79° 40′	3.2
0° 33′	2.6
93° 05′	0.2
113° 02′	8.6
135° 34′	0.2
225° 22′	2.6
146° 42′	3.2
68° 13′	6.2
160° 45′	0.2
169° 05'	5.7
179° 29′	0.2
191° 47′	5.7
207° 25′	0.2
214° 18′	5.7
224° 56′	0.2

<u>p. 274</u>	1990 Ed.]	Protected Places (Consolidation) Order	[CAP. 256, O 2
		THE SCHEDULE — continued	
		236° 38′	5.7
		246° 57′	0.3
		259° 23′	5.7
		275° 07′	0.4
		281° 45′	5.6
		292° 32′	0.2
		304° 20′	5.7
		313° 40′	0.2
		326° 39′	5.7
		336° 39′	0.2
		349° 19′	5.7
		0° 41′	0.2
		11° 43′	5.7
		26° 00′	0.2
		34° 12′	5.7
		47° 29′	0.2
		56° 45′	5.7
		64° 09′	0.3
		to the point of commencemen	nt.

The boundaries of "CHANGI INTERNATIONAL AIRPORT CONTROL TOWER" are more particularly delineated and edged pink on Print No. 1158-81 filed in the office of the Chief Surveyor, Singapore.

- (3) [Deleted by S 418/2015 wef 06/07/2015]
- (4) [Deleted by S 418/2015 wef 06/07/2015]
- (5) [Deleted by S 418/2015 wef 06/07/2015]
- (6) [Deleted by S 418/2015 wef 06/07/2015]
- (7) [Deleted by S 418/2015 wef 06/07/2015]
- (8) [Deleted by S 418/2015 wef 06/07/2015]

THE SCHEDULE — continued

- (9) [Deleted by S 418/2015 wef 06/07/2015]
- (10) [Deleted by S 418/2015 wef 06/07/2015]
- (11) [Deleted by S 418/2015 wef 06/07/2015]
- (12) [Deleted by S 418/2015 wef 06/07/2015]
- (13) [Deleted by S 418/2015 wef 06/07/2015]
- (14) [Deleted by S 418/2015 wef 06/07/2015]
- (15) [Deleted by S 418/2015 wef 06/07/2015]
- (16) [Deleted by S 418/2015 wef 06/07/2015]
- (17) [Deleted by S 418/2015 wef 06/07/2015]
- (18) [Deleted by S 418/2015 wef 06/07/2015]
- (19) [Deleted by S 418/2015 wef 06/07/2015]

14 and 16 Tuas Avenue 7.

(114) S 256/91 [7.6.91] General Manager, Ordnance Development and Engineering Company

of Singapore

(Private) Limited

All that area comprised in part of Lots 1080, 1082, 1083, 1085 and 1086 Mukim No. 7 (TUAS) occupied by "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED", containing an area of about 23,986 square metres and bounded approximately as follows:

Commencing at the northernmost corner of the aforesaid "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED", which point is 35,103.5 metres North and 7,149.6 metres East of the Survey Department origin of coordinates, (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
133° 27′	70.3
133° 27′	70.3
223° 23′	82.3
223° 25′	88.3

THE SCHEDULE — continued

313° 34′ 47.3

to meet a point on the corner of a wall, thence along successive lines of bearings and distances as under:

Bearing	Distance in metres
313° 34'	0.2 (along outer face of wall)
43° 19′	0.6 (along outer face of wall)
313° 41′	4.8 (along outer face of wall)
43° 41′	0.2 (along outer face of wall)
133° 41′	0.1 (along outer face of wall)
42° 42′	2.7 (along fence)
312° 52′	2.5 (along outer face of wall)
225° 09′	3.7 (along fence)
313° 33'	5.7
313° 15′	7.8 (along gate)
313° 37′	49.3 (along fence)
313° 37′	0.2 (along outer face of wall)
45° 06′	0.6 (along outer face of wall)
313° 49′	4.8 (along outer face of wall)
43° 49′	0.2 (along outer face of wall)
133° 49′	0.1 (along outer face of wall)

to meet a fence, thence along the fence on a line of bearing of 44° 38' for a distance of 2.7 metres to meet a point on another wall, thence along the outer face of the wall on a line of bearing of 313° 50' for a distance of 2.6 metres to a fence, thence along successive lines of fences of bearings and distances as under:

Bearing	Distance in metres
227° 17′	3.8
313° 20′	5.6

Cap. 256 , O 2]	Protected Places (Consolidation) Order	[1990 Ed. p. 277
	THE SCHEDULE — continu	ıed
	313° 22′	7.8 (along gate)
	314° 09′	2.3
	43° 33′	21.7
	149° 23′	0.3
	44° 04′	5.5
	43° 22′	50.9
	43° 27′	92.7
	to the point of commen	cement

to the point of commencement.

The boundaries of "ORDNANCE DEVELOPMENT AND ENGINEERING COMPANY OF SINGAPORE (PRIVATE) LIMITED" are more particularly delineated and edged pink on Survey Plan No. 20006 filed in the office of the Chief Surveyor, Singapore.

[G.N. No. S 187/56]

LEGISLATIVE HISTORY PROTECTED PLACES (CONSOLIDATION) ORDER (CHAPTER 256, O 2)

This Legislative History is provided for the convenience of users of the Protected Places (Consolidation) Order. It is not part of this Order.

1.	G. N. No. S 187/1956 — Protec	ted Places Order 1956
	Date of commencement	: 23 June 1956
2.	G. N. No. S 330/1991 — Protec	ted Places (No. 3) Order 1991
	Date of commencement	: 2 August 1991
3.	G. N. No. S 345/1991 — Protec	ted Places (No. 4) Order 1991
	Date of commencement	: 8 August 1991
4.	G. N. No. S 368/1991 — Protec	ted Places (No. 5) Order 1991
	Date of commencement	: 23 August 1991
5.	G. N. No. S 506/1991 — Protec Order	ted Places (Miscellaneous Amendments) 1991
	Date of commencement	: 22 November 1991
6.	G. N. No. S 525/1991 — Protec	ted Places (No. 10) Order 1991
	Date of commencement	: 29 November 1991
7.	G. N. No. S 55/1992 — Protected	d Places (No. 5) (Amendment) Order 1992
	Date of commencement	: 14 February 1992
8.	1990 Revised Edition — Protec	eted Places (Consolidation) Order
	Date of operation	: 25 March 1992
9.	G. N. No. S 402/1992 — Protec Order	ted Places (Consolidation) (Amendment) 1992
	Date of commencement	: 11 September 1992
10.	G. N. No. S 21/1993 — Protect	ed Places Order 1993
	Date of commencement	: 5 February 1993
11.	G. N. No. S 270/1993 — Protec Order	ted Places (Consolidation) (Amendment) 1993
	Date of commencement	: 30 June 1993

12. G. N. No. S 286/1993 — Protected P	laces (No. 3) Order 1992
Date of commencement	: 2 July 1993
13. G. N. No. S 332/1993 — Protected Pl No. 2) Orde	
Date of commencement	: 6 August 1993
14. G. N. No. S 459/1994 — Protected Pl Order 1994	aces (Consolidation) (Amendment)
Date of commencement	: 9 December 1994
15. G. N. No. S 457/1996 — Protected Pl No. 5) Orde	
Date of commencement	: 1 January 1995
16. G. N. No. S 47/1995 — Protected Pla Order 1995	ces (Consolidation) (Amendment)
Date of commencement	: 10 February 1995
17. G. N. No. S 452/1995 — Protected P	laces (No. 3) Order 1995
Date of commencement	: 6 October 1995
18. G. N. No. S 484/1995 — Protected Pl No. 2) Orde	
Date of commencement	: 3 November 1995
19. G. N. No. S 500/1995 — Protected Pl No. 3) Orde	
Date of commencement	: 17 November 1995
20. G. N. No. S 6/1996 — Protected Plac Order 1996	es (Consolidation) (Amendment)
Date of commencement	: 5 January 1996
21. G. N. No. S 150/1996 — Protected P	laces (No. 2) Order 1996
Date of commencement	: 4 April 1996
22. G. N. No. S 290/1996 — Protected Pl No. 2) Orde	
No. 2) Orde Date of commencement 23. G. N. No. S 299/1996 — Protected P	r 1996 : 28 June 1996 laces (Consolidation) (Amendment
No. 2) Orde Date of commencement	r 1996 : 28 June 1996 laces (Consolidation) (Amendment

Informal Consolidation – version in force from 28/8/2019 to 30/5/2020

ii

24. G. N. No. S 418/1996 — Protected Places (Consolidation) (Amendment No. 4) Order 1996			
Date of commencement	: 13 September 1996		
25. G. N. No. S 474/1996 — Protected Places (Consolidation) (Amendment No. 6) Order 1996			
Date of commencement	: 1 November 1996		
26. G. N. No. S 62/1997 — Protected Places (Consolidation) (Amendment) Order 1997			
Date of commencement	: 14 February 1997		
27. G. N. No. S 294/1997 — Protected Places (Consolidation) (Amendment No. 2) Order 1997			
Date of commencement	: 20 June 1997		
28. G. N. No. S 41/1998 — Protected Places (Consolidation) (Amendment) Order 1998			
Date of commencement	: 23 January 1998		
29. G. N. No. S 280/1998 — Protected Places (Consolidation) (Amendment No. 2) Order 1998			
Date of commencement	: 8 May 1998		
30. G. N. No. S 428/1998 — Protected Places (Consolidation) (Amendment No. 3) Order 1998			
Date of commencement	: 14 August 1998		
31. G. N. No. S 442/1998 — Protected Places (Consolidation) (Amendment No. 4) Order 1998			
Date of commencement	: 24 August 1998		
32. G. N. No. S 101/1999 — Protected Pl Order 1999	aces (Consolidation) (Amendment)		
Date of commencement	: 9 March 1999		
33. G. N. No. S 378/2000 — Protected Places (Consolidation) (Amendment) Order 2000			
Date of commencement	: 23 August 2000		
34. G. N. No. S 521/2000 — Protected Places (Consolidation) (Amendment No. 2) Order 2000			
Date of commencement	: 14 November 2000		

iii

35. G. N. No. S 81/2001 — Protected Places (Consolidation) (Amendment) Order 2001				
Date of commencement	: 14 February 2001			
36. G. N. No. S 666/2001 — Protected Places (No. 13) Order 2001				
Date of commencement	: 26 December 2001			
37. G. N. No. S 131/2002 — Protected Places (Consolidation) (Amendment) Order 2002				
Date of commencement	: 22 March 2002			
38. G. N. No. S 547/2002 — Protected Places (Consolidation) (Amendment No. 2) Order 2002				
Date of commencement	: 14 October 2002			
39. G. N. No. S 130/2003 — Protected Places (Consolidation) (Amendment) Order 2003				
Date of commencement	: 19 March 2003			
40. G. N. No. S 444/2003 — Protected Places (Consolidation) (Amendment No. 2) Order 2003				
Date of commencement	: 18 September 2003			
41. G. N. No. S 598/2003 — Protected Places (Consolidation) (Amendment) (No. 3) Order 2003				
Date of commencement	: 18 December 2003			
42. G. N. No. S 263/2004 — Protected Places (Consolidation) (Amendment) Order 2004				
Date of commencement	: 10 May 2004			
43. G. N. No. S 321/2004 — Protected Places (Consolidation) (Amendment No. 2) Order 2004				
Date of commencement	: 7 June 2004			
44. G. N. No. S 342/2005 — Protected Pla Order 2005	aces (Consolidation) (Amendment)			
Date of commencement	: 3 June 2005			
45. G. N. No. S 527/2005 — Protected Places (Consolidation) (Amendment No. 2) Order 2005				
Date of commencement	: 5 August 2005			

46.	6. G. N. No. S 576/2005 — Protected Places (Consolidation) (Amendment No. 3) Order 2005				
	Date of commencement	: 5 September 2005			
47.	G. N. No. S 720/2005 —	- Protected Places (Consolidation) (Amendment No. 4) Order 2005			
	Date of commencement	: 18 November 2005			
48.	48. G. N. No. S 215/2006 — Protected Places (Consolidation) (Amendment) Order 2006				
	Date of commencement	: 3 April 2006			
49.	49. G. N. No. S 225/2006 — Protected Places (Consolidation) (Amendment No. 2) Order 2006				
	Date of commencement	: 13 April 2006			
50.	50. G. N. No. S 299/2006 — Protected Places (Consolidation) (Amendment No. 3) Order 2006				
	Date of commencement	: 8 June 2006			
51. G. N. No. S 545/2007 — Protected Places (Consolidation) (Amendment) Order 2007					
	Date of commencement	: 17 October 2007			
52.	52. G. N. No. S 130/2008 — Protected Places (Consolidation) (Amendment) Order 2008				
	Date of commencement	: 19 March 2008			
53.	53. G. N. No. S 131/2008 — Protected Places (Consolidation) (Amendment No. 2) Order 2008				
	Date of commencement	: 19 March 2008			
54. G. N. No. S 378/2011 — Protected Places (Consolidation) (Amendment) Order 2011					
	Date of commencement	: 1 July 2011			
55.	55. G. N. No. S 613/2011 — Protected Places (No. 7) Order 2011				
	Date of commencement	: 15 November 2011			
56. G. N. No. S 94/2012 — Protected Places (Consolidation) (Amendment					
No. 3) Order 2012					
	Date of commencement	: 9 March 2012			

57.	G.N. No. S 243/2012 —	Protected Places	(Amendment) Order 2012	
	Date of commencement	:	30 May 2012	
58.	G.N. No. S 290/2012 —	Protected Places	Order 2012	
	Date of commencement	:	26 June 2012	
59.	G.N. No. S 291/2012 —	Protected Places No. 4) Order 201	(Consolidation) (Amendment 2	
	Date of commencement	:	26 June 2012	
60.	G.N. No. S 351/2012 —	Protected Places	(No. 3) Order 2012	
	Date of commencement	:	25 July 2012	
61.	G.N. No. S 454/2012 —	Protected Places	(No. 9) Order 2012	
	Date of commencement	:	13 September 2012	
62.	G.N. No. S 125/2013 —	Protected Places	(No. 2) Order 2013	
	Date of commencement	:	4 March 2013	
63. G.N. No. S 60/2014 — Protected Places (Consolidation) (Amendment) Order 2014				
	Date of commencement	:	3 February 2014	
64.	G.N. No. S 397/2014 —	Protected Places No. 2) Order 201	(Consolidation) (Amendment 4	
	Date of commencement	:	4 June 2014	
65.	G.N. No. S 466/2014 —	Protected Places No. 3) Order 201	(Consolidation) (Amendment 4	
	Date of commencement	:	8 July 2014	
66.	G.N. No. S 490/2014 —	Protected Places Order 2014	(Miscellaneous Amendments)	
	Date of commencement	:	25 July 2014	
67.	G.N. No. S 612/2014 —	Protected Places No. 5) Order 201	(Consolidation) (Amendment 4	
	Date of commencement	:	19 September 2014	
68.	G.N. No. S 756/2014 —	Protected Places No. 6) Order 201	(Consolidation) (Amendment 4	
	Date of commencement	:	18 November 2014	

69. G.N. No. S 410/2015 —	Protected Places No. 2) Order 201	(Consolidation) (Amendment 5
Date of commencement	:	1 July 2015
70. G.N. No. S 418/2015 —	Protected Places Order 2015	(Miscellaneous Amendments)
Date of commencement	:	6 July 2015
71. G.N. No. S 637/2015 — Protected Places (Miscellaneous Amendments) (No. 2) Order 2015		
Date of commencement	:	4 November 2015
72. G.N. No. S 292/2017 — Protected Places (Consolidation) (Amendment) Order 2017		
Date of commencement	:	9 June 2017
73. G.N. No. S 399/2017 —	Protected Places Order 2017	(Miscellaneous Amendments)
Date of commencement	:	19 July 2017
74. G.N. No. S 214/2018 — Protected Places (Consolidation) (Amendment) Order 2018		
Date of commencement	:	18 April 2018
75. G.N. No. S 568/2019 — Infrastructure Protection (Protected Places) (No. 4) Order 2019		
Date of commencement	:	28 August 2019